UNITED STATES SECURITIES AND EXCHANGE COMMISSION WASHINGTON, DC 20549

FORM 6-K

REPORT OF FOREIGN PRIVATE ISSUER PURSUANT TO RULE 13a-16 OR 15d-16 OF THE SECURITIES EXCHANGE ACT OF 1934

Report on Form 6-K dated March 29, 2018

Commission File Number 1-14846

AngloGold Ashanti Limited
(Name of registrant)

76 Rahima Moosa Street
Newtown, 2001
(P.O. Box 62117, Marshalltown, 2107)
South Africa
(Address of principal executive offices)

Indicate by check mark whether the registrant files or will file annual reports under cover of Form 20-F or Form 40-F.

Form 20-F X Form 40-F

Indicate by check mark if the registrant is submitting the Form 6-K in paper as permitted by Regulation S-T Rule 101(b)(1):

Yes No X

Indicate by check mark if the registrant is submitting the Form 6-K in paper as permitted by Regulation S-T Rule 101(b)(7):

Yes _ No X


Indicate by check mark whether the registrant by furnishing the information contained in this Form is also thereby furnishing the information to the Commission pursuant to Rule 12g3-2(b) under the Securities Exchange Act of 1934.

Yes _ No X

Enclosure: Press release ANGLOGOLD ASHANTI LIMITED - MINERAL RESOURCE AND ORE RESERVE REPORT FOR THE YEAR ENDED DECEMBER 31, 2017



MINERAL RESOURCE AND ORE RESERVE REPORT 2017













SECTION 1 INTRODUCTION

SECTION 2 SOUTH AFRICA

SECTION 3 CONTINENTAL AFRICA SECTION 4

SECTION 6 **ADMINISTRATIVE**



OUR 2017 SUITE OF REPORTS

AngloGold Ashanti publishes a suite of reports annually to record our overall performance. While the Integrated Report 2017 is our primary report, it should be read in conjunction with this report, the Mineral Resource and Ore Reserve Report 2017, as well as the other reports making up our full suite of reports for the year.

Notice of Meeting

Integrated Report <IR> is the primary document in our suite of reports and provides a concise overview and explanation of our performance in terms of our strategic objectives and the related outlook for the company. Both financial and non-financial performance are reviewed.

Notice of Annual General Meeting and Summarised Financial Information (Notice of Meeting) < NOM> is produced and posted to shareholders in line with the JSE Listings Requirements and the requirements of the South African Companies Act, 71 of 2008, as amended (Companies Act).

Sustainable Development Report <SDR>, compiled in line with the Global Reporting Initiative's (GRI's) latest G4 guidelines, is published together with the accompanying GRI scorecard and supplementary data.

Mineral Resource and Ore Reserve Report <R&R>, presented in line with the SAMREC and JORC codes, provides detailed information on all our operations and projects.



Integrated Report



Sustainable Development Report

Annual Financial Statements <AFS> are prepared in accordance with the International Financial Reporting Standards (IFRS).

A dedicated annual reporting website, www.aga-reports.com, hosts PDFs of the full suite of these reports to facilitate ease of access by and communication with our stakeholders.

Click on any of the links below to download the relevant PDF.

















ABOUT THIS REPORT

The Mineral Resource and Ore Reserve for AngloGold Ashanti Limited (AngloGold Ashanti) are reported in accordance with the minimum standards described by the South African Code for the Reporting of Exploration Results, Mineral Resources and Mineral Reserves (SAMREC code, 2016 edition), and also conforms to the standards set out in the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC code, 2012 Edition).

The reporting criteria, as outlined in the reporting codes, have been used in the preparation of internal Competent Person reports (CPR) for each operation, from which the numbers stated in this report have been drawn. Reporting is also in accordance with Section 12 of the Johannesburg Stock Exchange (JSE) Listings Requirements

The Mineral Resource, as reported, is inclusive of the Ore Reserve component unless otherwise stated. Mineral Resource and Ore Reserve is reported as at 31st December 2017, net of 2016 production depletion.

Information is presented by operating region, country, mine and project. The following tables and graphs are used to illustrate details across AngloGold Ashanti's operations during 2017: infrastructure maps; legal aspects and tenure; Inclusive Mineral Resource and Ore Reserve comparison by region, country, mine and project; details of average drillhole/sampling spacing and type; geological cross sections and Mineral Resource sensitivities; exclusive Mineral Resource; Mineral Resource below infrastructure; Inclusive Mineral Resource and Ore Reserve by-products; year-on-year reconciliation of the Mineral Resource and Ore Reserve; Inferred Mineral Resource in business plan; Ore Reserve modifying factors; grade tonnage information on the Mineral Resource and details of appointed Competent Persons. Topics for brief discussion include regional overview, country overview, introduction, geology, exploration, projects and estimation.

PLEASE NOTE:

The following key parameters should be noted in respect of our report:

- · All figures are expressed on an attributable basis unless otherwise indicated
- Unless otherwise stated, \$ or dollar refers to US dollars throughout
- Locations on maps are indicative
- Group and company are used interchangeably
- Mine, operation and business unit are used interchangeably
- Rounding off of numbers may result in computational discrepancies
- . To reflect that figures are not precise calculations and that there is uncertainty in their estimation, AngloGold Ashanti reports tonnage and content in terms of two decimals: similarly by-products are reported without decimals
- Metric tonnes are used throughout this report
- For terminology used in this report, please refer to the glossary of terms on page 265
- All grade tonnage curves reflect the Mineral Resource and exclude stockpiles unless otherwise stated

HOW TO USE THIS REPORT

This is an interactive PDF. Navigation tools at the top left of each page and within the report are indicated as follows.















Interactive indicator

Contents page

Print

Previous page

Next page

Undo

Search













SECTION 1

INTRODUCTION



Group profile

Corporate governance


The year in review

Group overview

3

6







GROUP PROFILE

LOCATION OF ANGLOGOLD ASHANTI'S **OPERATIONS** AND PROJECTS

Percentages indicate the ownership interest held by AngloGold Ashanti.

All operations are 100%-owned unless otherwise indicated.

- (1) Both Morila and Kibali are managed and operated by Randgold Resources Limited
- (2) A feasibility study (FS) has been completed and AngloGold Ashanti is in final stages of negotiations with government to restart operations
- (3) A sale agreement for Kopanang has been entered into with Village Main Reef and was concluded at the end of February 2018
- (4) A sale agreement for Moab Khotsong has been entered into with Harmony Gold Mining Company Limited and was concluded at the end of February 2018



- 1 Argentina
 - Cerro Vanguardia (92.5%)
- 2 Brazil

Serra Grande AGA Mineração

3 Colombia

Gramalote (51%) La Colosa

Quebradona (93.505%)

CONTINENTAL AFRICA

- 4 Guinea Siguiri (85%)
- Mali Morila (40%)(1) Sadiola (41%)
- 6 Ghana Iduapriem Obuasi (2)
- 7 DRC Kibali (45%) (1)
- Tanzania Geita





SOUTH AFRICA

9 South Africa

Kopanang (3)

Moab Khotsong (4)

West Wits

Mponeng

Surface Operations



AUSTRALASIA

10 Australia Sunrise Dam Tropicana (70%)

LEGEND

Operations O Projects

Our operations and projects are grouped regionally as follows:

South Africa

Continental Africa Democratic Republic of the Congo, Ghana, Guinea, Mali and Tanzania

Australasia

Australia

Americas

Argentina, Brazil and Colombia



AngloGold Ashanti reports its Mineral Resource and Ore Reserve in accordance with the minimum standards described by the South African Code for the Reporting of Exploration Results, Mineral Resources and Mineral Reserves (The SAMREC Code, 2016 edition), and also conform to the standards set out in the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code, 2012 Edition).

AngloGold Ashanti achieves this through ensuring the principles of integrity, transparency and materiality are central to the compilation of this report and through using the reporting criteria and definitions as detailed in the SAMREC code. In complying with revisions to the SAMREC code, the changes to AngloGold Ashanti's Mineral Resource and Ore Reserve have been reviewed and it was concluded that none of the changes are material to the overal valuation of the company. AngloGold Ashanti has therefore once again resolved not to provide the detailed reporting for the individual operations and projects as defined in Table 1 of the code, apart from the maiden Ore Reserve declaration for Gramalote, which can be found on the company web site. The company will however continue to provide the high level of disclosure in this document it has in previous years in order to comply with the transparency requirements of the code.

AngloGold Ashanti has established a Mineral Resource and Ore Reserve Steering Committee (RRSC), which is responsible for setting and overseeing the company's Mineral Resource and Ore Reserve governance framework and for ensuring that it meets the company's goals and objectives while complying with all relevant regularity codes. Its membership and terms of references are mandated under a policy document signed off by the Chief Executive Officer.

Over more than a decade, the company has developed and implemented a rigorous system of internal and external reviews aimed at providing assurance in respect of its Ore Reserve and Mineral Resource estimates. The following operations were subject to an external review in line with the policy that each operation or project will be reviewed by an independent third party on average once every three years:

- · Mineral Resource and Ore Reserve at Mponeng
- Mineral Resource at Obuasi
- Ore Reserve at Obuasi
- Mineral Resource and Ore Reserve at Tropicana
- Mineral Resource and Ore Reserve at Gramalote
- Mineral Resource and Ore Reserve at Kibali

The external reviews were conducted by AMEC, Aranz Geo, Snowden, Optiro, SRK and Optiro respectively. Certificates of sign-off have been received from the companies conducting the external reviews to state that the Mineral Resource and/or Ore Reserve comply with the SAMREC and JORC codes and internal policies and guidelines.

In addition, numerous internal Mineral Resource and Ore Reserve process reviews were completed by suitably qualified Competent Persons from within AngloGold Ashanti and no significant deficiencies were identified. The Mineral Resource and Ore Reserve are underpinned by appropriate Mineral Resource management processes and protocols that ensure adequate corporate governance. These procedures have been developed to be compliant with the guiding principles of the Sarbanes-Oxley Act of 2002 (SOX).

AngloGold Ashanti makes use of a web based group reporting database called the Mineral Resource and Ore Reserve Reporting System (RCubed) for the compilation and authorisation of Mineral Resource and Ore Reserve reporting. It is a fully integrated system for the reporting and reconciliation of Mineral Resource and Ore Reserve that supports various regulatory reporting requirements including the United States Securities and Exchange Commission (SEC) and the JSE under SAMREC. AngloGold Ashanti uses RCubed to ensure a documented chain of responsibility exists from the Competent Persons at the operations to the company's RRSC.

AngloGold Ashanti has also developed an enterprise-wide risk management tool that provides consistent and reliable data that allows for visibility of risks and actions across the group. This tool is used to facilitate, control and monitor material risks to the Mineral Resource and Ore Reserve, thus ensuring that the appropriate risk management and mitigation plans are in place.













Competent Persons

The information in this report relating to exploration results, Mineral Resource and Ore Reserve is based on information compiled by or under the supervision of the Competent Persons as defined in the SAMREC or JORC codes. All Competent Persons are employed by AngloGold Ashanti, except for at Kibali and Morila, and have sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity which they are undertaking. The legal tenure of each operation and project has been verified to the satisfaction of the accountable Competent Person and all their Ore Reserve have been confirmed to be covered by the required mining permits or there exists a realistic expectation that these permits will be issued. This information is detailed within this report. The Competent Persons consent to the inclusion of Exploration Results, Mineral Resource and Ore Reserve information in this report, in the form and context in which it appears.

Accordingly, the Chairman of the Mineral Resource and Ore Reserve Steering Committee, VA Chamberlain, MSc (Mining Engineering), BSc (Hons) (Geology), MGSSA, FAusIMM, assumes responsibility for the Mineral Resource and Ore Reserve processes for AngloGold Ashanti and is satisfied that the Competent Persons have fulfilled their responsibilities. VA Chamberlain has 30 years' experience in exploration and mining and is employed full-time by AngloGold Ashanti and can be contacted at the following address: 76 Rahima Moosa Street, Newtown 2001, South Africa.





AngloGold Ashanti strives to actively create value by growing its major asset — the Mineral Resource and Ore Reserve. This drive is based on active, well-defined brownfields and greenfields exploration programmes, innovation in both geological modelling and mine planning, and continual optimisation of the asset portfolio.

Price

The SAMREC and JORC codes require the use of reasonable economic assumptions. These include long-range commodity price and exchange rate forecasts. These are reviewed annually and are prepared in-house using a range of techniques including historic price averages.

The Mineral Resource sensitivities shown in the detail of this report use a base of \$1,400/oz and a range of \$200/oz, unless stated otherwise.

Gold price

The following local prices of gold were used as a basis for estimation in the December 2017 declaration:

			Local prices			
	Gold price	South Africa	Australia	Brazil	Argentina	
	US\$/oz	ZAR/kg	AUD/oz	BRL/oz	ARS/oz	
2017 Ore Reserve	1,100	512,059	1,491	3,573	17,898	
2016 Ore Reserve	1,100	530,000	1,500	4,041	14,969	
2017 Mineral Resource	1,400	601,870	1,824	4,492	21,242	
2016 Mineral Resource	1,400	663,819	1,817	4,414	21,531	

Copper price

The following copper price was used as a basis for estimation in the December 2017 Mineral Resource declaration (currently there is no copper Ore Reserve):

	Copper price US\$/lb
2017 Mineral Resource	3.16
2016 Mineral Resource	2.90

Mineral Resource

Gold

The AngloGold Ashanti Mineral Resource reduced from 214.7Moz in December 2016 to 208.2Moz in December 2017. This gross annual decrease of 6.6Moz includes depletion of 4.8Moz. The balance of 1.8Moz reduction in Mineral Resource results from an increase due to exploration and modelling changes of 1.9Moz and a reduction due to other factors of 0.4Moz, while changes in economic assumptions resulted in a 3.3Moz reduction. The Mineral Resource has been estimated at a gold price of US\$1,400/oz (2016: US\$1,400/oz).


Americas







		Moz
as at 31 December 2016		214.7
Depletions		(4.8)
	Sub-total	209.9
Additions		
Siguiri	Decreased costs resulted in a reduced cut-off grade	1.4
Obuasi	Mineral Resource updated based on recaptured geological data	0.6
Other	Additions less than 0.5Moz	1.6
	Sub-total	213.5
Reductions		
TauTona	Mine commenced orderly closure and part of the Mineral Resource	
	transferred to Mponeng	(2.6)
West Wits Surface	Cost increase resulted in reductions	(0.8)
Moab Khotsong	Due primarily to reclassification of Mineral Resource	(0.8)
Other	Reductions less than 0.5Moz	(1.1)
Mineral Resource as at 31 Decem	ber 2017	208.2




Copper

The AngloGold Ashanti copper Mineral Resource increased from 7,933 million pounds in December 2016 to 8,000 million pounds in December 2017. The increase was due to the attributable percentage for Quebradona increasing from 92.72% to 93.505%. The Mineral Resource has been estimated at a copper price of US\$3.16/lb (2016: US\$2.90/lb).

Prior to 2017, copper at Quebradona was reported as a by-product of gold. However, recent technical studies have confirmed that Quebradona is a copper-gold mine. The original Table 1 JORC submission for Quebradona can be found on the company website.





Ore Reserve

Gold

The AngloGold Ashanti Ore Reserve reduced from 50.1Moz in December 2016 to 49.5Moz in December 2017. This gross annual decrease of 0.6Moz includes depletion of 4.3Moz. The balance of 3.7Moz addition in Ore Reserve results from exploration and modelling changes of 4.0Moz and other factors of 0.5Moz, while changes in economic assumptions resulted in a 0.8Moz reduction. The Ore Reserve has been estimated using a gold price of US\$1,100/oz (2016: US\$1,100/oz).

Ore Reserve

		Moz		
as at 31 December 2016		50.1		
Depletions		(4.3)		
	Sub-total	45.8		
Additions				
Gramalote	Positive prefeasibility study (PFS) complete and approved by Board	1.8		
AGA Mineração	Inclusion of transitional and sulphide material in the Córrego do			
	Sítio Rosalino open pit as well as Mineral Resource conversions			
Tropicana	Model update for Havana South and new designs for Boston Shaker	0.6		
Obuasi	Updated mine plan based on updated Mineral Resource models	0.4		
Cerro Vanguardia	Due to improved methodology	0.3		
Other	Additions less than 0.3Moz	0.8		
	Sub-total	50.5		
Reductions				
TauTona	Mine commenced orderly closure	(0.7)		
Other	Reductions less than 0.3Moz	(0.3)		
Ore Reserve as at 31 December 2017		49.5		


















Sale of assets

AngloGold Ashanti announced on 19 October 2017 that it was seling various assets in the Vaal River region of its South African operations. The sales processes as at 31st December 2017 were still underway and therefore do not affect the stated Mineral Resource and Ore Reserve for 2017. However, with the conclusion of the sales at the end of February 2018, the following reductions in Mineral Resource and Ore Reserve will take place:

Kopanang:	Mineral Resource	3.02 Moz
	Ore Reserve	0.36 Moz
Moab Khotsong:	Mineral Resource	16.30 Moz
	Ore Reserve	4.87 Moz
Surface Operations:	Mineral Resource	0.87 Moz
	Ore Reserve	0.87 Moz

By-products

Several by-products will be recovered as a result of processing of the gold Ore Reserve. These include 40.4kt of uranium oxide from the South African operations, 0.37Mt of sulphur from Brazil and 21.8Moz of silver from Argentina.





GROUP OVERVIEW

Mineral Resource by country (attributable) inclusive of Ore Reserve

Gold		Tonnes	Grade	Contained	gold
as at 31 December 2017	Category	million	g/t	tonnes	Мо
South Africa	Measured	138.59	1.83	254.26	8.1
	Indicated	741.80	2.29	1,696.52	54.5
	Inferred	28.22	14.52	409.69	13.1
	Total	908.62	2.60	2,360.47	75.8
Democratic Republic of Congo	Measured	10.05	4.11	41.30	1.3
	Indicated	46.70	3.07	143.52	4.6
	Inferred	19.98	2.34	46.66	1.5
	Total	76.73	3.02	231.48	7.4
Ghana	Measured	6.46	3.38	21.83	0.7
	Indicated	185.22	4.07	753.89	24.2
	Inferred	75.02	6.07	455.69	14.6
	Total	266.70	4.62	1,231.42	39.5
Guinea	Measured	24.19	0.65	15.78	0.5
	Indicated	156.34	0.84	131.43	4.2
	Inferred	78.35	1.01	79.06	2.5
	Total	258.88	0.87	226.27	7.2
Mali	Measured	6.35	0.54	3.43	0.1
	Indicated	50.30	1.79	89.94	2.8
	Inferred	7.62	1.62	12.37	0.4
	Total	64.27	1.65	105.74	3.4
Tanzania	Measured	-	_	-	
	Indicated	29.24	3.41	99.65	3.2
	Inferred	22.44	4.46	100.13	3.2
	Total	51.68	3.87	199.78	6.4
Australia	Measured	33.57	0.97	32.40	1.0
	Indicated	127.10	1.98	251.04	8.0
	Inferred	35.38	1.84	64.93	2.0
	Total	196.05	1.78	348.37	11.2
Argentina	Measured	7.44	2.20	16.35	0.5
	Indicated	18.59	3.13	58.17	1.8
	Inferred	2.91	2.63	7.65	0.2
	Total	28.94	2.84	82.18	2.6
Brazil	Measured	20.04	6.13	122.87	3.9
	Indicated	24.21	5.85	141.75	4.5
	Inferred	46.50	5.84	271.47	8.7
	Total	90.75	5.91	536.09	17.2
Colombia	Measured	-	-	_	
	Indicated	1,021.66	0.84	854.32	27.4
	Inferred	753.32	0.40	298.46	9.6
	Total	1,774.98	0.65	1,152.78	37.0
Total	Measured	246.70	2.06	508.24	16.3
	Indicated	2,401.18	1.76	4,220.23	135.6
	Inferred	1,069.74	1.63	1,746.09	56.1
	Total	3,717.61	1.74	6,474.56	208.1



Mineral Resource by country (attributable) exclusive of Ore Reserve

Gold		Tonnes	Grade	Contained	gold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
South Africa	Measured	8.75	20.06	175.41	5.64
	Indicated	82.13	10.28	844.59	27.15
	Inferred	15.83	15.97	252.82	8.13
	Total	106.71	11.93	1,272.82	40.92
Democratic Republic of Congo	Measured	1.29	2.64	3.41	0.11
	Indicated	24.83	2.34	58.08	1.87
	Inferred	19.98	2.34	46.66	1.50
	Total	46.10	2.35	108.15	3.48
Ghana	Measured	3.51	5.57	19.55	0.63
	Indicated	125.21	4.06	508.39	16.35
	Inferred	75.02	6.07	455.69	14.65
	Total	203.74	4.83	983.63	31.62
Guinea	Measured	s 	_	-	_
	Indicated	85.09	0.83	70.30	2.26
	Inferred	77.94	1.01	78.75	2.53
	Total	163.04	0.91	149.04	4.79
Mali	Measured	-	-	_	_
	Indicated	20.68	1.73	35.68	1.15
	Inferred	7.62	1.62	12.37	0.40
	Total	28.30	1.70	48.05	1.54
Tanzania	Measured	-	-	_	_
	Indicated	20.70	2.93	60.64	1.95
	Inferred	22.44	4.46	100.13	3.22
	Total	43.14	3.73	160.77	5.17
Australia	Measured	10.53	0.57	6.05	0.19
	Indicated	84.41	1.79	151.43	4.87
	Inferred	35.38	1.84	64.93	2.09
	Total	130.32	1.71	222.41	7.15
Argentina	Measured	2.72	3.13	8.53	0.27
	Indicated	12.80	2.93	37.49	1.21
	Inferred	1.12	4.55	5.10	0.16
	Total	16.64	3.07	51.11	1.64
Brazil	Measured	13.87	6.70	92.89	2.99
	Indicated	11.69	5.66	66.16	2.13
	Inferred	46.25	5.85	270.39	8.69
	Total	71.80	5.98	429.44	13.81
Colombia	Measured		_	_	_
	Indicated	958.02	0.83	799.69	25.71
	Inferred	753.32	0.40	298.46	9.60
	Total	1,711.35	0.64	1,098.15	35.31
Total	Measured	40.67	7.52	305.84	9.83
	Indicated	1,425.56	1.85	2,632.45	84.64
	Inferred	1,054.90	1.50	1,585.28	50.97
	Total	2,521.13	1.79	4,523.57	145.44



Mineral Resource by country (attributable) inclusive of Ore Reserve*

Copper		Tonnes	Grade	Contain	ed copper	
as at 31 December 2017	Category	million	%Cu	tonnes million	pounds million	
Americas	Measured	8 <u>-</u>	_	_	_	
	Indicated	105.25	1.08	1.14	2,508	
	Inferred	471.60	0.53	2.49	5,492	
	Total	576.85	0.63	3.63	8,000	
Total	Measured	-	-	-	-	
	Indicated	105.25	1.08	1.14	2,508	
	Inferred	471.60	0.53	2.49	5,492	
	Total	576.85	0.63	3.63	8,000	

^{*} Copper Mineral Resource exclusive and inclusive of Ore Reserve are the same as there is no Ore Reserve

Ore Reserve by country (attributable)

Gold		Tonnes	Grade	Contained	gold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
South Africa	Proved	131.24	0.50	65.22	2.10
	Probable	663.28	1.00	665.99	21.41
	Total	794.52	0.92	731.21	23.51
Democratic Republic of Congo	Proved	8.54	4.07	34.78	1.12
	Probable	21.18	4.10	86.76	2.79
	Total	29.72	4.09	121.55	3.91
Ghana	Proved	2.95	0.77	2.29	0.07
	Probable	58.59	4.06	237.75	7.64
	Total	61.54	3.90	240.04	7.72
Guinea	Proved	24.19	0.65	15.78	0.51
	Probable	63.18	0.85	53.97	1.74
	Total	87.37	0.80	69.75	2.24
Mali	Proved	0.10	2.14	0.22	0.01
	Probable	32.58	1.69	54.97	1.77
	Total	32.68	1.69	55.18	1.77
Tanzania	Proved		1-	-	-
	Probable	8.54	4.55	38.86	1.25
	Total	8.54	4.55	38.86	1.25
Australia	Proved	23.04	1.14	26.33	0.85
	Probable	42.69	2.33	99.60	3.20
	Total	65.73	1.92	125.94	4.05
Argentina	Proved	4.62	1.69	7.81	0.25
	Probable	5.55	3.69	20.50	0.66
	Total	10.17	2.78	28.32	0.91
Brazil	Proved	4.28	4.17	17.86	0.57
	Probable	12.56	4.50	56.50	1.82
	Total	16.84	4.42	74.36	2.39
Colombia	Proved	5 1		_	
	Probable	63.71	0.86	54.67	1.76
	Total	63.71	0.86	54.67	1.76
Total	Proved	198.96	0.86	170.29	5.47
	Probable	971.87	1.41	1,369.57	44.03
	Total	1,170.83	1.32	1,539.86	49.51





















	Previous			Methodo-	Gold		Geo-	Metal-		Acquisition/	Current			
As at 31 December 2017	year	Depletion	Exploration	logy	price	Cost	technical	lurgical	Other	disposal	year	Net diff	%	Comments
South Africa region														
Kopanang	3.266	(0.165)	(0.079)	-	- 2	-	_	_	_		3.022	(0.24)	(7)	Decrease as a result of depletion and the removal of four mining blocks due to geological structure.
Moab Khotsong	17,494	(0.413)	(0.589)	2	-	(0.204)	-	0	0.012		16.300	(1.19)	(7)	Year-on-year decrease is as a result of depletion, cost increases and revised Mineral Resource classification which resulted in losses due to increased structural discounts.
Vaal River Surface	4.024	(0.278)	0.008	-	(0.154)	-	0.078	-	0.004	-	3.683	(0.34)	(8)	Decrease as a result of depletions and Rand gold price decrease, with minor additions due to deposition on tailings storage facilities (TSFs) and East TSF block model changes.
Mine Waste Solutions	2.331	(0.086)				-	(0.001)		0.002	-	2.244	(0.09)	(4)	Year-on-year decrease due to depletion.
Mponeng	50.028	(0.290)	(1.371)	-	-	(0.460)	-	-	2.065	-	49.972	0.855.554	(0)	Main differences are the result of the transfer of Mineral Resource from Savuka and TauTona (+2.056Moz) as well as the addition of the Phase 4 and 6 project areas. Net value drop offset by revised geological and estimation model in the Booysens and Kimberley estimation domains.
TauTona	2.670	(0.111)	0.091	(0.243)	-	(0.342)	-	75	(2.065)	.7		(2.67)		Due to economic considerations TauTona commenced orderly closure during the year and the Mineral Resource has been transferred to Mponeng.
West Wits Surface	1.549	(0.029)	0.062	-	54.5	(0.934)	0.019	-	0.003	-	0.670			Cost increases resulted in reductions.
Total	81.362	(1.373)	(1.878)	(0.243)	(0.154)	(1.940)	0.096	-	0.021	-	75.891	(5.47)	(7)	
Continental Africa regi														
Kibali	7.732	(0.360)	0.111		-	(0.013)	-	177	(0.027)	-	7,442			Decrease as a result of depletion partially balanced by minor exploration additions.
Iduapriem	5.561	(0.377)	0.099	0.000	-	0.257	-	-	0.004	-	5.544			Annual depletion offset by costs improvements.
Obuasi	33,489	-	-	0.558	170	7		- 7	-		34.047		2	Slight year-on-year increase as a result of improvements in the geological model based on recaptured base data.
Siguiri	6.148	(0.318)	0.701	0.183	-	0.610	-	-	(0.049)	-	7.275		18	in the sulphides at Saraya and Seguélén.
Morila	0.171	(0.053)	(0.003)	-	-	-	-	-	-	-	0.114			Mineral Resource decreased as a result of depletion.
Sadiola	3.336	(0.082)	0.090	0.019	17/	(0.079)	0.7%		0.002		3.286	(0.05)	(2)	Most changes from last year to this related to depletion, model updates and cost changes.
Geita	7.318	(0.543)	-	(0.241)	-	(0.252)	-	7	0.140	-	6.423	(0.90)	(12)	Mineral Resource decreased mainly as a result of depletion, costs increases in processing and the addition of a crown pillar between open pit and underground.
Total	63.755	(1.733)	0.997	0.520	-	0.523	-	-	0.070	-	64.131	0.38	1	
Australasia region														
Sunrise Dam	5.875	(0.263)	0.316	0.299	-	7		-	(0.245)	-	5.982	0.11	2	Mineral Resource has increased due to exploration and model methodology which has offset depletion and sterilisation.
Tropicana	5.613	(0.384)	0.009	0.105	-	(0.125)	-	Ť	-	-	5.218	(0.40)	(7)	Overall decrease in Mineral Resource with losses due to depletion and optimisation of the pit designs, with minor additions due to revised modelling parameters and exploration additions.
Total	11.488	(0.647)	0.325	0.405	-	(0.125)	-	-	(0.245)	-	11.200	(0.29)	(3)	
Americas region														
Cerro Vanguardia	3.059	(0.341)	0.028	0.021	-	(0.092)	-	_	(0.033)	-	2.642	(0.42)	(14)	Year-on-year decrease in the Mineral Resource as a result of depletion.
AGA Mineração	13,944	(0.491)	1.263	(0.836)		(0.042)			(0.264)	-	13.574	(0.37)	(3)	Overall decrease in the Mineral Pescurce, with decreases as a result of depletion and the constraining of the open pits, balanced by exploration additions at Culabá below level 25 on Fonte Grande Sul (FGS) and below level 8.1 on the Carmagem orebody at Lamago.
Serra Grande	3.551	(0.189)	0.261	0.044	-	(0.013)	-		0.007	-	3.662	0.11	3	Year-on-year increase in the Mineral Resource as a result of exploration success at Mangaba and Baru open pit, offset by depletion.
Gramalote	3.475	17	0.010	1.073	0.75	(1.486)	170			7	3.072	(0.40)	(12)	Decrease in the Mineral Resource as a result of a cut-off increase and wireframe changes.
La Colosa	28.464	-	-	(0.134)	-	-	-	-	-	-	28.330	(0.13)	(O)	
Quebradona	5.613	-	-	-	-	-	-	-	-	0.047	5.660	0.05	1	No changes to the Mineral Resource, attributable percentage changed from 92.72% to 93.505%.
Total	58,105	(1.021)	1.563	0.169	-	(1.633)	-	~~~	(0.290)	0.047	56.940	(1.17)	(2)	THE PARTY OF THE P
Grand total	214.711	(4.774)	1.006	0.850	(0.154)	(3.175)	0.096	-	(0.445)	0.047	208.162		(3)	

MINERAL RESOURCE AND ORE RESERVE REPORT 2017



A - + 5 P





	Previous	120,470,07	Explo-	Metho-	Gold	54555	Geo-	Metal-	Revenue	5533	Acquisition			Net		986 (SC)
As at 31 December 2017	year	Depletion	ration	dology	price	Cost	technical	lurgical	factor	Other	disposa	l y	ear	diff	%	Comments
South Africa region																
Kopanang	0.493	(0.109)	-	-	-	-	(0.022)		-	-		- 0.3	362	(0.13)	(27)	Ore Reserve decreased year-on-year as a result of depletion.
Moab Khotsong	5.001	(0.308)	(0.626)	-	-	-	(0.006)	-	-	0.813		- 4.8	373	(0.13)	(3)	Reduction in the Ore Reserve was as a result of depletion and geological model changes, this was offset by additions coming from scope changes in the growth projects.
Vaal River Surface	3.934	(0.225)	0.008	-	-	(0.105)	0.048	0.010	-	0.005		- 3.6	375	(0.26)	(7)	Year-on-year Ore Reserve decreased as a result of depletion and cost.
Mine Waste Solutions	2.292	(0.084)	-	-	-	-	(0.001)	0.036	-	0.001		- 2.2		(0.05)	(2)	Ore Reserve decreased year-on-year primarily as a result of depletion
Mponeng	12.481	(0.239)	2.290	(2.693)	- 5	2	(0.164)	ā		0.486		- 12.1		(0.32)	(3)	Ore Reserve position is down overall as a result of depletion and geological and geotechnical changes, this was partially offset by replacing the below 120 phased approach project with the life of mine (LOM) extension project and the inclusion of TauTona Ore Reserve.
TauTona	0.762	(0.085)	-	-	-	-	(0.179)	-	-	(0.499)			-	(0.76)	(100)	Due to economic considerations TauTona commenced orderly closure during the year and the residual Ore Reserve has been partially transferred to Mponeng and will be extracted at a later period in the Mponeng LOM.
West Wits Surface	0.172	(0.026)	0.005	0.023	(0.018)	-	0.003	0.016	-	0.017		0.1	192	0.02	12	Ore Reserve increased during the year as a result of model changes at the Old North block.
Total	25.134	(1.076)	1.677	(2.670)	(0.018)	(0.105)	(0.321)	0.062	-	0.824		23.5	509	(1.63)	(6)	
Continental Africa region	i															
Kibali	4.128	(0.310)	1.016	-	-	(0.014)	-	-	-	(0.914)		- 3.9	908	(0.22)	(5)	Ore Reserve decreased during the year as a result of depletions and model changes.
Iduapriem	1.843	(0.248)	-	-	-	0.122	-	-	(0.135)	0.271		1.8	353	0.01	- 1	Overall increase in the Ore Reserve as a result of additions at block 9W and lower mining costs.
Obuasi	5.489	-	-	0.375	-	-	-	-	-	-		- 5.8	364	0.37	7	No depletion during the year. Ore Reserve increased on the back of an updated mine plan based on updated Mineral Resource models.
Siguiri	2.443	(0.277)	0.013	-	-	0.147	-	-	0.015	(0.099)		2.2	242	(0.20)	(8)	Ore Reserve decreased during the year as a result of depletions which were countered in part by exploration and cost reductions.
Moria	0.108	(0.037)	0.005		-	-	- 2	_	-	-		0.0	077	(0.03)	(29)	Depletion was offset slightly by the addition of the Domba pit.
Sadiola	1.798	(0.056)	-	0.133	7-7	(0.055)	7	-	(0.015)	(0.107)		1.6	398	(0.10)	(6)	Ore Reserve reduced during the year as a result of depletion and an increase in the cut-off.
Geita	1.967	(0.644)	0.002	(0.037)	-	(0.080)	-	-	(0.199)	0.240		1.2	249	(0.72)	(36)	Year-on-year the Ore Reserve decreased, largely driven by depletion and costs.
Total	17.776	(1.572)	1.037	0.471		0.121	-	-	(0.334)	(0.609)		- 16.8	391	(0.89)	(5)	
Australasia region																
Sunrise Dam	1.344	(0.276)	0.123	(0.005)	-	(0.005)	-	2	-	0.013		1.1	194	(0.15)	(11)	Ore Reserve decreased overall as a result of depletion, despite minor exploration additions in Vogue.
Tropicana	2.659	(0.383)	-	0.207	-	(0.476)	-	-	0.436	0.412		2.8	355	0.20	7	Overall increase in the Ore Reserve as a result of model update to Havana South and new pit designs for Boston Shaker 03 and 04.
Total	4.003	(0.658)	0.123	0.202	-	(0.481)	-	-	0.436	0.424		- 4.0	049	0.05	1	
Americas region																
Cerro Vanguardia	0.946	(0.341)	(0.311)	0.715	-	(0.067)	(0.031)	-	S#7	18		0.9	910	(0.04)	(4)	Slight decrease in the Ore Reserve, with the depletion being largely offset by improved estimation methodology.
AGA Mineração	1.722	(0.466)	0.677	0.174	-	(0.056)	-	0.009		·-		- 2.0	060	0.34	20	Year-on-year increase in the Ore Reserve, driven by the inclusion of transitional and sulphide material in the Córrego do Sitio (CdS) Rosalino open pit as well as Mineral Resource conversions.
Serra Grande	0.478	(0.151)	140	0.103	(0.051)	(0.145)	0.109	-	(0.012)	-		- 0.3	330	(0.15)	(31)	Ore Reserve decreased year-on-year as a result of depletion, with minor additions due to model and scope changes and reductions due to exchange rate.
Gramalote		-	1.758	-		-	(FH)	-	De0			- 1.7	758	1.76	-	PFS complete and approved by Board.
Total	3.146	(0.958)	2.124	0.992	(0.051)	(0.268)	0.078	0.009	(0.012)	(0.001)		- 5.0	059	1.91	61	
Grand total	50.060	(4.264)	4.961	(1.005)	(0.069)	(0.732)	(0.243)	0.071	0.090	0.639		49.5	508	(0.55)	(1)	

17 MINERAL RESOURCE AND ORE RESERVE REPORT 2017





SECTION 2











SOUTH AFRICA



Regional overview	19
Kopanang	22
Moab Khotsong	30
Mponeng	40
Surface Operations	52







Kopanang (2)

Moab Khotsong (3)

4km


Vaal River Kopanang (2)

Orkney

Free State

Moab Khotsong (3)

Surface Operations



(4) TauTona operation commenced orderly closure in 2017

4km

Mponeng

WUDLs

Fochville A

2 West Wits Mponeng TauTona (4)

Surface Operations






Key statistics

	Units	2017	2016	2015
Operational performance				
Tonnes treated/milled	Mt	38.9	39.6	36.8
Recovered grade (1)	oz/t	0.202	0.219	0.225
	g/t	6.93	7.51	7.70
Gold production (attributable)	000oz	903	967	1,004
Total cash costs	\$/oz	1,085	896	881
Total production costs	\$/oz	1,247	1,089	1,091
All-in sustaining costs (2)	\$/oz	1,245	1,081	1,088
Capital expenditure (attributable)	\$m	150	182	206

⁽¹⁾ Refers to underground operations only

As at December 2017, AngloGold Ashanti's operations in South Africa had a total Mineral Resource (inclusive of the Ore Reserve) of 75.9Moz (2016: 81.4Moz) and an Ore Reserve of 23.5Moz (2016: 25.1Moz).

This is equivalent to 36% and 47% of the group's Mineral Resource and Ore Reserve respectively. The South African operations produced 903koz of gold in 2017, or 24% of group production.



AngloGold Ashanti's South Africa operations comprise four deep level underground mines and three surface processing operations, collectively referred to as Surface Operations.

All four underground mines are 100% owned by AngloGold Ashanti. The mining operations are all located within the Witwatersrand Basin and are in two mining districts, Vaal River and West Wits.

- The Vaal River operations consist of the Kopanang and Moab Knotsong mines and are situated near the town of Klerksdorp. The primary reefs mined by these operations are the Vaal Reef (VR) and the secondary Crystalkop Reef (CR).
- The West Wits operations consist of the Mponeng mine (TauTora having commenced orderly closure during 2017) which is situated near the town of Carletonville. The primary reef being mined is the Ventersdorp Contact Reef (VCR).

At the South African underground operations, a sequential and/or scattered grid mining method is employed to extract the gold from the deep, narrow, tabular orebodies. The grid is pre-developed through a series of haulages and crosscuts. Stoping takes place by means of breast mining using conventional drill and blast techniques. The selective mining unit (SMU) is 100m x 100m.

The Surface Operations are located in both districts and include the Vaal River Surface, Mine Waste Solutions (MWS) and the West Wits Surface processing operations. They rework and retreat the low grade stockpiles and tailings storage facilities (TSFs) which result from the mining and processing of the primary and secondary reef horizons.

⁽²⁾ Excludes stockpile write-offs





Due to economic considerations, the decision was taken by the AngloGold Ashanti Executive and ratified by the AngloGold Ashanti Board, to place TauTona (including Savuka) operations into orderly closure as at the end of the third quarter 2017, 2.07Moz and 0.49Moz of the residual Mineral Resource and Ore Reserve respectively were transferred to Mponeng for extraction at a later time period in the Mponeng LOM.

AngloGold Ashanti announced in the third quarter of 2017 that it was selling various assets in the Vaal River region. The sale processes was still underway as at 31 December 2017 and therefore do not affect the stated Mineral Resource and Ore Reserve for 2017.

However, with conclusion of the sale process at the end of February 2018 the following reductions will take place:

Kopanang:Mineral Resource3.02MozSurface Operations:Mineral Resource0.87MozOre Reserve0.36MozOre Reserve0.87Moz

Moab Khotsong:Mineral Resource16.30 MozOre Reserve4.87 Moz

Inclusive Mineral Resource


South Africa		Tonnes million	Grade g/t	Contained gold	
as at 31 December 2017	Category			tonnes	Moz
	Measured	138.59	1.83	254.26	8.17
	Indicated	741.80	2.29	1,696.52	54.54
	Inferred	28.22	14.52	409.69	13.17
	Total	908.62	2.60	2,360.47	75.89


Exclusive Mineral Resource

South Africa	Category	Tonnes million	Grade g/t	Contained gold	
as at 31 December 2017				tonnes	Moz
	Measured	8.75	20.06	175.41	5.64
	Indicated	82.13	10.28	844.59	27.15
	Inferred	15.83	15.97	252.82	8.13
	Total	106.71	11.93	1,272.82	40.92


Ore Reserve

South Africa	Category	Tonnes	Grade g/t	Contained gold	
as at 31 December 2017		million		tonnes	Moz
	Proved	131.24	0.50	65.22	2.10
	Probable	663.28	1.00	665.99	21.41
	Total	794.52	0.92	731.21	23.51























Introduction

Property description	Kopanang is a mature, deep level underground operation. The centre of mining has shifted over the past few years to the west of the mine lease area.
Location	Kopanang is located in the Free State province, approximately 170km south-west of Johannesburg and 10km south-east of the town of Orkney.
History	Shaft sinking was initiated in 1977 and completed by 1981 with production beginning in 1984.
Legal aspects and tenure	The current mining lease encompasses an area of 35km ² . AngloGold Ashanti holds a number of mining rights in the Klerksdorp area which have been successfully converted, executed and registered as new order mining rights at the Mineral and Petroleum Resources Titles Office (MPRTO).
	 NW30/5/1/2/2/04MR valid from 12 September 2007 to 11 September 2022
	 NW30/5/1/2/3/2/2/14MR valid from 18 February 2013 to 17 February 2043
	 NW30/5/1/1/2/16MR valid from 20 August 2008 to 19 August 2038
Mining method	Two gold-bearing horizons (VR and CR) are accessed via a single shaft system which descends to a maximum depth of 2,334m, while the main working levels are situated between 1,300m and 2,064m below surface. A sequential grid mining layout is used from which scattered mining takes place.
Operational infrastructure	Kopanang's surface and underground infrastructure, as well as the power and water services, exceed the planned peak LOM production requirements. Broken rock handling is track-bound, transferred to a number of inter-level sub-vertical transfer systems that gravity feeds to the main silos on 75 Level. The rock is hoisted to surface through the main shaft. From the shaft the rock is transported to the processing plant by train.
Mineral processing	Stoping ore and development waste rock is hoisted and processed as one product. Moab Khotsong and Kopanang mines share the Great Noligwa gold plant, and this plant's design capacity exceeds the maximum planned production from the two mines. Gold and uranium is recovered through gold cyanide and acid uranium leaching. The reef is milled at the Great Noligwa gold plant and processed at the South uranium plant for uranium oxide extraction prior to gold extraction at the Great Noligwa gold plant.
Risks	Kopanang is mining on a declining grade profile to the west with bulk future mining in the low value 460W geological domain.

Competent Persons

Kopanang		Professional	Membership	Relevant	
Category	Competent Person	organisation	number	experience	Qualification
Mineral Resource	Rebaone Francis Gaelejwe	SACNASP	400207/14	16 years	BSc Hons (Geology)
Ore Reserve	Pieter Enslin	SAGC	PMS 0183	35 years	GDE (Mineral Economics),
					HND (Mineral Resource
					Management), MSCC



Geology

Deposit type

Kopanang is situated in a structurally complex area of the Witwatersrand Basin, which has been subjected to numerous tectonic events. The VR is the principal economic horizon at Kopanang and the CR the secondary economic horizon. Both reefs are part of the Witwatersrand Supergroup and are stratigraphically located near the middle of the Central Rand Group. The CR forms the top of the Johannesburg Subgroup, while the VR lies approximately 255m below the CR. The two narrow tabular orebodies are both gold and uranium bearing but currently only the VR is mined, with limited CR mining planned during the LOM. The CR is accessible through the VR infrastructure. These conglomerate units dip at an average of 21° towards the south and occur in a 2,100m thick sedimentary sequence comprising the Central Rand Group.


Mining is complicated by the presence of an assortment of steep north-dipping and younger, low-angle south-dipping faults. The interplay of these main fault regimes, along with abundant pre- and post-dating dykes, makes for a complex and geologically challenging deposit.

Mineralisation style

Extensive research has conclusively shown that gold was precipitated in Witwatersrand conglomerates reefs through the actions of hydrothermal fluids. This conclusion has a solid scientific base and has been well documented in a series of reports by the Rock Deformation Research Unit at Leeds University in the United Kingdom, in conjunction with the AngloGold Ashanti Basin Analysis team, who are credited with making many of the advances in the understanding of the mineralising system.

The fluids precipitated gold and other elements through reactions that took place at elevated temperatures. Migrating liquid and gaseous hydrocarbons precipitated as a solid hydrocarbon (carbon), which was then mesophased through metamorphism and structural deformation. Carbon was preferentially precipitated in bedding parallel fractures that most commonly followed the base of the VR package. Gold was precipitated very soon after the carbon, giving the critical gold-carbon association that characterises many of the high-grade VR localities.

A geological model is employed to delineate variations in characteristics of the VR and CR. The current geological model thus subdivides the VR and CR into homogeneous zones based on geological and grade characteristics.







Mineralisation characteristics

The VR package varies from about 10cm or less in thickness to over 2.5m. It consists of a thin basal conglomerate (the C-Facies) and a thicker sequence of upper conglomerates (the A-Facies). These two sedimentary facies are separated by the B-Facies, which is barren interbedded orthoquartzite. The A-Facies is further subdivided into three sub-facies, known as the Bottom, Middle and Top sub-facies or the tripartite. C-Facies is well developed at Kopanang and is the principal economic horizon of the VR. The C-Facies consists of a thin, basal pebble lag overlain by pebbly quartzites rather than clast-supported conglomerates. The overlying pebbly quartzites generally have a low gold content. Elevated gold grades have been known to be associated with well developed and well packed conglomerates although, at times, these conglomerates may be thin in nature.

The CR is poorly developed with relatively small areas of economic interest. As with the VR, high uranium values are also often associated with high gold values and the presence of a 5mm to 2cm thick carbon seam is found at the base of the conglomerate.

Exploration

No exploration drilling was carried out at Kopanang during 2017.

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

Kopanang		Type of drilling					
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured	5 x 5	= 1	1-	=	√	-	Chip sampling stoping
Indicated	100 x 100	√	_	-	1 - 1	-	Underground drilling
Inferred	1,000 x 1,000	√	07 	-	-	_	Surface drilling
Grade/ore control		=	_	_	√	_	See Measured category

Inclusive Mineral Resource

Kopanang		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
CR	Measured	0.10	11.69	1.16	0.04
	Indicated	0.46	14.87	6.91	0.22
	Inferred	0.20	18.05	3.63	0.12
	Total	0.77	15.29	11.71	0.38
VR Base	Measured	2.01	13.10	26.36	0.85
	Indicated	2.87	12.56	36.10	1.16
	Inferred	0.77	21.53	16.52	0.53
	Total	5.65	13.97	78.98	2.54
VR above infrastructure	Measured	(i—:)	-	_	-
	Indicated	0.38	8.63	3.29	0.11
	Inferred	0.00	7.69	0.02	0.00
	Total	0.38	8.63	3.30	0.11
Kopanang	Total	6.80	13.82	93.99	3.02



Mineral Resource by-product: uranium (U₃O₈)

Kopanang		Tonnes	Grade	Contained uranium	
as at 31 December 2017	Category	million	kg/t	tonnes	pounds million
	Measured	-	-	_	-
	Indicated	5.83	0.67	3,921	8.65
	Inferred	0.97	0.50	485	1.07
	Total	6.80	0.65	4,406	9.71


Estimation

The sampling data used in Mineral Resource estimation includes underground chip samples, underground drillholes and surface drillholes. All sample locations are reported as a composite over a mineralised width, resulting in a single channel width (cm) and metal accumulation (cm.g/t) value.

AngloGold Ashanti makes use of a Bayesian geostatistical approach where, in the absence of dense sampling data, gold estimations are based on a combination of the observed data and external knowledge relating to the data. A Bayesian geostatistical approach asserts that the area to be evaluated forms part of a larger continuous entity, to which the observed data belongs.

Mixed support co-kriging is used in the estimation of the Mineral Fesource for all South African underground operations. It is a technique that enables the use of data of mixed support, allowing both drillhole and underground sampling data to be used together. Estimation on the VR is performed into large block sizes, generally >210m x 210m, which fully capture the within-block variance, allowing the co-kriging of data of different support sizes over long ranges. Estimation is done per geological homogeneous zone, in logarithmic space, because of the highly skewed gold distribution. The final gold estimates are then calculated by back transforming the estimates, using lognormal four parameter distribution models. Simple kriging is used for grade control and Measured Mineral Resource at a 30m x 30m block size and constrained by the weight of the mean value.

The Mineral Resource is initially reported as inclusive of the Ore Reserve as it forms the basis for the Ore Reserve conversion process. Mineral Resource cut-off grades are computed for each operation by reef horizon. These cut-off grades incorporate a profit margin that is relevant to the business plan. Grade tonnage curves are produced for each operation, which show the potential of the deposit at different cut-off grades.



Australasia














Exclusive Mineral Resource

Kopanang	Category	Tonnes million	Grade g/t	Contained gold	
as at 31 December 2017				tonnes	Moz
	Measured	1.39	13.74	19.14	0.62
	Indicated	3.04	12.59	38.30	1.23
	Inferred	0.95	20.95	19.97	0.64
	Total	5.39	14.37	77.41	2.49


The exclusive Mineral Resource consists of design and schedule losses, areas for investigation for possible future inclusion in the Ore Reserve, stabilising pillars not scheduled, areas above infrastructure and marginal gold mineralisation.

Mineral Resource below infrastructure

No Mineral Resource is reported below infrastructure.



Year-on-year changes in the Mineral Resource are mainly due to depletion and structure changes arising from new geological data.



Kopanang as a mature deep level gold mine is very sensitive to changes in gold price as it is mining with a declining gold grade profile.



Ore Reserve

Ore Reserve

Kopanang		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
CR	Proved	0.03	3.91	0.11	0.00
	Probable	0.04	3.83	0.15	0.00
	Total	0.07	3.87	0.27	0.01
VR Base	Proved	1.05	5.46	5.71	0.18
	Probable	0.97	5.43	5.28	0.17
	Total	2.02	5.44	10.99	0.35
Kopanang	Total	2.09	5.39	11.26	0.36

Ore Reserve by-product: uranium (U₃O₈)

Kopanang	Category	Tonnes million	Grade kg/t	Contained uranium	
as at 31 December 2017				tonnes	pounds million
	Proved	1.07	0.34	370	0.82
	Probable	1.01	0.33	339	0.75
	Total	2.09	0.34	708	1.56

Uranium is produced as a by-product during the processing of gold bearing material. The reef is milled at the Great Noligwa gold plant and processed at the South uranium plan for uranium extraction prior to final gold extraction at the Gold Noligwa gold plant. Ammonium diuranate (ADU or yellow cake) is the final product of the South uranium plant which is transported to the Nuclear Fuels Corporation of South Africa (Pty) Ltd (Nufcor) located in Gauteng where the material is calcined and packed for shipment to the converters.

Estimation

Mine design delineates the mining areas and supporting development for each mining level and section, usually by extrapolating the existing mining design based on the geological structure model, taking all relevant mine design recommendations into consideration. The *in situ* Mineral Resource is scheduled monthly for the full LOM plan. The value estimates for these schedules are derived from the Mineral Resource model.

Modifying factors are applied to the *in situ* Mineral Resource to arrive at an Ore Reserve estimate. These factors include a dilution factor to accommodate the difference between the milling width and the stoping width, as well as the mine call factor (MCF).

Ore Reserve modifying factors

		Cut-off	Cut-off value	Stoping		RMF % (based	MCF	MetRF
Kopanang	Gold price	grade		width	Dilution			
as at 31 December 2017	ZAR/kg	g/t Au	cm.g/t Au	cm	%	on g/t)	%	%
Kopanang – CR	512,059	9.52	1,000	105.0	58.4	95.4	59.4	95.7
Kopanang - VR Base	512,059	9.52	1,000	105.0	53.9	94.6	69.0	95.6

The metallurgical recovery factor (MetRF) and MCF have remained consistent over the past few years. Historic performance was used in the determination of the modifying factors.














Inferred Mineral Resource in business plan

Kopanang	Tonnes	Grade g/t	Contained gold	
as at 31 December 2017	million		tonnes	Moz
VR Base	0.03	7.50	0.20	0.01
Total	0.03	7.50	0.20	0.01

With appropriate caution, a portion of the Inferred Mineral Resource was included in the business plan during the optimisation process. This accounts for 3.0% of the business plan.

Ore Reserve below infrastructure

No Ore Reserve is reported below infrastructure.



2016 Ore Reserve was used as the basis for the 2017 Ore Reserve, with a year-on-year decrease being shown mainly due to depletion as well as four scheduled Mineral Resource blocks being removed due to geotechnical information.














- 2 10100 00 0						
Property description	Moab Khotsong is the youngest of the South African deep level gold mines with three vertical shaft systems being maintained to service the mine. The orebody is divided into three distinguishable blocks through major faulting. These geographical areas are referred to as Top Mine (Great Noligwa), Middle Mine and Lower Mine (Growth Project).					
Location	Moab Khotsong is located near the towns of Orkney and Klerksdorp, about 180km south-west of Johannesburg. The mining lease area lies just south of the Vaal River, which forms a natural boundary between South Africa's North West and Free State provinces.					
History	Great Noligwa was merged with Mcab Khotsong in 2014 and operations are now collectively referred to as Moab Khotsong. Great Noligwa commenced production in 1968 and Moab Khotsong started producing in 2003.					
Legal aspects and tenure	AngloGold Ashanti holds several mining rights in the Klerksdorp area which have been successfully converted, executed and registered as new order mining rights at the MPRTO.					
	 NW30/5/1/2/2/15MR valid from 12 September 2007 to 11 September 2037 NW30/5/1/1/2/16MR valid from 20 August 2008 to 19 August 2038 					
Mining method	The tabular nature, along with the depth and structural complexity of the orebody dictates the mining method utilised at Moab Khotsong. Mining at Moab Khotsong is based on a scattered mining method together with an integrated backfill support system that incorporates bracket pillars. The economic reef horizons are exploited between 1,791m and 3,052m below surface.					
Operational infrastructure	Moab Khotsong and Great Noligwa's surface and underground infrastructure, as well as the power and water services, are designed to fully meet the planned LOM production and service capacity requirements. The Vaal River mines have dedicated ore processing plants within close proximity to the mines and tailings are pumped to existing TSFs designed for the Vaal River LOM tailings deposition. A waste rock disposal area is located next to the Moab Shaft infrastructure where waste was deposited via a belt onto the dump. Since January 2017, waste has not been deposited on the waste rock dump and delivered to the plant with the ore.					
Mineral processing	Moab Khotsong and Kopanang share the Great Noligwa gold plant with design capacity exceeding the maximum planned production volume from the two mines. The plant uses the reverse gold leach method, whereby gold and uranium are recovered through gold cyanide and acid uranium leaching.					
Risks	Geological structural complexity to the north of the Karel Dyke remains a risk until all infill drilling and development has been completed.					
	Over the past few years changes in key parameters and economic assumptions have reduced the economic viability of the Growth Project. However, ongoing PFS have shown that the project is still economically viable and thus the ounces remains part of the Ore Reserve.					
	Due to its depth and structural complexity, despite active monitoring and management, seismicity remains a risk that can impact on Ore Reserve.					



VR underground workings



Competent Persons

Moab Khotsong		Professional	Membership	Relevant	
Category	Competent Person	organisation	number	experience	Qualification
Mineral Resource	Rebaone Francis Gaelejwe	SACNASP	400207/14	16 years	BSc Hons (Geology)
Ore Reserve	Leanne Brenda Freese	SACNASP	400294/14	20 years	BSc Hons (Geology), GDE (Mineral Economics)

Geology

Deposit type

The VR is the primary economic horizon at Moab Khotsong and the CR is the secondary economic horizon, which contributes less than 2% of the total mining volume. Both reefs are narrow tabular deposits forming part of the Witwatersrand Supergroup and are stratigraphically located near the middle of the Central Rand Group. The VR lies approximately 255m below the CR.

The geology at Moab Khotsong is structurally complex with large fault-loss areas between the three mining areas. The geological setting is one of crustal extension, dominated by major south-dipping fault systems with north-dipping Zuiping faults wedged between the south-dipping faults. The De Hoek and Buffels East faults structurally bound the reef blocks of the Middle Mine to the north-west and south-east respectively. The northern boundary of Moab Khotsong Middle Mine is a north-dipping Zuiping fault. Extensive drilling is currently underway on the extremities of Middle Mine, targeting potentially preserved blocks. Moab Khotsong (particularly Middle Mine) requires a reduced drill spacing pattern in the order of 50m x 50m which allows for accurate delineation of the structurally bound mineable blocks, whereby accurate and efficient mine designs can be implemented ensuring optimal extraction and maximum orebody utilisation.















Mineralisation style

The mineralisation model adopted for AngloGold Ashanti's Witwatersrand deposits is that of gold precipitation in the Witwatersrand conglomerates through the actions of hydrothermal fluids. This is based on well documented scientific studies, in collaboration with accredited international universities, spanning over a period from the early 1990s to present.

The fluids precipitated gold and other elements through reactions that took place at elevated temperatures (300° - 350°C). Migrating liquid and gaseous hydrocarbons precipitated as a solid hydrocarbon (carbon), which was then mesophased through metamorphism and structural deformation. Carbon was preferentially precipitated in bedding parallel fractures that most commonly followed the base of the VR package (A-bottom sub-facies). However, gold and uranium mineralisation is also commonly observed within the A-middle and A-top sub-facies of the VR. Gold was precipitated very soon after the carbon, giving the critical gold-carbon association that characterises many of the high-grade VR localities.

A geological model is employed to delineate variations (either lateral or vertical) in characteristics of the VR and CR. The current geological model thus subdivides the VR and CR into homogeneous zones based on geological and grade characteristics.

Mineralisation characteristics


The VR consists of a thin basal conglomerate (the C-Facies) and a thicker sequence of upper conglomerates (A-Facies). These two sedimentary facies are separated by the B-Facies, which is a layer of barren orthoquartzite. The A-Facies is the primary economic horizon at Moab Khotsong. However, remnants of the C-Facies are sporadically preserved below the A-Facies. High gold values in the VR are often located at the base of this unit and are associated with high uranium values as well as with the presence of carbon. Uranium is an important by-product which is also recovered from the VR.

The CR is mined on a limited scale in the central part of Top Mine where a high-grade, north-south trending sedimentary channel containing two economic horizons has been exposed. To the east and the west of this channel, the CR is poorly developed with limited areas containing economical concentrations of gold and uranium. As with the VR, high uranium values are also often associated with high gold values. A 5mm to 20mm thick carbon seam commonly occurs at the base of the conglomerate. To the north of the mine, the CR sub-crops against the Gold Estates Corglomerate Formation, and in the extreme south of the mine, the CR has been eliminated by a deep Kimberley erosion channel and the Jersey fault. The CR that is preserved in the eastern parts of the Middle Mine has not been proven to be feasible for eventual economical extraction and has therefore not been included into the published Mineral Resource.





WNW-ESE Geological cross-section through Moab Khotsong



Exploration

Brownfields exploration is focused on improving confidence in the geological model, as well as adding additional Mineral Resource. Drilling has been executed from surface and underground platforms.

Underground exploration is done through diamond drilling (DD) and utilises a combination of hydraulic and pneumatic powered drill rigs. The exploration strategy adopted for Moab Khotsong to address the structural complexity involves:

- Definition drilling aiming for a 100m x 100m drilling grid for optimal placement of primary haulage and cross-cut development
- Infill drilling aims for a minimum of 50m x 50m drilling spacing for placement of secondary development
- The drill spacing is reduced further in structurally complex areas to reduce the risk of stoping operations intersecting unexpected faults greater than 3m

Drilling in 2017 was primarily used to obtain structural and grade information aimed at upgrading the Mineral Resource and improving the structural confidence of Moab Khotsong. This included below 76 Level drilling on the Top Mine and drilling for the Zuiping C Fault extension on the Middle Mine. All structural information resulting from the completed drilling projects have been incorporated in the geology model. Above 101 drilling and Great Noligwa shaft pillar is planned to continue with two drill rigs each in 2018.





Projects

The initial development of Moab Khotsong was taken with a view that the new mine would be well positioned to facilitate the exploitation of additional ore blocks adjacent and contiguous to current mining areas. Current mining areas have been returning healthy margins exceeding 10%. The adjacent blocks are referred to as the Growth Project being the Lower Mine blocks (Zaaiplaats, Area A, B and C), positioned to the south-west of the current Moab Khotsong infrastructure and extending below the existing mine. Over the past few years, changes in key parameters and economic assumptions have reduced the economic viability of the Growth Project. However, the project remains economic overall and the project and the ounces remain part of the LOM and the Ore Reserve.

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

Moab Khotsong		Type of drilling						
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments	
Measured	5 x 5	-	ist u		√	-	Chip sampling stoping	
Indicated	100 x 100,	√	_	-	11-11	_	Underground drilling	
	800 x 800							
Inferred	1,000 x 1,000	√	_		3.70	200	Surface drilling	
Grade/ore control		_	_	_	√	1=	See Measured category	

Inclusive Mineral Resource

Moab Khotsong		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
VR Lower Mine Growth Project	Measured		17 55 1	1 77 0	-
	Indicated	12.91	16.64	214.86	6.91
	Inferred	7.04	15.99	112.47	3.62
	Total	19.95	16.41	327.33	10.52
VR – Middle Mine	Measured	1.51	22.59	34.08	1.10
	Indicated	3.48	21.68	75.41	2.42
	Inferred	0.32	18.91	tonnes - 214.86 112.47 327.33 34.08 75.41 6.11 115.61 3.89 10.85 3.27 18.00 11.76 4.52 0.18 16.45 1.36 17.37 3.32 22.05 0.22 4.56 2.75 7.53	0.20
	Total	5.31	21.77	115.61	3.72
VR – Top Mine	Measured	0.26	14.83	3.89	0.13
	Indicated	0.91	11.94	10.85	0.35
	Inferred	0.24	13.60	3.27	0.11
	Total	1.41	12.76	18.00	0.58
VR – Great Noligwa	Measured	0.69	17.09	11.76	0.38
	Indicated	0.33	13.65	4.52	0.15
	Inferred	0.01	14.56	0.18	0.01
	Total	1.03	15.96	16.45	0.53
VR – Great Noligwa shaft pillar	Measured	0.08	16.09	1.36	0.04
	Indicated	1.16	14.98	17.37	0.56
	Inferred	0.23	14.74	3,32	0.11
	Total	1.47	15.00	22.05	0.71
CR - Great Noligwa	Measured	0.01	18.20	0.22	0.01
	Indicated	0.24	18.72	4.56	0.15
	Inferred	0.16	17.50	2.75	0.09
	Total	0.41	18.24	7.53	0.24
Moab Khotsong	Total	29.58	17.14	506.98	16.30




Mineral Resource by-product: uranium (U₃O₈)

Moab Khotsong		Tonnes	Grade kg/t	Contained uranium		
as at 31 December 2017	Category	million		tonnes	pounds million	
	Measured	E-	-	-	-	
	Indicated	21.59	0.82	17,646	38.90	
	Inferred	7.99	0.84	6,722	14.82	
	Total	29.58	0.82	24,369	53.72	

Estimation

Mixed support co-kriging is used in the estimation of the Mineral Fesource for all South African underground operations. It is a technique that enables the use of data of mixed support, allowing wide-spaced drillhole and dense underground sampling data to be used together. Estimation on the VR is performed into large block sizes, generally >300m x 300m, which fully capture the within-block variance, allowing the co-kriging of data of different support sizes over long ranges. Estimation is done per geological homogeneous zone, in logarithmic space, because of the highly skewed gold distribution. The final gold estimates are then calculated by back transforming the estimates, using lognormal four parameter distribution models. Simple kriging is used for grade control and Measured Mineral Resource at a 30m x 30m block size and constrained by the weight of the mean value.



Exclusive Mineral Resource

Moab Khotsong		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	1.27	19.18	24.39	0.78
	Indicated	9.66	15.71	151.81	4.88
	Inferred	4.71	15.42	72.70	2.34
	Total	15.65	15.91	248.90	8.00

The bulk of the exclusive Mineral Resource is situated in Middle and Lower Mines and consists primarily of designed bracket pillars and dip pillars. The remaining areas are below the Ore Reserve cut-off and with an increase in gold price will be considered as possible future Ore Reserve.


Mineral Resource below infrastructure

Moab Khotsong		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	0.04	11.66	0.42	0.01
	Indicated	15.32	16.86	258.28	8.30
	Inferred	7.31	15.75	115.03	3.70
	Total	22.66	16.50	373.74	12.02






The Mineral Resource below infrastructure is situated in Lower Mine Growth Project, Top Mine below 76 Level and Middle Mine below 101 Level.



Changes to the Mineral Resource are primarily a result of depletion and reclassification of Mineral Resource based on new structural information.



Moab Khotsong is not sensitive to changes in gold price due to the structurally constrained nature of the orebody.





Ore Reserve

Ore Reserve

Moab Khotsong		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
VR Lower Mine Growth Project	Proved	5 	-	-	-
	Probable	13.12	8.24	108.14	3.48
	Total	13.12	8.24	108.14	3.48
VR – Middle Mine	Proved	1.19	11.54	13.79	0.44
	Probable	1.82	11.04	20.04	0.64
	Total	3.01	11.24	33.82	1.09
VR - Top Mine	Proved	0.11	6.83	0.78	0.03
	Probable	0.15	5.60	0.83	0.03
	Total	0.26	6.13	1.62	0.05
VR – Great Noligwa	Proved	0.69	6.59	4.56	0.15
	Probable	0.27	5.56	1.48	0.05
	Total	0.96	6.31	6.04	0.19
CR - Great Noligwa	Proved	0.02	7.89	0.13	0.00
	Probable	0.26	6.96	1.83	0.06
	Total	0.28	7.01	1.96	0.06
Moab Khotsong	Total	17.63	8.60	151.57	4.87

Ore Reserve by-product: uranium (U₃O₈)

Moab Khotsong	Category	Tonnes million	Grade kg/t	Contained uranium	
as at 31 December 2017				tonnes	pounds million
	Proved	2.02	0.27	540	1.19
	Probable	15.62	0.32	4,950	10.91
	Total	17.63	0.31	5,490	12.10

Uranium is produced as a by-product during the processing of reef material. The reef is milled at the Great Noligwa gold plant and processed at the South uranium plant for uranium oxide extraction prior to gold extraction at the Great Noligwa gold plant.

ADU or yellow cake is the final product of the South uranium plant, which is transported to Nufcor located in Gauteng where the material is calcined and packed for shipment to the converters.

Estimation

Mine design delineates the mining areas and supporting development for each mining level and section, usually by extrapolating the existing mining design based on the geological structure model taking all relevant mine design recommendations into consideration. The *in situ* Mineral Resource is scheduled monthly for the full LOM plan. The value estimates for these schedules are derived from the Mineral Resource model.

Modifying factors are applied to the *in situ* Mineral Resource to arrive at an Ore Reserve estimate. These factors include a dilution factor to accommodate the difference between the milling width and the stoping width, as well as the MCF.

Australasia













Ore Reserve modifying factors

		Cut-off	Cut-off	Stoping			
Moab Khotsong	Gold price	grade	value	width	Dilution	MCF	MetRF
as at 31 December 2017	ZAR/kg	g/t Au	cm.g/t Au	cm	%	%	%
VR Lower Mine Growth Project	512,059	6.20	750	121.0	53.8	77.9	96.5
VR – Middle Mine	512,059	4.71	750	159.4	52.2	78.0	97.1
VR - Top Mine	512,059	4.31	750	174.0	54.0	78.0	93.9
VR - Great Noligwa	512,059	4.31	750	173.9	59.2	61.1	94.0
CR - Great Noligwa	512,059	6.21	750	120.8	61.4	61.0	94.1

Historic performance was used in the determination of the modifying factors used in the estimation of the Ore Reserve.


Inferred Mineral Resource in business plan

Moab Khotsong	Tonnes	Grade	Contained gold	
as at 31 December 2017	million	g/t	tonnes	Moz
VR Lower Mine Growth Project	5.13	7.57	38.85	1.25
VR – Middle Mine	0.30	8.43	2.57	0.08
VR - Top Mine	0.00	13.98	0.05	0.00
VR - Great Noligwa	0.01	5.08	0.06	0.00
CR - Great Noligwa	0.12	6.62	0.77	0.02
Total	5.57	7.60	42.29	1.36

Ore Reserve below infrastructure

Moab Khotsong		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Proved	1 -	:-	-	
	Probable	13.12	8.24	108.14	3.48
	Total	13.12	8.24	108.14	3.48

All of the Ore Reserve below infrastructure is from the VR Lower Mine Growth Project.



Changes in Ore Reserve are due to depletion offset by technical design and scheduling changes. Geological model changes were the main contributor to a decrease in the Ore Reserve due to structural discount changes in the Mineral Resource classification, offset by the inclusion of portions from areas A and B into the Ore Reserve resulting in a net gain.


















Introduction

miroddotion	
Property description	Mponeng is a deep level gold mine operating between 3,160m and 3,740m below mine datum (BMD) and is currently the deepest mine in the world with development at 3,841m BMD. Future mining is planned to deepen the shaft bottom to 4,227m BMD. All production is currently from VCR with future expansion on both VCR and the CLR horizons.
Location	The West Wits operations are a combination of TauTona, Savuka and Mponeng. Situated south of the TauTona, Mponeng is near the town of Carletonville and approximately 65km west of Johannesburg.
History	Formerly known as the Western Deep Levels South Shaft, or No.1 Shaft, Mponeng mine is the most recently sunk of the three mines in the West Wits operations. The original twin shaft sinking from surface commenced in 1981 and was commissioned along with the gold plant complex in 1986 when mining began. Production started through the use of two hoisting shafts, a sub-shaft and two service shafts. The name changed to Mponeng mine in 1999.
	In 2017, Savuka and TauTona commenced orderly closure and their remaining Mineral Resource and Ore Reserve was transferred to Mponeng.
Legal aspects and tenure	AngloGold Ashanti holds the following mining right in the Mponeng area which has been successfully converted, executed and registered as new order mining rights at the MPRTO.
	 GP30/5/1/2/2(01)MR valid from 14 February 2006 to 13 February 2036, covering 64.8km²
	 GP30/5/1/2/2(11)MR valid from 11 July 2006 to 1 July 2016, covering 0.3km² (application for extension pending)
	 GP30/5/1/2/2(248)MR valid from 16 October 2012 to 15 October 2022, covering 1.96km²
	S102 application was submitted In March 2017 to consolidate the three licences into the mining right (01MR).
Mining method	For the exploitation of the ever deepening Mineral Resource and the need for flexibility on a mine of this nature, the sequential grid mining method was adopted. This has been proven as the best method suited to safe deep level gcld mining often associated with seismicity.
Operational infrastructure	Mponeng has its own processing plant situated adjacent to the mine. Ore and waste material is hoisted separately with ore being delivered to the plant by means of a conveyor belt and the waste rock going to the low grade stockpie.
Mineral processing	Ore mined is treated and smelted at Mponeng's gold plant, which also processes low grade ore from the stockpile adjacent to the shaft.
	The ore is initially ground down by means of semi-autogenous milling after which a conventional gold leach process incorporating liquid oxygen injection is applied. The gold is then extracted by means of carbon-in-pulp (CIP) technology. The plant conducts electro-winning and smelting (induction furnaces).
Risks	Upgrading of the Mineral Resource confidence of the deeper parts of Mponeng continues to be challenging. Surface exploration and underground exploration targets are slowly being completed but access to ground ahead of the mining front is often limited. New information, once obtained, does have the potential to affect the future of Mponeng mine. Exploration drilling on the VCR at depth is indicating that there might be an evolution of the current geological understanding. This will be further quantified and understood as exploration work continues.
	Seismicity, which is associated with ultra deep level mining, remains the most significant risk to the execution of the mine plan. The risk is managed through ongoing seismic risk management, which then informs the mining strategy and execution schedule.
	An independent external Mineral Resource and Ore Reserve audit was undertaken in 2017 and found no fatal flaws in process or output.



VCR West Wits underground workings




Competent Persons

Mponeng		Professional	Membership	Relevant	
Category	Competent Person	organisation	number	experience	Qualification
Mineral Resource	Gareth Flitton	SACNASP	400019/15	14	BSc Hons (Geology), GDE
					(Mineral Economics)
Ore Reserve	William Herman Olivier	SAGC	MS 0136	27	GDE (Mining Engineering)





CLR West Wits underground workings



Geology

Deposit type

The VCR is the main reef horizon mined at Mponeng mine. The VCR forms the base of the Ventersdorp Supergroup, which caps the Witwatersrand Supergroup through an angular unconformity. The overlying Ventersdorp Lavas halted the deposition of the VCR, preserving it in its current state.

The VCR consists of a quartz pebble conglomerate, which can be up to 3m thick in places. The footwall stratigraphy, following periods of uplift and erosion, controlled the development and preservation of the VCR, which is characterised by a series of channel terraces preserved at different relative elevations, and the highest gold values are preserved in these channel deposits.

The different channel terraces are divided by zones of thinner slope reef, which are of lower value and become more prevalent on the higher terraces and on the harder footwall units.

The relatively argillaceous protoquartzites of the Kimberley Formation in the central portion of Mponeng are covered by the best preserved VCR conglomerates. The Elsburg formation in the west is relatively more durable while the eastern side of the mine is dominated by shales and siltstones of the Booysens Formation. No VCR is preserved on the Krugersdorp Formation on the far eastern side of Mponeng.

The CLR is the other gold bearing reef reported as part of the total Mineral Resource for Mponeng. The CLR is located near the base of the Johannesburg Subgroup, which forms part of the Central Rand Group of the Witwatersrand Supergroup of rocks.




The CLR and VCR at Mponeng mine are separated by approximately 900m of shales and quartzites. The CLR has historically been mined extensively at Savuka and TauTona mines and the remaining portions thereof have now been transferred to Mponeng mine.

The CLR in the West Wits consists of, on average, a 20cm thick, tabular, auriferous quartz pebble conglomerate and three sedimentary facies. Economically, the most important facies is Unit 1, which overlies Unit 2. Unit 1 is a complex channel deposit that is only present along the eastern side of the West Wits lease area. Unit 2 can be up to 2m thick. Unit 3 is exposed in the southern edges of the lease area and is the oldest of the conglomerates.

Mineralisation style

Gold mineralisation followed an episode of deep burial, fracturing and alteration. A variant of Archaean gold bearing hydrothermal fluid was introduced into the conglomerates and circulated throughout in hydrothermal cells. The fluids precipitated gold and other elements through reactions that took place at elevated temperatures along the reef horizon, which was the more favorable fluid conduit. In the case of the VCR, the resulting gold grades are mostly uniformly distributed throughout the reef package. In the CLR, solid hydrocarbon precipitated in thin, flat veins, usually at the base of the Carbon Leader conglomerate, where the majority of the gold is concentrated.

E-W Geological cross-section through Savuka and TauTona shafts







Mineralisation characteristics

The VCR displays strong alteration features, which can be explained by the hydrothermal fluids that infiltrated the reef at some stage and have overprinted on the original mineral assemblage. Portions of the reef contain authigenic sulphides such as pyrite, pyrrhotite, chalcopyrite, spahelerite and galena, incorporated in the conglomerate matrix. Gold associations with these mineral assemblages indicate a strong correlation of gold mobilisation and redistribution at the time of the hydrothermal fluid influx. There is also a strong association of gold with a chloritisation event focused along the reef horizon. The cholrite alteration gives a dark coloration to the reef.

Gold was precipitated by cooling and reactions between the fluids and wallrock, in this case pyritic conglomerates. Gold mineralisation was enhanced in certain areas of high fluid throughput, which were often the sites of high carbon precipitation and early alteration in the case of the CLR.

Both the VCR and the CLR have been subjected to faulting and are intruded by a series of igneous dykes and sills of various ages that cross-cut the reefs. There is an inherent risk in mining through these faults and intrusives, a key objective of AngloGold Ashanti mine geologists is to identify these geological features ahead of the working face to assist with deciding on the best way to approach and mine through these structures.

Exploration

Underground exploration in 2017 targeted the VCR areas to the east of the mine and south, down dip of the current mining on 123 and 126 levels. New reef intersections were achieved during 2017 and have been included in the evaluation of the geological model. No CLR exploration was possible during 2017 due to the limitation of suitable drill sites at TauTona.

The surface drillholes UD60 and UD58A were completed and deflection drilling and assays were finalised in 2017 confirming the existence of a well developed VCR in the deeper reaches of the orebody. Both sites were rehabilitated in 2017. The new surface drilling contract was also completed and the piloting of the 2 new deep surface holes, UD61 and UD63, started late in 2017.

Surface drilling into the central and southern portions of the Western Ultra-deep Levels (WUDLs) lease area will continue in 2018 and will explore the central portion of the WUDLs lease area. Results of which are expected in 2020 or 2021.

Projects

The Phase 1 VCR project is in production on 123 Level and is still accessing reef on 126 Level. On reef development continues east and west and total production is expected to ramp up to 12,000m² per month.

The Mponeng LOM extension project PFS was reviewed and approved to progress to FS in February 2017. The PFS determined that the best business case is achieved by accessing the CLR orebody as well as the VCR orebody below current Mponeng infrastructure to 136 Level (4,138m BMD). The LOM extension project scope of work replaces the phased project approach by combining the phase 2 project with phases 3 and 4 into one project to access 9.5Moz and to extend the LOM to 2048. The project infrastructure consists of a ramp to access the first three levels while the sub shafts are deepened to establish permanent logistic infrastructure for the six new mining levels.

The FS is in progress and the project proposal will be presented to the Board towards the latter half of 2018.

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

Mponeng	Type of drilling						
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured	5 x 5		0 	-	\checkmark	2.	Chip sampling stoping
Indicated	100 x 100	√	-	-	0 — 0	_	Underground drilling
Inferred	1,000 x 1,000	√	8=	-	15 — 15	422	Surface and underground drilling
Grade/ore control		_	_	-	V	-	See Measured category



Inclusive Mineral Resource

Mponeng		Tonnes	Grade	Contained (gold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
VCR Block 3	Measured	0.03	10.11	0.35	0.01
	Indicated	3.45	5.29	18.23	0.59
	Inferred	_	_	_	_
	Total	3.48	5.34	18.57	0.60
TauTona VCR shaft pillar	Measured	0.49	17.40	8.47	0.27
and the control of th	Indicated	1.25	20.21	25.22	0.81
	Inferred	-	_	±:	_
	Total	1.73	19.42	33.69	1.08
VCR Above 109 Level	Measured	0.96	12.21	11.71	0.38
	Indicated	0.68	10.77	7.34	0.24
	Inferred	1=	-	-	-
	Total	1.64	11.62	19.05	0.61
VCR 109 to 120 Level	Measured	3.44	17.15	58.93	1.89
	Indicated	3.98	13.24	52.77	1.70
	Inferred	0.22	4.01	0.87	0.03
	Total	7.64	14.74	112.57	3.62
VCR Below 120 Level	Measured	0.58	18.04	10.43	0.34
70.120.017 120 2070.	Indicated	9.50	15.59	148.02	4.76
	Inferred	0.72	4.75	3.41	0.11
	Total	10.79	15.00	161.87	5.20
VCR LOM extension 128 Level	Measured	-	10.00	-	0.20
VOLT ESTA SACTISION 120 ESTA	Indicated	2.13	16.13	34.35	1.10
	Inferred	0.10	4.54	0.45	0.01
	Total	2.23	15.62	34.80	1.12
VCR WUDLs	Measured		10.02	-	1.12
VON WODES	Indicated	9.97	18.21	181.55	5.84
	Inferred	9.36	12.94	121.16	3.90
	Total	19.33	15.66	302.71	9.73
TauTona CLR shaft pillar	Measured	0.37	45.67	16.81	0.54
Tau Toria OEN Sriait piliai	Indicated				
		1.18	44.50	52.32	1.68
	Inferred		44.70	69.13	0.00
To Topo OLD contour blook	Total	1.54	44.78	53.5	2.22
TauTona CLR eastern block	Measured	1.37	24.58	33.73	1.08
	Indicated	1.71	22.26	38.05	1.22
	Inferred		-		
	Total	3.08	23.29	71.78	2.31
CLR LOM extension project	Measured	0.34	22.73	7.77	0.25
	Indicated	28.23	20.08	566.97	18.23
	Inferred	8.00	16.90	135.27	4.35
	Total	36.57	19.41	710.01	22.83
CLR Savuka	Measured	0.01	15.08	0.13	0.00
	Indicated	1.51	13.20	19.99	0.64
	Inferred	8,7	1-	_	
	Total	1.52	13.21	20.12	0.65
Mponeng	Total	89.55	17.35	1,554.29	49.97














Mineral Resource by-product: uranium (U₃O₈)

Mponeng		Tonnes	Grade kg/t	Contained uranium	
as at 31 December 2017	Category	million		tonnes	pounds million
	Measured	-		-	-
	Indicated	34.72	0.31	10,652	23.48
	Inferred	8.00	0.29	2,358	5.20
	Total	42.72	0.30	13,010	28.68

Estimation

Gold values have been shown to be intimately related to conglomerate preservation of the VCR and form an integral part of the geological model, as does the footwall lithology.

Mixed support co-kriging is used in the estimation of the Mineral Fesource for all South African underground operations. It is a technique that enables the use of data of mixed support, allowing both drillhole and underground sampling data to be used together. Estimation is performed on the VCR into large block sizes, generally >210m x 210m, which fully capture the within-block variance, allowing the co-kriging of data of different support sizes over long ranges. Estimation is done per geological homogeneous zone, in logarithmic space, because of the highly skewed gold distribution. The final gold estimates are then calculated by back transforming the estimates, using lognormal four parameter distribution models. Simple kriging is used for grade control and Measured Mineral Resource at a 30m x 30m block size and constrained by the weight of the mean value.



Exclusive Mineral Resource

Mponeng	Category	Tonnes	Grade	Contained gold	
as at 31 December 2017		million	g/t	tonnes	Moz
	Measured	6.08	21.69	131.88	4.24
	Indicated	22.48	28.47	639.88	20.57
	Inferred	9.31	17.18	159.88	5.14
	Total	37.87	24.60	931.65	29.95




Current mining practice at the West Wits operations leaves behind a large portion of the Mineral Resource as stability pillars. Rock engineering design models require stability to minimise the effects of mining induced seismicity on the deep underground workings. Bracket pillars are also placed around all major geological structures to improve regional stability and to minimise the structure associated risks. In 2017, a large part of these pillars have been reclassified and removed from the Mineral Resource statement as they will not be eventually extracted and must remain *in situ* as part of the stability pillar strategy to reduce the impact of seismicity.

Other areas of the Mineral Resource that do not form part of the LOM include the areas between the Mineral Resource and Ore Reserve cut-offs.


Mineral Resource below infrastructure

Mponeng		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	0.34	22.73	7.77	0.25
	Indicated	38.20	19.60	748.52	24.07
	Inferred	17.36	14.77	256.43	8.24
	Total	55.90	18.12	1,012.72	32.56

The portion of the Mineral Resource below infrastructure includes those in the WUDLs and the CLR Mineral Resource areas. Infrastructure has only been developed up to 126 Level on the VCR orebody and 120 Level on the CLR orebody.



Year-on-year the Mponeng's published Mineral Resource decreased slightly. The transfer of Mineral Resource from TauTona and Savuka as well as the addition of the phases 4 and 6 project areas under the LOM extension project resulted in an increase. This was offset by depletion and a revision to the geological modelling and estimated content due to updates of the model methodology on the back of data updates and trends observed.



As a deep underground mine, the Mineral Resource at Mponeng is sensitive to a drop in gold price.





Ore Reserve

Ore Reserve

Mponeng		Tonnes	Grade	Contained	gold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
TauTona VCR shaft pillar	Proved	0.11	9.92	1.10	0.04
	Probable	0.26	9.70	2.54	0.08
	Total	0.37	9.77	3.64	0.12
VCR above 109 Level	Proved	0.03	6.42	0.17	0.01
	Probable	0.05	5.77	0.29	0.01
	Total	0.08	6.00	0.46	0.01
VCR 109 to 120 Level	Proved	0.41	7.10	2.94	0.09
	Probable	0.90	7.68	6.95	0.22
	Total	1.32	7.50	9.89	0.32
VCR below 120 Level	Proved	0.51	9.47	4.82	0.15
	Probable	6.18	11.74	72.50	2.33
	Total	6.68	11.57	77.32	2.49
VCR LOM extension 128 Level	Proved	i -	-	-	-
	Probable	1.50	9.11	13.68	0.44
	Total	1.50	9.11	13.68	0.44
VCR WUDLs	Proved	1-	1-	-	-
	Probable	5.79	10.01	57.94	1.86
	Total	5.79	10.01	57.94	1.86
TauTona CLR shaft pillar	Proved	0.02	18.23	0.31	0.01
	Probable	0.21	21.37	4.40	0.14
	Total	0.22	21.13	4.71	0.15
TauTona CLR eastern block	Proved	0.42	8.69	3.66	0.12
	Probable	1.46	9.86	14.36	0.46
	Total	1.88	9.60	18.02	0.58
CLR LOM extension project	Proved	(-	-	=	-
	Probable	19.86	9.39	186.42	5.99
	Total	19.86	9.39	186.42	5.99
CLR Savuka	Proved	0.01	6.19	0.03	0.00
	Probable	1.00	6.16	6.18	0.20
	Total	1.01	6.16	6.21	0.20
Mponeng	Total	38.71	9.77	378.28	12.16

Estimation

The mine design process delineates the mining areas and supporting development for each mining level and section, usually by extrapolating the existing mining design using the latest geological structure models, taking all relevant mine design recommendations into consideration. The *in situ* Mineral Resource is scheduled monthly for the full LOM plan. The value estimates for these schedules are derived from the Mineral Resource model.

Modifying factors are applied to the *in situ* Mineral Resource to arrive at an Ore Reserve estimate. These factors include a dilution factor to accommodate the difference between the milling width and the stoping width, as well as the MCF.



Ore Reserve modifying factors

		Cut-off	Cut-off	Stoping			
Mponeng	Gold price	grade	value	width	Dilution	MCF	MetRF
as at 31 December 2017	ZAR/kg	g/t Au	cm.g/t Au	cm	%	%	%
TauTona VCR shaft pillar	512,059	4.17	750	180.0	39.7	81.0	97.5
VCR Above 109 Level	512,059	4.97	750	150.9	37.7	81.0	97.9
VCR 109 to 120 Level	512,059	4.98	750	150.6	38.0	81.0	97.8
VCR Below 120 Level	512,059	5.74	750	130.7	41.2	81.0	98.1
VCR LOM extension project	512,059	5.65	750	132.7	47.2	83.0	97.9
VCR WUDLs	512,059	5.69	750	131.7	43.2	83.0	98.1
TauTona CLR shaft pillar	512,059	6.82	750	110.0	42.5	78.0	97.5
TauTona CLR eastern block	512,059	6.25	750	120.0	45.5	75.5	97.2
CLR LOM extension project	512,059	6.82	750	110.0	46.8	81.0	97.1
CLR Savuka	512,059	6.82	750	110.0	48.6	81.0	96.5

MCF is based on historic performance with consideration for current and future mining conditions.

Inferred Mineral Resource in business plan

Mponeng	Tonnes million	Grade	Contained gold	
as at 31 December 2017		g/t	tonnes	Moz
VCR WUDLs	2.52	10.10	25.42	0.82
CLR LOM extension project	0.44	8.40	3.74	0.12
Total	2.96	9.84	29.16	0.94

The Inferred Mineral Resource is used for optimisation purposes and forms part of the business plan but is not included in the Ore Reserve. These portions of the Mineral Resource are located in the WUDLs area beyond current infrastructure on the VCR (LOM extension project and phase 5) and also make up part of the CLR Mineral Resource is included in the CLR LOM extension and phase 6 project.


Ore Reserve below infrastructure

Mponeng		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Proved	0.01	6.19	0.03	0.00
	Probable	28.15	9.38	264.22	8.49
	Total	28.16	9.38	264.25	8.50

The Ore Reserve below infrastructure comprise the LOM extension CLR and VCR project areas that are currently the subject of a FS.







The decrease of 2.6% in Ore Reserve is mainly due to the net effect of depletion, a revised estimation model for the VCR, the impact of the redesigned CLR project area and geotechnical changes which has been offset by the inclusion of the VCR in the LOM extension project and transfer of Ore Reserve from TauTona post orderly closure of the shaft.







Introduction South Africa Continental Africa Australasia Americas Administrative





Introduction

Property description	Surface Operations produce gold by processing surface material such as low grade stockpiles and the retreatment of TSFs. Surface Operations comprise Vaal River Surface, West Wits Surface and MWS.
Location	The Vaal River Surface operations are located immediately to the north and south of the Vaal River, close to the town of Orkney in the North West province. These operations extract gold from the low grade stockpile material emanating as a by-product of the reef mining activities within the Vaal River mines. The MWS operations are located approximately 15km from the town of Klerksdorp near Stilfontein within 20km of the Vaal River Surface operations. The MWS feed sources (TSFs) are scattered over an area that stretches approximately 13.5km north-south and 14km east-west. The West Wits Surface operations are located near the town of Carletonville, across the border between the North West and Gauteng provinces.
History	Gold from surface material has been produced routinely since 2002. AngloGold Ashanti acquired the MWS Mineral Resource and tailings retreatment operations in the Vaal River region in July 2012. The MWS uranium and flotation plants were commissioned in 2014. Changes were made to the configuration of the flotation and uranium processes after which the float plant was recommissioned in July 2016 and the uranium plant in October 2016. These plants were reconfigured into an even more efficient configuration during 2016. As part of the optimisation in 2017, the uranium and flotation plants were discontinued. It is planned for restart later in life.
Legal aspects and tenure	MWS's licence to mine is covered by the environmental authorisation under the National Environmental Management Act No. 107 of 1998. In terms of the current legislation, Mineral and Petroleum Resources Development Act No. 28 of 2002 (MPRDA), it is not required to have a mining right to reclaim TSFs and MWS can prove ownership and tenure of the operations. As it is likely that pending legislation, once passed, will require a mining right to be obtained in order to mine TSFs, AngloGold Ashanti applied in May 2013, in terms of S102 of the MPRDA to extend its main Vaal River mining right (16MR) to incorporate the entire MWS operation. The S102 consent was granted under the main VR mining right (16MR).
	The new order mining rights for the South African operations cover multiple horizons, i.e. both underground and surface for Vaal River and West Wits regions. The TSFs falling outside the mining right are accommodated under historic surface rights permits for Vaal River and West Wits, which are still valid.
Mining method	Low grade stockpiles Bulldozers are used to create safe loading faces. The material is then loaded from the face onto rail hoppers or trucks by means of front-end loaders and transported to the relevant gold plants for processing. TSFs
	The tailings are reclaimed using a number of hydraulic (high-pressure water) monitoring guns to deliver water at pressure, typically 27-30 bar, to the face. The tailings material is reclaimed by blasting the TSF face with the high-pressure water, resulting in the slurry gravitating towards pump stations. These monitoring guns can be positioned to selectively reclaim required areas from the TSFs. Bench heights are constrained by the force delivered from the monitoring gun nozzle and safety constraints. With sufficient pressure, face lengths of up to 25m can be reclaimed.
	The pump stations are located at the lowest point of the dams to ensure that the slurry from the dams will gravitate towards the pump station from where it will be pumped to the processing plants.



Operational infrastructure

Low grade stockpiles in the Vaal River area are processed through dedicated surface sources metallurgical plants while tailings material in the Vaal River and MWS areas are processed through the three streams at the MWS metallurgical operations. At West Wits, material from both low grade stockpiles and TSF is processed through the Savuka gold plant. Low grade stockpile material is processed through the Mponeng gold plant to fill the processing gap and to ensure adequate supply of backfill material. Adequate deposition capacity for the Surface Operations exists in all areas. Operational infrastructure road, rail, offices, security services, water and power supply is adequate, and is shared with the AngloGold Ashanti mines in the relevant areas.

Mineral processing

The mineral process is dependent on the source material: tailings material is pumped directly to a conventional carbon-in-leach (CIL) plant while hard rock material will go through comminution first, and then be processed through leach followed by CIP.

MWS comprises three separate streams namely Stream 1, Stream 2 and Stream 3. Hydraulicallyreclaimed material from several TSF sites is pumped to the MWS plant streams for gold extraction.


The West Wits Surface Operations process low grade stockpile material sourced from the mining of the CLR and the VCR that are mined by the West Wits mines in the Carletonville/Fochville area, as well as hydraulically-reclaimed material from the Old North TSF.

Within the Vaal River area, the Kopanang, West and Mispah gold plants are dedicated surface operation plants. In the West Wits area, the Savuka gold plant is dedicated to process surface sources material while low grade stockpile material is processed through Mponeng gold plant to fill the processing gap.

Risks

There are no known unmanaged risks that may affect reclamation activities.

Vaal River Surface Sources infrastructure
















West Wits Surface Sources infrastructure



Competent Persons

Surface Operations		Professional	Membership	Relevant	
Category	Competent Person	organisation	number	experience	Qualification
Mineral Resource: Vaal River Surface,	Mmatseleng Sophy Maipushi	SACNASP	114 390	7 years	BSc Hons (Geology)
Mine Waste Solutions					
Mineral Resource:	Raymond Orton	SAGC	MS 0132	31 years	GDE (Mineral Economics),
West Wits Surface					Government Certificate of
					Competency in Mine Survey,
					HND (Mineral Resource
					Management)
Ore Reserve:	Mariaan Gagiano	SAIMM	705 920	33 years	Government Certificate of
Surface Operations					Competency in Assaying









Geology

The material contained in the TSFs and low grade stockpiles originates from the historic ore-bearing reefs mined by the West Wits, Vaal River, Buffelsfontein, Hartebeestfontein and Stilfontein gold mines.

Low grade stockpiles

The low grade stockpiles consist of waste rock mined from underground workings, hoisted, transported and deposited via conveyor belts. The gold contained within these dumps was sourced from three areas namely:

- · Minor reef intersected while accessing the primary reef
- · Gold-bearing reef that was contained within small fault blocks that were exposed by off-reef development
- Cross-tramming of gold-bearing reef material to the waste tips

TSFs

The TSFs consist of tailings material which originated from the processing of the underground ore from the Vaal River operations (Vaal Reef Surface), the West Wits operations (West Wits Surface) and Buffelsfontein, Hartebeestfontein and Stilfontein gold mines (MWS). These gold mines are deep level gold mines, which predominantly extract the tabular, conglomeratic VR, CLR and VCR. The VR has been predominantly mined for gold in the past although the reef also contains uranium oxide. The same is true but, to a lesser extent, with the CLR and VCR. The material contained in the TSFs is fine in nature. The footprints of the MWS TSFs and Vaal River Surface operations TSFs cover an area of approximately 1,100ha.

Projects

MWS deposition takes place on Kareerand. The capacity of the Kareerand TSF will become a constraint on the throughput of MWS as of the first half of 2021. To alleviate this, a project is being evaluated to expand the capacity of the Kareerand TSF. A PFS is being done to establish the best option for expanding the capacity, and confirming the technical and financial viability of the project. Work on applying for the permits required to construct the TSF extension has begun.

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification (1)

Surface Operations		Type of drilling					
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Vaal River Surface							
Measured	50 x 50		-	-	ps _ 24	√	Auger drilling
Indicated	100 x 100 to	-	1-	-	-	√	Auger drilling
	150 x 150						
Inferred		_ ;					_
Grade/ore control	50 x 50 to	_ :	-	-	-	√	Auger drilling
university of the second of th	100 x 100					400	Michigan Andreas (Machine Pri
Mine Waste Solution	ons						
Measured	100 x 100 to	-:	-		-	√	Auger drilling
	320 x 250						
Indicated	100 x 100 to	_	12 -	-	-0	√	Auger drilling
	300 x 375						
Inferred		 c	1 To 1	-	-	-	-
Grade/ore control	50 x 50 to		_	_	-	√	Auger drilling
	100 x 100						
West Wits Surface)						
Measured		- :	8-	-	-	_	-
Indicated	150 x 150	= 22		-	-	√	Auger drilling
Inferred			-	-	-	-	-
Grade/ore control	150 x 150	-	1077	_	_	√	Auger drilling

⁽¹⁾ In the case of TSFs, additional sampling information is available in the form of residue sampling collected during deposition on the TSFs



Inclusive Mineral Resource

Surface Operations		Tonnes	Grade	Contained g	old
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Vaal River Surface					
TSFs	Measured	10.83	0.20	2.19	0.07
	Indicated	410.28	0.27	108.86	3.50
	Inferred	62	12	-	
	Total	421.11	0.26	111.05	3.57
Low grade stockpiles	Measured	1 <u>-</u>	_	_	-
	Indicated	9.13	0.39	3.52	0.11
	Inferred	427	(55)	-	
	Total	9.13	0.39	3.52	0.11
Mine Waste Solutions					
TSFs	Measured	115.51	0.22	24.92	0.80
	Indicated	172.34	0.26	44.89	1.44
	Inferred	i —	-	-	-
	Total	287.85	0.24	69.81	2.24
West Wits Surface					
TSFs	Measured	e-	-	-	-
	Indicated	57.21	0.30	17.27	0.56
	Inferred	0.86	0.30	0.26	0.01
	Total	58.07	0.30	17.53	0.56
Low grade stockpiles	Measured	ş. —	_	-	-
	Indicated	6.51	0.51	3.30	0.11
	Inferred	8.—	-	-	_
	Total	6.51	0.51	3.30	0.11
Surface Operations	Total	782.67	0.26	205.21	6.59













Mineral Resource by-product: uranium (U₃O_a)

Surface Operations		Tonnes	Grade	Contained uranium	
as at 31 December 2017	Category	million	kg/t	tonnes	pounds million
Vaal River Surface					
	Measured	10.83	0.13	1,408	3.10
	Indicated	410.28	0.09	36,043	79.46
	Inferred	-	-	-	_
	Total	421.11	0.09	37,451	82.57
Mine Waste Solutions					
	Measured	115.51	0.07	7,871	17.35
	Indicated	172.34	0.08	13,861	30.56
	Inferred	_	_		_
	Total	287.85	0.08	21,732	47.91
West Wits Surface					
	Measured	13-2	-	-	H
	Indicated	57.21	0.06	3,669	8.09
	Inferred	0.86	0.06	49	0.11
	Total	58.07	0.06	3,718	8.20
Surface Operations	Total	767.03	0.08	62,901	138.68

Estimation

TSFs

Prior to 2011 for the Vaal River operations, the grade estimations for the TSFs were based on the residue grades obtained from the different process plants, as well as various *ad hoc* sampling projects in selected areas. All the TSFs in Vaal River and MWS have since been re-sampled by means of an extensive drilling exercise which commenced in 2011. A stringent QA/QC process was applied to the sampling and assay processes to ensure a high level of confidence in the results. The auger drilling typically took place on a 150m x 150m grid (Mineral Resource model) as well as a minimum of 50m x 50m grid (grade control model). The vertical sampling interval of 1.5m was implemented and where possible all holes were drilled into the native underlying strata to allow the estimation of the base of the TSF. The estimation technique used is 3D ordinary kriging. The variograms used for the grade estimation consist of both horizontal and downhole variograms. The model used for the construction of the grade model constitutes well defined 3D wireframes which are constructed using the drillholes and the results from monthly surveys on currently reclaimed TSFs and aerial surveys carried out on an annual basis for TSFs which are planned to be reclaimed. These models are regularly updated during the grade control process.

In the West Wits Surface sources area, all the grade estimations for the TSFs were based on the residue grades obtained from the different process plants as well as various *ad hoc* sampling projects in selected areas. For one of these areas, the Old North Complex, a drilling programme with the standard QA/QC programme was implemented in 2015 and continued in 2017. A 3D estimate was completed as per the AngloGold Ashanti estimation process.


Low grade stockpiles

In the West Wits and Vaal River operations, the grade estimation is based on grades obtained from reclaimed tonnages from the different stockpiles, grades obtained from rock deposited on these facilities and grades from various other sampling projects carried out on some of the stockpiles. These sampling exercises involved a pit being dug on a pre-determined grid on the low grade stockpiles from which samples were taken. These samples were then split into different size fractions and assayed to determine the gold distribution for the different size fractions. The profiles of the stockpiles are also updated by means of aerial surveys carried out on an annual basis. Sampling is done by means of mechanical stop belt samplers on the feed belts at the metallurgical plants.




Exclusive Mineral Resource

Surface Operations		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
West Wits Surface					
	Measured		-	-	-
	Indicated	46.95	0.31	14.60	0.47
	Inferred	0.86	0.30	0.26	0.01
Surface Operations	Total	47.81	0.31	14.86	0.48




Changes in the Mineral Resource are mainly due to normal depletions from TSFs and low grade stockpiles.




Normal depletions from Harties 1 and 2 and Ellaton TSF. No model changes.







Changes in the Mineral Resource are mainly due to normal depletions from TSFs and low grade stockpiles as well as Mponeng and Savuka TSF moving out of Mineral Resource due to economics.



Harties 2, 5 and 6 TSFs are below cut-off at the \$1,200/oz price.

The driving factor for the re-mining of the low grade stockpiles is a strategic intent to reduce environmental liability.



Ore Reserve

Ore Reserve

Surface Operations		Tonnes	Grade	Contai	ned gold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Vaal River Surface					
TSFs	Proved	10.86	0.20	2.19	0.07
	Probable	410.98	0.26	108.86	3.50
	Total	421.85	0.26	111.05	3.57
Low grade stockpiles	Proved	-	-	-	-
	Probable	9.13	0.36	3.27	0.11
	Total	9.13	0.36	3.27	0.11
Mine Waste Solutions					
TSFs	Proved	115.78	0.22	24.92	0.80
	Probable	172.57	0.26	44.89	1.44
	Total	288.35	0.24	69.81	2.24
West Wits Surface					
SFs	Proved	1 -	-	-	_
	Probable	12.06	0.29	3.56	0.11
	Total	12.06	0.29	2.19 108.86 111.05 - 3.27 3.27 24.92 44.89 69.81 - 3.56 3.56 - 2.42 2.42 190.11 Contained ura	0.11
Low grade stockpiles	Proved	-	7-	_	_
	Probable	4.71	0.51	2.42	0.08
	Total	4.71	0.51	2.42	0.08
Surface Operations	Total	736.09	0.26	190.11	6.11
Ore Reserve by-product: uranium	1 (U ₂ O ₂)				
Surface Operations	- (-3-0)	Tonnes	Grade	Containe	ed uranium
as at 31 December 2017	Category	million	kg/t	tonnes	pounds million
Vaal River Surface					
	Proved	10.86	0.13	1,408	3.10
	Probable	226.02	0.09	20,166	44.46
	Total	236.89	0.09	21,574	47.56
Mine Waste Solutions					
	5 .		0.05		

The majority of uranium Ore Reserve at Vaal River Surface consists of TSF material. There has been a change in processing strategy at MWS. No uranium Ore Reserve reported for West Wits Surface.

14.15

152.92

167.07

403.96

0.05

0.08

0.08

0.08

776

11,891

12,668

34,242

1.71

26.22

27.93

75.49

Proved

Total

Total

Probable

Surface Operations

ntroduction South Africa Continental Africa Australasia Americas Administra





Estimation

TSFs

Mine design models delineate the areas to be reclaimed over the life of the operations, taking all relevant mine design recommendations into consideration. The *in situ* Mineral Resource is scheduled for the full LOM plan. The value estimates for these schedules are derived from the Mineral Resource block models where they exist. Tailings are evaluated as inclusive complexes, in addition, the individual compartments making up the TSF complexes are evaluated to facilitate the composition of optimised mining plans. The benefit of the reclamation of the surface sources and subsequent rehabilitation of the relevant areas is included in the evaluation of the feasibility of the project.

Low grade stockpiles

Planned reclamation from the low grade stockpiles is scheduled out to ensure an average blend. The *in situ* Mineral Resource is scheduled for the full LOM plan. The value estimates for these schedules are derived from the Mineral Resource estimate with an 18 month reconciliation factor applied to the Mineral Resource

Ore Reserve modifying factors

		Cut-off	RMF	RMF		
Surface Operations	Gold price	grade	% (based	% (based	MCF	MetRF
as at 31 December 2017	ZAR/kg	g/t Au	on tonnes)	on g/t)	%	%
Vaal River Surface						
TSFs	512,059	0.20	100.0	100.0	100.0	52.1
Low grade stockpiles	512,059	0.37	100.0	93.0	100.0	87.0
Mine Waste Solutions						
TSFs	512,059	0.20	100.0	100.0	100.0	52.1
West Wits Surface						
TSFs	512,059	0.43	100.0	100.0	100.0	42.0
Low grade stockpiles	512,059	0.29	100.0	86.0	100.0	88.0

10% margin applied for cut-off grade calculations apart from Vaal River Surface low grade stockpiles which uses a 5% margin.


Minor dilution of the TSF tonnes occurs when reclamation of the floor area of the TSF is done. During reclamation it is also possible that small quantities of basement material is included with the TSF floor material. A small dilution factor has been included to account for them both. The MetRF for TSF material is between 42% and 52% depending on the metallurgical plant and for low grade stockpile material processed it is around 87% – 88%.

For the low grade stockpiles a Mineral Resource factor is applied which is based on an 18 month rolling average of the actual evaluation factor.


Inferred Mineral Resource in business plan

No Inferred Mineral Resource included in business plan or in the Cre Reserve.





Normal depletions during 2017. No other significant movement reported for the VR Ore Reserve.



Changes in the Ore Reserve are mainly due to depletions and changes in the processing strategy.


















Year-on-year the Ore Reserve increased with the negative effects of depletion and gold price being offset by an increase of material processed from the TSF as well as processing of low grade stockpiles through the Mponeng gold plant from 2018.













SECTION 3

CONTINENTAL AFRICA












South Africa







Key statistics

	Units	2017	2016	2015
Operational performance				
Tonnes treated/milled	Mt	28.0	28.2	27.2
Recovered grade	oz/t	0.047	0.047	0.053
	g/t	1.61	1.46	1.64
Gold production (attributable)	000oz	1,453	1,321	1,435
Total cash costs	\$/oz	720	717	678
Total production costs	\$/oz	1,012	1,005	900
All-in sustaining costs (1)	\$/oz	953	904	815
Capital expenditure (attributable)	\$m	409	291	315

⁽¹⁾ Excludes stockpile write-offs









As at December 2017, the total attributable Mineral Resource (inclusive of the Ore Reserve) for the Continental Africa region was 64.1 Moz (2016: 63.8 Moz) and the attributable Ore Reserve 16.9 Moz (2016: 17.8 Moz).

This is equivalent to 31% and 34% of the group's Mineral Resource and Ore Reserve respectively. Combined production from these operations totalled 1.453Moz of gold in 2017, or 39% of group production.





AngloGold Ashanti has seven mining operations within Continental Africa region: Kibali in the Democratic Republic of the Congo (DRC) a joint venture (JV) with Randgold Resources Limited (Randgold); Iduapriem and Obuasi in Ghana; Siguiri in Guinea; Morila (a JV with Randgold) and Sadiola (a JV with IAMGOLD) in Mali and Geita in Tanzania. Mining is from both open pit and underground, with Obuasi being an underground mine, Iduapriem, Siguiri and Sadiola being open pit mines and Kibali and Geita being a combination of open pit and underground mines. Morila is primarily a tailings retreatment operation.

Inclusive Mineral Resource

Continental Africa		Tonnes	Grade	Contained gold	
Continental Africa as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	47.06	1.75	82.34	2.65
	Indicated	467.81	2.60	1,218.43	39.17
	Inferred	203.41	3.41	693.91	22.31
	Total	718.27	2.78	1,994.69	64.13

Exclusive Mineral Resource

Continental Africa		Tonnes	Grade	Contained	gold
ontinental Africa s at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	4.80	4.78	22.96	0.74
	Indicated	276.51	2.65	733.10	23.57
	Inferred	203.00	3.42	693.59	22.30
	Total	484.31	2.99	1,449.65	46.61

Ore Reserve

Continental Africa		Tonnes million	Grade	Contained gold	
as at 31 December 2017	Category		g/t	tonnes	Moz
	Proved	35.79	1.48	53.06	1.71
	Probable	184.07	2.57	472.31	15.19
	Total	219.86	2.39	525.37	16.89































CONTINENTAL AFRICA CONTINUED

DEMOCRATIC REPUBLIC OF THE CONGO

AngloGold Ashanti owns 45% of Kibali in the DRC. Kibali produced 596koz in 2017 of which AngloGold Ashanti's portion was 268koz.

The operation is a JV between three separate entities:

- AngloGold Ashanti
- Randgold, the operator, an African-focused gold mining and exploration business with primary listings on the London Stock Exchange and Nasdaq
- Société Minière de kilo-Moto (SOKIMO), the state-owned gold mining company

The consolidated lease is made up of 10 mining concessions.



Inclusive Mineral Resource

Democratic Republic of Congo		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	10.05	4.11	41.30	1.33
	Indicated	46.70	3.07	143.52	4.61
	Inferred	19.98	2.34	46.66	1.50
	Total	76.73	3.02	231.48	7.44

Exclusive Mineral Resource

Democratic Republic of Congo		Tonnes	Grade	Contained o	jold	
as at 31 December 2017	Category	million	g/t	tonnes M		
	Measured	1.29	2.64	3.41	0.11	
	Indicated	24.83	2.34	58.08	1.87	
	Inferred	19.98	2.34	46.66	1.50	
	Total	46.10	2.35	108.15	3.48	

Ore Reserve

Democratic Republic of Congo		Tonnes	Grade	Contained gold	
as at 31 December 2017		million	g/t	tonnes M	Moz
	Proved	8.54	4.07	34.78	1.12
	Probable	21.18	4.10	86.76	2.79
	Total	29.72	4.09	121.55	3.91




















Introduction

madadadii	
Property description	Operations presently focus on open pit and underground mining with underground development on twin declines and a vertical shaft. Gold production began in September 2013.
Location	Kibali is located in the north-eastern part of the DRC near the international borders with Uganda and South Sudan. The mine is located adjacent to the village of Doko, which is located to the west of the lease area. Kibali is approximately 210km by road from Arua and immediately north of the district capital of Watsa. The operations area falls within the administrative territory of Watsa in Haut Uélé province.
History	On 15 October 2009, AngloGold Ashanti acquired a 50% indirect interest in Moto Goldmines Ltd through a JV with Randgold, with Moto holding a 70% stake in Kiabli and the balance (30%) being held by the DRC parastatal, SOKIMO. On 21 December 2009, Randgold and AngloGold Ashanti increased their JV interest in Kibali to 90%, while SOKIMO retained a 10% holding.
	First gold was poured in September 2013 from the open pit operations. Underground mining commenced in 2014 and the shaft began commissioning in 2017.
Legal aspects and tenure	The total Ore Reserve is covered by exploitation permits (11447, 11467, 11468, 11469, 11470, 11471, 11472, 5052, 5073 and 5088) totalling 1,836km². Kibali gold mine has been granted the 10 exploitation permits under the DRC mining code, seven of which are valid until 2029 and three are valid until 2030.
Mining method	The mine comprises both open pit and underground mining. The open pit Ore Reserve shell optimisations are conducted on the Mineral Resource models. Detailed mine designs are then completed for open pit mining. This incorporates the mining layout, operating factors, stripping ratio and relevant cut-off grades and modifying factors required for the reporting of Ore Reserve. For the underground operation, longitudinal and transverse longitudinal stoping methods with paste backfill are the current underground mining methods. Mining operations are conducted by dedicated contractors.
Operational infrastructure	The mine site is located within 160km of the border with Uganda and all transport links take place through Uganda to Kenya or Tanzania. Surface infrastructure associated with the overall Kibali operation includes a processing plant, tailings storage facility, camp, hydro and thermal power stations, airstrip, workshops and offices.
	All necessary government agreements and approvals required for the mine are in place.
Mineral processing	The current processing plant can treat both oxide and fresh sulphide material and is configured for flotation and ultra-fine-grind of the flotation concentrate – a treatment that is required for the sulphide ore type before leaching.
Risks	There are no known material risks that will impact on the Mineral Resource and Ore Reserve. An independent external Mineral Resource and Ore Reserve audit was undertaken in 2017 and found no fatal flaws in process or output.









Competent Persons

Kibali		Professional	Membership	Relevant	
Category	Competent Person	organisation	number	experience	Qualification
Mineral Resource and	Rodney Quick*	SACNASP	400014/05	24 years	BSc Hons (Geology),
Ore Reserve					MSc (Geology)

^{*} Employed by Randgold, 3rd Floor, Unity Chambers, 28 Halkett Street, St Helier, Jersey OJE2

Geology

Deposit type

Deposits of the Kibali district are located in the Archaean Moto Greenstone Belt bounded to the north by the West Nile Gneiss and to the south by plutonic rocks of the Watsa district. The belt comprises three lithostratigraphically distinct blocks. Psammopelitic schists, amphibolite, banded iron formation, and gneissic granitoid sills metamorphosed under upper greenschist to low-midamphibolite facies conditions form the eastern part of the belt. Relative weakly foliated basalts, cherts, siliciclastic rocks, dacitic volcaniclastic rocks, and carbonaceous argillite metamorphosed under mid to upper greenschist facies conditions comprise the central and western-most parts of the belt. Granitoid plutons as old as ca. 2,640Ma intrude these rocks. A thick package of immature sandstone, gritstone, conglomerate, and probably acid tuffs forms much of the western part of the belt, including the host rocks to Karagba, Chauffeur and Durba (KCD), the largest deposit discovered to date within the belt. Radiometric dating indicates these siliclastic rocks were deposited during a belt-wide basin extension event between ca. 2,629-2,626Ma with much of the detritus derived from adjacent older parts of the belt.

Boundaries between these lithostratigraphic blocks represent important exploration targets.

The main Kibali deposit consists of the combination of Karagba, Chauffeur and Durba (KCD) deposit. Currently only the KCD deposit hosts an underground Ore Reserve and this constitutes 84% of the total KCD Ore Reserve.

Mineralisation style

Gold mineralisation of the Kibali district are classified as Archaean orogenic gold deposits. At Kibali the gold deposits are largely hosted in siliciclastic rocks, banded iron formations and chert that were metamorphosed under greenschist facies conditions. Oreforming H₂O-CO₂-rich fluids migrated along a linked network of gently northeast-dipping shears and northeast to NNE-plunging fold axes that is commonly referred to as the KZ Trend. The richly mineralised KZ Trend appears to have initiated as an extensional fault system along the boundary between the relatively young basin in the western part of the belt and older rocks to the east. Mineralisation occurred during the later stages of subsequent regional contractional deformation, which resulted in inversion of the basin, development of reverse faults and folds. Ongoing deformation during hydrothermal activity resulted in development of lodes in a variety of related structural settings within the KZ Trend. The source(s) of metal and fluids, which formed the deposits remain unknown, but metamorphic devolatilisation reactions within the subracrustal rocks of the Moto Greenstone Belt and/or deeper fluid and metal sources may have contributed.

Mineralisation characteristics


Gold deposits of the Kibali district are associated with haloes of quartz, ankerite and sericite, ACSA-A alteration that extend for 10s to 100s of metres into the adjacent rocks. This widespread ACSA-A alteration assemblage is superimposed on older greenschist facies metamorphic assemblages. Locally in the vicinity of the main mineralised zones ACSA-A alteration is overprinted by ankerite-siderite, pyrite alteration (ACSA-B) that hosts the ore. Gold is directly associated with the ACSA-B alteration assemblage. In smaller peripheral deposits a late chlorite, carbonate, pyrite assemblage is associated with the ore rather than the ACSA-B assemblage, implying a district-wide zonation of mineral assemblages along and across the mineralised KZ Trend. Zones of auriferous ACSA-B alteration are commonly developed along the margins of banded iron formation, or contacts between chert, carbonaceous phyllite, and banded iron formation. Mineralised rocks in the Kibali district typically lack significant infill quartz-rich veins, unlike many other orogenic gold deposits. Gold is instead associated with pyrite in zones of alteration that replaced the earlier mineralogy of the host rocks. Local remobilisation and upgrading of ACSA-B related ore occurred adjacent to the margins of some post-ore crosscutting chlorite, carbonate, pyrite, magnetite-altered diorite dykes.





The location of the individual lodes within the KCD deposit are intimately controlled by the position, shape, and orientation of a series of gently northeast-plunging tight to isoclinal folds. The ACSA-A alteration developed during the formation of these folds, and the sericite foliation which is an integral part of the ACSA-A assemblage formed parallel to their axial planes. Zones of later auriferous ACSA-B alteration developed along the axes, limbs, and more rarely the axial planes of these folds, locally wrapping around the hinges of the folds to form elongate northeast-plunging concave-shaped rods. ACSA-B alteration is also commonly focused along the margins of more extensive banded iron formations, indicating a stratigraphic as well as structural control on the distribution of ore, both within KCD, and other parts of the wider KZ Trend. Shear zones that were active during folding are a third key structural control on the location of ore within KCD and the wider KZ Trend. At KCD a folded carbonaceous shear in the core of the deposit juxtaposes stratigraphically distinct blocks. The 3,000 lodes above this shear are hosted by locally ferruginous cherts, carbonaceous argillites, and minor greywacke, whereas the 5,000 and 9,000 lodes below are hosted by siliciclastic rocks and banded iron formation. Fold shapes and wavelength differ between the two blocks reflecting their different rheologies during folding, and this is reflected in the scale, shape, and continuity of lodes in each block. At Pakaka and Kalimva chlorite, carbonate, pyrrhotite, pyrite-altered shear zones rather than folds are the principal controls on gold distribution.

SW-NE Section through KCD underground



Exploration

The focus of exploration during the year was on providing mine flexibility through Mineral Resource additions, focusing in on near mine opportunities. Kombokolo-Rhino-Agbarabo, Sessenge-Sessenge Southwest, Aerodrome-Pamao-Megi, and KCD-Kombokolo areas were all reviewed and tested for opportunities. Notable successes was the Kombokolo-Rhino-Agbarabo area where an integrated geological data analysis of the whole resulted in a consolidated geological model.

A significant outcome for the year was the deep hole completed at KCD testing the potential projection of the BIF, 600m down plunge of the Mineral Resource, this confirmed down plunge opportunities and the potential for a deeper mineralised lode.

Another focus area was on the twin new discoveries at Kalimva and Ikamva, at Kalimva a planar envelope of mineralisation with silica-chlorite alteration, associated with pyrite and/or pyrrhotite steeply dipping to the east with plunging shoots in the system was identified. The mineralisation extension of the shear system was tested over a 1.6 km strike length and remains open towards the south and north. Currently the high-grade shoot are being tested. While at Ikamva, preliminary drilling suggests mineralisation potential along a recumbent fold opening up down-plunge and the mineralisation occurring at the BIF-meta-conglomerate contact of limbs and hinge.

Ndala North and the south of the KZ Trend (Zakitoko target) were also the focus for the new discovery, with field work starting late in the year.



Projects

The shaft sinking has reached the shaft bottom at a final depth of 751.2m and the equipping of the shaft was completed in 2016 with first ore from the shaft hoisted during 2017.

At the Ambarau hydro power plant, construction was completed during the year, with first power being drawn early in 2017. Construction on the Azambi hydro power plant, the third hydro power plant to be constructed, started during 2016 and is on schedule to be completed in 2018.

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

Kibali	Type of drilling						
Category	Spacing m (-x-)	Diamond	RC*	Blasthole	Channel	Other	Comments
Measured	5 x 10, 15 x 20	√	√	_	949		32
Indicated	40 x 40	√	√	_	-	9	-
Inferred	80 x 80	✓	√	_		· _	-
Grade/ore control	5 x 10, 15 x 20	√	√	_	-	_	_

^{*} Open pit Mineral Resource

Inclusive Mineral Resource


Kibali		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Open pit	Measured	4.68	2.44	11.41	0.37
	Indicated	17.33	2.11	36.61	1.18
	Inferred	10.03	1.84	18.46	0.59
	Total	32.04	2.07	66.48	2.14
Underground	Measured	5.37	5.57	29.90	0.96
	Indicated	29.37	3.64	106.91	3.44
	Inferred	9.95	2.83	28.20	0.91
	Total	44.69	3.69	165.01	5.31
Kibali	Total	76.73	3.02	231.48	7.44


Estimation

Mineral Resource estimation is undertaken by Randgold in-house Competent Persons or by approved external consultants. The results both of DD and of Reverse Circulation (RC) drilling are used in the estimation process. 3D mineralised envelopes are established using grade and geology and these are then statistically verified to confirm their validity for use in grade estimation. Appropriate domaining of homogeneous zones is conducted whereby high-grade central core areas are modelled separately from the lower-grade surrounding halos. Volumes are then filled with block model cells and these are then interpolated for density, rock type and grade, the latter using ordinary kriging. Grade top cuts are applied to drillhole data to prevent the spread of high grades during the estimation process. Drillhole spacing is used to guide the Mineral Resource classification. The open pit Mineral Resource is quoted within a limiting shell. The underground Mineral Resource was constrained by the application of optimised mineable Mineral Resource shapes, which applies reasonable mineability constraints including a minimum mining width, a reasonable distance from current or planned development, and a measure of assumed profitability at the related Mineral Resource cut-off grade.










Exclusive Mineral Resource


Kibali	Category	Tonnes million	Grade g/t	Contained gold	
as at 31 December 2017				tonnes	Moz
	Measured	1.29	2.64	3.41	0.11
	Indicated	24.83	2.34	58.08	1.87
	Inferred	19.98	2.34	46.66	1.50
	Total	46.10	2.35	108.15	3.48

The exclusive Mineral Resource for the open pits largely comprise of Inferred Mineral Resource and tonnages that occur below the Ore Reserve cut-off grade (due to gold price difference). At the KCD deposit it is also partially due to the selection of a fixed interface between the open pit and the underground mining areas. Both the in-pit Mineral Resource and underground material below the Ore Reserve mining cut-off form a significant part of this material.



Decrease in Mineral Resource because of depletion with minor additions coming from exploration additions from both open pit and underground.





Kibali is very sensitive to a decrease in gold price due to the nature of the underground mineralisation.

Ore Reserve

Ore Reserve

Kibali		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Open pit	Proved	2.98	2.39	7.11	0.23
	Probable	7.33	2.28	16.68	0.54
	Total	10.31	2.31	23.79	0.76
Underground	Proved	5.56	4.97	27.67	0.89
	Probable	13.85	5.06	70.09	2.25
	Total	19.42	5.03	97.76	3.14
Kibali	Total	29.72	4.09	121.55	3.91

Estimation

The open pit Ore Reserve shell optimisations were completed on the Mineral Resource models. This incorporated the mining layout, operating factors, stripping ratio and relevant cut-off grade and modifying factors for reporting the Ore Reserve. An open pit underground interface was set at 5,685mRL between the KCD open pit and underground mine.

A cut-off grade analysis at \$1,000/oz was used to determine a cut-off grade of 2.5g/t for the underground mine. Longitudinal and transverse longhole open stoping methods with paste backfill are the current preferred mining methods. Underground stope designs were updated from the previously reported Ore Reserve using the latest Mineral Resource models. Modifying factors for planned and unplanned rock dilution, backfill dilution and ore loss were applied to obtain the reported Ore Reserve.

Metallurgical, environmental, social, legal, marketing and economic factors were adequately considered in the Kibali FS and have been updated as the project has developed.












Ore Reserve modifying factors

Cut-off							
Kibali	Gold price grade	grade	Dilution	Dilution	MCF	MetRF	
as at 31 December 2017	US\$/oz	g/t Au	%	g/t	%	%	
Open pit	1,000	1.53	10.0	37	100.0	84.5	
Underground	1,000	2.50	4.8	0.0	100.0	88.9	

\$1,000/oz Ore Reserve price used by Randgold (operating partner), apart from KCD open pit which is at \$1,100/oz

Inferred Mineral Resource in business plan

There is no Inferred Mineral Resource included in the reported Ore Reserve for Kibali. The current mine plan does not have any reliance on the Inferred Mineral Resource to support the economic viability of the project for the main KCD deposit.



Year-on-year the Ore Reserve decreased slightly with the depletion being partially offset by exploration and Ore Reserve conversion.





CONTINENTAL AFRICA CONTINUED

GHANA

AngloGold Ashanti has two mines in Ghana. Obuasi, currently in care and maintenance, is primarily an underground mine operating at depths of up to 1,500m with a continuous history of mining dating back to the 1890s and Iduapriem, an open pit mine.

A FS to restart operations in Obuasi was completed in 2017 and operations will restart pending successful conclusion of negotiations with the Ghanaian government.

Obuasi and Iduapriem are both wholly owned by AngloGold Ashanti. Obuasi is located in the Ashanti region of southern Ghana, approximately 80km south of Kumasi. Mining was temporarily suspended at the end of 2014 whilst a series of economic studies progressed. Iduapriem is located in western Ghana, some 85km from the coast and south of Obuasi near the town of Tarkwa.



Inclusive Mineral Resource

Ghana	Category	Tonnes million	Grade g/t	Contained gold	
as at 31 December 2017				tonnes	Moz
	Measured	6.46	3.38	21.83	0.70
	Indicated	185.22	4.07	753.89	24.24
	Inferred	75.02	6.07	455.69	14.65
	Total	266.70	4.62	1,231.42	39.59

Exclusive Mineral Resource

Ghana	Category	Tonnes million	Grade g/t	Contained gold	
as at 31 December 2017				tonnes	Moz
	Measured	3.51	5.57	19.55	0.63
	Indicated	125.21	4.06	508.39	16.35
	Inferred	75.02	6.07	455.69	14.65
	Total	203.74	4.83	983.63	31.62

Ore Reserve

Ghana		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Proved	2.95	0.77	2.29	0.07
	Probable	58.59	4.06	237.75	7.64
	Total	61.54	3.90	240.04	7.72



















Introduction

introduction	
Property description	Iduapriem mine is wholly owned by AngloGold Ashanti. It is an ongoing multiple open pit operation that currently sources ore from the Ajopa, Block 7 and Block 8 pits. The addition of the Block 3W pit is planned for 2018.
Location	Iduapriem mine is located in the western region of Ghana, some 70km north of the coastal city of Takoradi and approximately 10km south-west of the town of Tarkwa. The mine is bordered in the north by Gold Fields Ghana Limted (Tarkwa Mine) and to the east by the Ghana Manganese Company Limited (a manganese mine in existence since the 1920s).
History	A FS was completed in 1990 and in October 1991 Golden Shamrock Limited began construction of a 1.36Mtpa semi-autogenous milling circuit and CIP plant. Mining commenced in August 1992 with the first gold pour achieved in September of that year. Golden Shamrock was acquired by Ashanti Goldfields Company Limited in 1996. In 2000, a portion of the non-operational Teberebie Goldfields Limited (a subsidiary of Pioneer Goldfields Ltd) was purchased resulting in increased Ore Reserve and extended LOM. In 2002, Ashanti upgraded the plant capacity to 4Mtpa and in 2009 the plant capacity was further extended to the current 5Mtpa.
Legal aspects and tenure	Iduapriem comprises the following mining leases:
	 Iduapriem LVB1539/89 covering 31km² and expiring on 18 April 2019
	 Ajopa North LVB/WR326/09 covering 48.34km² and expiring on the 5 January 2019
	 Teberebie LVB3722H/92 covering 25.83km² and expiring on 1 February 2018. The application for renewal has been submitted and there is a reasonable expectation that the lease will be renewed
	A new Environmental Management Plan (EMP) has been submitted for the mining leases.
Mining method	Iduapriem is an open pit mine which makes use of contract miners. It uses conventional drill and blast, with truck and excavator load and haul.
Operational infrastructure	Surface infrastructure associated with Iduapriem's operation includes a primary crusher, overland conveyor, CIP processing plant next to the main office building, tailings storage facility and two camp areas for contractors and company employees. Tarkwa town is also adjacent to the tenement. Power is obtained from the national grid.
Mineral processing	The current processing plant treats free-milling material from open-cast mining, by a conventional crush-semi-autogenous ball milling circuit and leaching. Iduapriem operates a two stage crushing circuit consisting of a 54-75 primary gyratory crusher and two GP550 gyratory crushers for secondary crushing. The Iduapriem treatment plant has two semi-autogeneous grinding mills (SAG mills) and two ball mills which run in two parallel circuits, each with a SAG mill and a ball mill.
Risks	Power reliability and stability, slope/high wall stability (rockfall potential) and inrush/inundation (flooding of pits, tailing dams and infrastructure) are considered potential risks. Mitigation plans are in place to manage these risks.
	place to manage those hole.


















Competent Persons

Iduapriem		Professional	Membership	Relevant	
Category	Competent Person	organisation	number	experience	Qualification
Mineral Resource	Emmarentia Maritz	SACNASP	118 345	14 years	BSc Hons (Geology), MSc (Mineral Resource Evaluation)
Ore Reserve	Stephen Asante Yamoah	MAusIMM	304 095	13 years	BSc (Hons) Mining Engineering, MSc (Mining Engineering)

Geology

Deposit type

Iduapriem mine is geologically located within the Tarkwaian Group. The Tarkwaian clastic fluviatile sediments overlie the older Palaeoproterozoic meta-mafic volcanics of the Birimian Series and form part of the West Africa Craton. It consists of a thick sequence of clastic meta-sedimentary rocks which have suffered low grade regional metamorphism.

Mineralisation style

Economic gold mineralisation of the Tarkwaian occurs in the Banket Series Formation which comprise a sequence of individual beds of quartz pebble conglomerates, breccia conglomerates and meta-sandstones. All known gold mineralisation within the Banket Series Formation is associated with the conglomerates and is found within the matrix that binds the pebbles together. There are four recognised conglomerate reefs namely A, B, C and D which are equivalent to the Tarkwaian Sub-Basal, Basal (or Main), Middle (or West) and Breccia Reefs respectively. The B and C reefs are oligomictic, and consist of well sorted conglomerates and have been mined underground in some areas for over a century. The A and D reefs have a lower gold tenor and are polymictic containing both well rounded and angular fragments.

Mineralisation characteristics

The gold is fine-grained, free milling and not associated with sulphides.

Exploration

Exploration during 2017 focused on infill drilling at Block 3W, Mineral Resource delineation drilling at Block 1 West and reconnaissance drilling at the Block 5 and Mile 5 targets. A total of 11,575m was drilled, comprising 9,459m DD and 1,875m RC.

Drilling at Block 1 West continued with reconnaissance drilling concluded towards the end of the first quarter. Drilling in the area totalled 7,214m with 501m being RC and 1,955m being DD. Drilling mainly targeted the delineation of the conglomerate reef package along strike. More recent drilling was focused on the near surface reef definition of a truncated conglomerate package which was intersected in the central to western area.

The Block 3 West drilling was aimed at upgrading the Inferred to Indicated Mineral Resource and on increasing the confidence in the fault and reef displacement interpretations. A total of 1,708m was drilled (333m RC and 1,375m DD).

A few planned exploration holes at the Mile 5 western target were drilled as part of an orientation study. A total of 240m of RC, to a maximum depth of 48m, was achieved.

A mapping campaign covering the Block 5 northern extension informed the plan to drill the area with the aim of intersecting the mapped reef packages perpendicularly. A total of 2,412m was drilled over the second half of 2017 with the drilling aimed at intersecting the full extent of the reef packages along strike and to gain a better understanding of the influence of faults and intrusives on the conglomerates.





Field mapping at Nkyemia commenced during the year, focusing on conglomerate reef outcrops observed within the 2.5km stretch. Structural measurements showed the main bedding feature to dip in a 335° direction, towards the northwest, at an average angle of 40°. This presupposes that the whole reef package may have some parasitic folding.

The mapping at the Ajopa West cutback continued with emphasis on confirming the strike extent of mineralised reef encountered during mining of the cutback area after which focus was moved to the north western portions of Ajopa. Conglomerate packages observed showed layers below the original alluvial portion with very gentle dips. A few samples collected for panning showed the presence of gold within these layered portions.

The results of a lease-scale geochemical soil sampling programme completed during 2016 were fully accessed and recommendations were made for further soil sampling. During 2017, soil sampling was completed at Nueng Forest. Soil sampling is still to be completed for the Badukrom areas, southernmost part of Mile 5 West and the northernmost portions of the concession.

Iduapriem mine gold bearing conglomerate reefs



Projects

No major projects have recently been completed or are planned at Iduapriem.

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

Iduapriem			1	Type of drilling			
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured	20 x 15	-	√	-	_	_	_
Indicated	50 x 50, 50 x 75,	√	√	-	-	_	-
	50 x 100						
Inferred	100 x 100,	√	√	-	-	-	_
	100 x 150,						
	120 x 120,						
	200 x 100						
Grade/ore control	20 x 15	_	√	_	_	_	_



CONTINENTAL AFRICA CONTINUED

IDUAPRIEM

Inclusive Mineral Resource

Iduapriem		Tonnes	Grade	Contained g	old
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Ajopa	Measured	-	-	_	_
	Indicated	4.46	1.69	7.54	0.24
	Inferred	0.51	2.13	1.08	0.03
	Total	4.97	1.74	8.62	0.28
Block 1	Measured	_	-	-	-
	Indicated	(=		-
	Inferred	0.23	1.69	0.39	0.01
	Total	0.23	1.69	0.39	0.01
Block 3W	Measured	_	_	-	_
	Indicated	3.84	1.33	5.10	0.16
	Inferred	4.82	1.60	7.73	0.25
	Total	8.66	1.48	12.83	0.41
Block 5	Measured	:-	-	-	-
	Indicated	5.03	1.22	6.14	0.20
	Inferred	2.05	1.29	2.64	0.08
	Total	7.08	1.24	8.77	0.28
Block 7 and 8 West cutback	Measured	(-	-	_	-
	Indicated	11.20	1.60	17.92	0.58
	Inferred	0.03	1.66	0.05	0.00
	Total	11.24	1.60	17.97	0.58
Block 7 and 8 other	Measured	0-0	-	-	-
	Indicated	31.80	1.61	51.19	1.65
	Inferred	18.37	1.63	29.98	0.96
	Total	50.17	1.62	81.16	2.61
Block 7 and 8 East cutback	Measured	ş.—.	1-	_	-
	Indicated	16.42	1.71	28.05	0.90
	Inferred	0.11	1.29	0.14	0.00
	Total	16.53	1.71	28.19	0.91
Stockpile (full grade ore)	Measured	2.64	0.79	2.09	0.07
	Indicated	i —	-	-	-
	Inferred	-	-	-	_
	Total	2.64	0.79	2.09	0.07
Stockpile (other)	Measured	(-	-	12	_
	Indicated	10.80	0.57	6.16	0.20
	Inferred	2.76	0.68	1.88	0.06
	Total	13.56	0.59	8.03	0.26
Stockpile (marginal ore)	Measured	0.32	0.62	0.19	0.01
The second secon	Indicated	6.23	0.67	4.17	0.13
	Inferred	-	_	_	_
	Total	6.55	0.67	4.37	0.14
Iduapriem	Total	121.61	1.42	172.43	5.54






Estimation

Geostatistical techniques are employed in the estimation of the Mineral Resource. 3D wireframes are built from all geological information obtained from drillhole data, mapping of pits and geophysical data interpretations and where appropriate these wireframes are subdivided into the individual reef units that occur within a broad conglomerate package. Estimation is by ordinary kriging into block sizes that range from 5m to 25m in the X and Y directions and between 6m and 12m in the Z direction depending on the reef widths and data spacing. Densities are allocated from appropriate test work conducted on drillhole samples. Grade and tonnages are computed from these block models that are constrained within an optimised pit shell at the Mineral Resource reporting gold price.

Full grade and marginal stockpiles (ROM material) are surveyed on a monthly basis to validate tonnage measurements. Grade measurements on these stockpiles are based on RC grade control drilling from the individual pits mined. During recent years, historic stockpiles were drilled and estimated using geostatistical techniques. These stockpiles were reported as part of the Mineral Resource if material occurred above the economic cut-off grade at the Mineral Resource reporting gold price.




The grade tonnage curve does not include stockpiles.

Exclusive Mineral Resource

Iduapriem		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	s -	-		=
	Indicated	46.45	1.36	63.11	2.03
	Inferred	28.88	1.52	43.88	1.41
	Total	75.32	1.42	106.99	3.44

The exclusive Mineral Resource is the part of the Mineral Resource that was not converted to Ore Reserve. It is defined as the Mineral Resource that is outside the current Ore Reserve designs, but inside the Mineral Resource shells and includes the Inferred Mineral Resource within the Ore Reserve design. The exclusive Mineral Resource gives an indication of the future potential of the deposit. This material could be converted to Ore Reserve with an increase in the gold price and favorable costs. Exclusive Mineral Resource also includes material within the pit between the Mineral Resource and Ore Reserve cut-offs.






Year-on-year changes included a decrease to the Mineral Resource as a result of depletion and increases as a result of exploration drilling and cost reductions. The Mineral Resource decreased overall by a small amount.









The Mineral Resource is very sensitive to a drop in gold price due to the high stripping cost and capital intensive cutbacks required to access the deeper portions of the orebody.

Ore Reserve

Ore Reserve

Iduapriem		Tonnes	Grade	Contained g	old	
as at 31 December 2017	Category	million	g/t	tonnes	Moz	
Ajopa	Proved	(-	-	=	_	
	Probable	2.28	1.88	4.27	0.14	
	Total	2.28	1.88	4.27	0.14	
Block 3W	Proved	-	-	_	_	
	Probable	0.88	1.59	1.41	0.05	
	Total	0.88	1.59	1.41	0.05	
Block 7 and 8 West cutback	Proved	8 <u>=</u>	_	=	<u></u>	
	Probable	11.06	1.46	16.09	0.52	
	Total	11.06	1.46	16.09	0.52	
Block 7 and 8 East cutback	Proved	8		-	-	
	Probable	15.36	1.78	27.40	0.88	
	Total	15.36	1.78	27.40	0.88	
Stockpile (full grade ore)	Proved	2.64	0.79	2.09	0.07	
	Probable	-	-	_	_	
	Total	2.64	0.79	2.09	0.07	
Stockpile (other)	Proved	_	_	_	-	
	Probable	2.50	0.80	2.00	0.06	
	Total	2.50	0.80	2.00	0.06	
Stockpile (marginal ore)	Proved	0.32	0.62	0.19	0.01	
	Probable	6.23	0.67	4.17	0.13	
	Total	6.55	0.67	4.37	0.14	
Iduapriem	Total	41.26	1.40	57.63	1.85	

Estimation

The 3D Mineral Resource models are used as the basis for the Ore Reserve. A mineralisation envelope is developed using the Mineral Resource block model, geological information and the relevant cut-off grade, which is then used for mine design. An appropriate mining layout is designed that incorporates mining extraction losses and dilution factors.

The Ore Reserve is estimated within mine designs, based on modifying factors, based on actual mining and detailed analysis of cutoff grade, geotechnical, environmental, productivity considerations and the requirements of the mining fleet. The upper portions of the Ajopa deposit have been discounted for the estimated depletion by artisanal miners. This discount factor has been derived from observation and estimates based on the Mineral Resource model.



Ore Reserve modifying factors

		Cut-off	RMF	RMF	MRF	MRF		
Iduapriem	Gold price	grade	% (based	% (based	% (based	% (based	MCF	MetRF
as at 31 December 2017	US\$/oz	g/t Au	on tonnes)	on g/t)	on tonnes)	on g/t)	%	%
Ajopa	1,100	0.90	100.0	100.0	100.0	94.0	100.0	95.6
Block 3W. Block 3 and 4. Block 5	1,100	0.83	100.0	100.0	100.0	94.0	100.0	95.6
Block 7 and 8 East and West								
cutback	1,100	0.82	100.0	100.0	100.0	94.0	100.0	95.6
Stockpile (full grade ore)	1,100	0.79	100.0	100.0	100.0	94.0	100.0	95.6
Stockpile (other)	1,100	0.55	100.0	100.0	100.0	94.0	100.0	92.0
Stockpile (marginal ore)	1,100	0.55	100.0	100.0	100.0	94.0	100.0	92.0


A mining recovery factor (MRF) of 94.0% was applied to the standard orebody models by reducing all block grades by 6.0% and 100% mining tonnage factor, which are based on reconciliation over a three-year period.

Inferred Mineral Resource in business plan

Iduapriem	Tonnes	Grade	Contained gold	
as at 31 December 2017	million	g/t	tonnes	Moz
Ajopa	0.51	1.83	0.94	0.03
Block 3W	0.53	1.52	0.81	0.03
Block 7 and 8 West cutback	0.03	1.61	0.05	0.00
Block 7 and 8 East cutback	0.11	1.26	0.14	0.00
Stockpile (other)	2.76	0.68	1.88	0.06
Total	3.94	0.97	3.81	0.12

Pockets of Inferred Mineral Resource within pit design to be converted by grade control plan.

Inferred Mineral Resource is included in the business plan. The overall Inferred Mineral Resource allowed for in the plan is around 9%. However, only Measured and Indicated Mineral Resource within the design of the selected pit shells are converted to Ore Reserve.



Overall an increase in the Ore Reserve as a result of additions at bock 3W and lower mining costs which offset the depletion loss.





Introduction

madadadion	
Property description	Obuasi gold mine is owned and operated by AngloGold Ashanti (Ghana) Limited (AGAG). AGAG was established following the merger of the former AngloGold Limited of South Africa and Ashanti Goldfields Company Limited of Ghana in April 2004.
	Production started in 1897 and stopped in the last quarter of 2014, while the rest of the mine continued under limited operations, which included the development of the underground decline. In February 2016, the entire mine was placed into care and maintenance.
	The outcome indicated a strong technical and economical case with an anticipated 20-year mine life
Location	Obuasi gold mine is located in the municipality of Obuasi, in the Ashanti region of Ghana, some 260km northwest of the capital Accra and 60km south of Kumasi.
History	Underground production was continuous from 1897 to 2014. A phase of open pit mining was conducted from 1988 to 2000 with small intermittent open pit mining beyond that period. Total historic production is ~33Moz gold, including ~5Moz gold from open pits.
Legal aspects and tenure	Obuasi gold mine concession previously covered an area of approximately 475km² and had 80 communities within a 30km radius of the mine. This was reduced to 201.46km² on the 3 March 2016. The majority of the reduced concession area falls in the Obuasi municipality. Minor portions of the new concession fall in the Adansi North, Adansi South and Amansie Central districts.
	Obuasi Gold Mine's Mineral Resource and Ore Reserve is covered by a number of mining leases, namely:
	 Obuasi Concession comprising 152.6km²
	 Binsere Concession parts 1, 2 and 3 comprising 48.86km²
	The duration of the mining concessions are covered by a stability agreement with the government of Ghana.
Mining method	Mine designs are done to delineate development layouts and production stopes by taking into consideration economical cut-off grade and geotechnical design parameters for each mining block, mining level and section. The underground development extends to a depth of 1,500m from surface. Mining levels lie between 15m and 20m intervals with major levels between 30m and 60m intervals. Underground production was by open-stope mining (both longitudinal and transverse), and sub-level caving method, with future designed production by longhole open-stope mining methods with paste fill. Ore is transported to surface via shafts or trucked up the decline.
Operational infrastructure	Existing infrastructure includes a 2.4Mtpa processing plant with flotation and bacterial oxidation (BIOX); underground development; hoisting shafts and associated infrastructure; power and water reticulation; office complexes; workshops and company housing estates. The current TSF is close to closure and plans for a new facility have been submitted to government authorities.
Mineral processing	The current processing plants can treat both oxide and fresh material. The main plant is configured for flotation and BIOX treatment that is required for the underground refractory sulphide ore type.
Risks	A favourable FS was completed in 2017 and was taken to the AngloGold Ashanti board in early 2018 where approval was given for implementation, provisional on the successful conclusion of negotiations with the Ghana government on a range of issues from environmental requirements to community issues to taxation.
	The current Ore Reserve has been estimated based partially on the 2014/2015 Mineral Resource and partially on the 2016/2017 Mineral Resource. Therefore, the significant changes to the Mineral Resource resulting from the revised geological model and extensive data validation have not yet rolled through to all parts of the Ore Reserve. This is seen as a small risk but is more likely to represent a potential upside to the Ore Reserve.
	An independent external Mineral Resource and Ore Reserve audit was undertaken in 2017 and found no fatal flaws in process or output.
























Competent Persons

Obuasi		Professional	Membership	Relevant	
Category	Competent Person	organisation	number	experience	Qualification
Mineral Resource	Shaun Crisp	SACNASP	400076/09	15 years	BSc Hons (Geology)
Ore Reserve	Wayne Emslie	MAusIMM	211 371	22 years	BEng (Hons) (Mining)

Geology

Deposit type

The mine is located within the Obuasi concession area in south-western Ghana along the north-easterly-striking Ashanti volcanic belt. The deposit is one of the most significant Proterozoic gold belts discovered to date. The Ashanti belt predominantly comprises sedimentary and mafic volcanic rocks, and is the most prominent of the five Birimian Supergroup gold belts found in Ghana.

The Birimian was deformed, metamorphosed and intruded by syn- and post-tectonic granitoids during the Eburnean tectonothermal event around two billion years ago. Folding trends are dominantly north-northeast to north-east. Elongate syn-Birimian basins developed between the ridges of the Birimian system and these were filled with the Tarkwaian molasse sediments made up primarily of conglomerates, quartzose and arkosic sandstones and minor shale units. Major faulting has taken place along the same trends.

The Lower Birimian meta-sediments and meta-volcanics are characterised and defined by argillaceous and fine to intermediate arenaceous rocks. These rocks are represented by phyllites, meta-siltstones, meta-greywackes, tuffaceous sediments, ash tuffs and hornstones in order of decreasing importance. Adjacent to the shear zones, these rocks are replaced by sericitic, chloritic and carbonaceous schists, which may be graphitic in places. Multiple lodes are a common feature in the mine. Granites outcrop in the west and north-west of the concession area and intrude the Brimian rocks only. Two types of granite are present; one is more resistant to weathering than the other, with less-resistant granite being prospective for gold mineralisation.

Mineralised shears are found in close proximity to the contact with harder metamorphosed and metasomatically-altered intermediate to basic Upper Birimian volcanics. The competency contrast between the harder meta-volcanic rocks to the east and the more argillaceous rocks to the west is thought to have formed a plane of weakness. During crustal movement, this plane became a zone of shearing and thrusting coeval with the compressional phases.

Mineralisation style

Gold mineralisation is associated with, and occurs within, graphite-chlorite-sericite fault zones. These shear zones are commonly associated with pervasive silica, carbonate and sulphide hydrothermal alteration and occur in tightly folded Lower Birimian schists, phyllites meta-greywackes, and tuffs, along the eastern limb of the Kumasi anticlinorium.

Mineralisation characteristics

Two main ore types are present, namely quartz vein and sulphide ore. The quartz vein type consists mainly of quartz with free gold in association with lesser amounts of various metal sulphides containing iron, zinc, lead and copper. This ore type is generally non-refractory. Sulphide ore is characterised by the inclusion of gold in the crystal structure of arsenopyrite minerals. Higher gold grades tend to be associated with finer grain arsenopyrite crystals. Sulphide ore is generally refractory.

Exploration

No exploration was done during the year.

Projects

In 2014, a detailed FS began that considered the optimum mining methodology and schedules for the underground mine, based on modern mechanised mining methods and refurbishment of underground, surface and process plant infrastructure. It was recognised that a significant rationalisation and/or replacement of current infrastructure will enable the delivery of high utilisation and productivity metrics.

During this time Obuasi operated in a limited operating phase with underground activities essentially limited to continued development of the Obuasi deeps decline and underground infill drilling. The limited operating phase was brought to a halt after an incursion by illegal miners on Obuasi's concession in February 2016. The mine has been under care and maintenance ever since.






The FS was finalised in March 2016, with a schedule for the potential re-start of underground production. The FS was followed up with an optimised FS that looked at reducing capital spend upfront. This was finalised at the end of 2017 and was taken to the AngloGold Ashanti board in early 2018 for approval.

Provisional approval has now been given pending successful completion of negotiations with the Ghanaian government around outstanding issues.

S-N Geological cross-section through Obuasi South mine





CONTINENTAL AFRICA CONTINUED

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

Obuasi							
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured	20 x 20	√	√	-	-	-	-
Indicated	60 x 60	√	√	_	_	_	-
Inferred	90 x 90,	√	√	_	_	_	_
	120 x 120						
Grade/ore control	10 x 10	V	V		√	822	Channel sampling of
							cross-cuts

Inclusive Mineral Resource

Obuasi		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Anyankyirem	Measured	1 <u>22</u>	122	=	<u></u>
	Indicated	5.52	2.38	13.10	0.42
	Inferred	0.09	2.71	0.24	0.01
	Total	5.61	2.38	13.35	0.43
Anyinam	Measured	0.00	2.50	0.01	0.00
	Indicated	0.45	3.54	1.59	0.05
	Inferred	1.02	4.23	4.32	0.14
	Total	1.47	4.02	5.92	0.19
Gyabunsu-Sibi	Measured	0.05	4.00	0.21	0.01
	Indicated	0.05	3.48	0.16	0.01
	Inferred	0.28	3.97	1.13	0.04
	Total	0.38	3.92	1.50	0.05
Above 50 Level – Block 1	Measured	_	_	_	_
	Indicated	10.29	5.16	53.10	1.71
	Inferred	2.04	5.08	10.36	0.33
	Total	12.33	5.15	63.46	2.04
Above 50 Level – Block 2	Measured	-	-	-	-
	Indicated	8.69	5.94	51.61	1.66
	Inferred	2.83	5.91	16.72	0.54
	Total	11.52	5.93	68.32	2.20
Above 50 Level - Block 8	Measured	1.83	4.46	8.14	0.26
	Indicated	29.72	5.65	168.02	5.40
	Inferred	3.78	5.75	21.69	0.70
	Total	35.32	5.60	197.86	6.36
Above 50 Level - Block 10	Measured	2-	-	_	-
	Indicated	21.20	6.09	129.08	4.15
	Inferred	5.06	5.82	29.49	0.95
	Total	26.26	6.04	158.57	5.10
Above 50 Level - Adansi	Measured	(- :	_	-	_
	Indicated	5.48	14.52	79.59	2.56
	Inferred	1.81	14.31	25.89	0.83
	Total	7.29	14.47	105.49	3.39














Inclusive Mineral Resource continued


Obuasi		Tonnes	Grade	Contained	gold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Above 50 Level – Côte d'Or	Measured	(-	.=	-	_
	Indicated	0.01	18.03	0.19	0.01
	Inferred	13.85	10.75	148.84	4.79
	Total	13.86	10.76	149.03	4.79
Above 50 Level - Sansu	Measured	1.63	6.87	11.18	0.36
	Indicated	9.27	5.29	49.04	1.58
	Inferred	2.61	5.41	14.09	0.45
	Total	13.51	5.50	74.31	2.39
Below 50 Level - Block 11	Measured	5. 	-	-	-
	Indicated	3.26	21.51	70.19	2.26
	Inferred	4.48	17.15	76.84	2.47
	Total	7.74	18.99	147.03	4.73
Below 50 Level - Block 14	Measured	-	-	-	-
	Indicated	1.50	7.95	11.96	0.38
	Inferred	8.30	7.50	62.20	2.00
	Total	9.80	7.56	74.16	2.38
Obuasi	Total	145.10	7.30	1,058.99	34.05

Estimation

During 2016 an exhaustive process of data review and validation took place which considerably increased the confidence of the input data and supported a refinement of the Mineral Resource models. The geological interpretation is based on DD, cross-cut sampling and underground mapping information. Block models are estimated within the delineated mineralised ore zones using ordinary kriging. Estimates at Obuasi are based on a block model comprised of 20m x 5m x 15m blocks, which approximate the minimum SMU for underground mining.

The open pit Mineral Resource at Obuasi was estimated by geostatistical techniques within 3D wireframe models of the mineralisation. These models are based on geological information and cut-off boundaries defined by sampling results. Geological interpretation is based on trench sampling and RC and/or DD. Estmation is by ordinary kriging into 30m x 30m x 10m blocks for Obuasi open pits.







Exclusive Mineral Resource

Obuasi		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	3.51	5.57	19.55	0.63
	Indicated	78.76	5.65	445.28	14.32
	Inferred	46.14	8.93	411.82	13.24
	Total	128.41	6.83	876.64	28.18


The exclusive Mineral Resource is made up of Mineral Resource from underground and open pit. The bulk of the exclusive Mineral Resource is from underground, and is spread across the entire deposit, where further study and design, change in costs and/or gold price is required to develop economic extraction plans.

37% of the exclusive Mineral Resource is Inferred Mineral Resource and will require upgrading of its confidence to be able to report as an Ore Reserve.

Mineral Resource below infrastructure

Obuasi		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	(-	-	-	-
	Indicated	4.77	17.23	82.15	2.64
	Inferred	12.78	10.88	139.04	4.47
	Total	17.55	12.61	221.19	7.11

Mineral Resource below infrastructure is primarily from below 50 Level.



Changes in the Mineral Resource are mainly due to changes in the reporting methodology, which brought in mineralised areas that had previously been excluded. This was offset, to some extent, by improvements in the historic depletion shapes, that increased depletion and the downgrading of some low confidence Inferred Mineral Resource areas.


















Obuasi is sensitive to changes in gold price, especially to a lower gold price, due to the lower grade sulphide mineralisation on the flanks of the high grade quartz.





Ore Reserve

Ore Reserve

Obuasi		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Above 50 Level – Block 1	Proved) -			_
	Probable	0.91	6.49	5.91	0.19
	Total	0.91	6.49	5.91	0.19
Above 50 Level – Block 2	Proved	u -	-	-	=
	Probable	1.35	6.08	8.22	0.26
	Total	1.35	6.08	8.22	0.26
Above 50 Level – Block 8	Proved	:	-	-	-
	Probable	7.24	8.16	59.04	1.90
	Total	7.24	8.16	59.04	1.90
Above 50 Level – Block 10	Proved	1 -	-	_	-
	Probable	6.42	7.28	46.73	1.50
	Total	6.42	7.28	46.73	1.50
Above 50 Level – Adansi	Proved	_	7-	_	_
	Probable	0.74	16.60	12.36	0.40
	Total	0.74	16.60	12.36	0.40
Above 50 Level – Côte d'Or	Proved	s-	_	-	-
	Probable	0.01	16.47	0.10	0.00
	Total	0.01	16.47	0.10	0.00
Above 50 Level - Sansu	Proved	_	-	-	-
	Probable	1.91	7.80	14.89	0.48
	Total	1.91	7.80	14.89	0.48
Below 50 Level – Block 11	Proved	·-	-	-	_
	Probable	1.70	20.68	35.15	1.13
	Total	1.70	20.68	35.15	1.13
Obuasi	Total	20.28	9.00	182.40	5.86

Estimation

3D Mineral Resource models are used as the basis for the Ore Reserve evaluation. Using the Mineral Resource block model, a mineralisation envelope is developed by applying the relevant cut-off grade, which is then used for a mine design. An appropriate mining layout is designed that incorporates mining extraction losses and dilution factors.

All mine designs are done to delineate stopes by taking into consideration cut-off grade, geotechnical design parameters for each mining block, ventilation and backfill requirement, mining level and section, usually leading to an optimisation of the existing infrastructure, mining sequence, and corresponding development layouts. The underground operationally runs to a depth of 1,500m from surface. Mining levels are between 15m and 20m intervals with major levels between 30-60m intervals. Underground production is made up of open-stope mining (both longitudinal and transverse) and sub-level caving methods.

The current Ore Reserve has been estimated based partially on the 2014/2015 Mineral Resource and partially on the 2016 Mineral Resource. The significant changes to the Mineral Resource, resulting from the revised geological model and extensive data validation, have not impacted the entire Ore Reserve with only the southern blocks re-designed to the 2016 Mineral Resource. The blocks re-designed during 2017 include: Sansu, Block 8 and Block 10 (includes Block 9). The remaining blocks will be re-designed during 2018.













Ore Reserve modifying factors

		Cut-off		MRF	MRF		
Obuasi	Gold price	grade	Dilution	% (based	% (based	MCF	MetRF
as at 31 December 2017	US\$/oz	g/t Au	%	on tonnes)	on g/t)	%	%
Above 50 Level – Block 1	1,100	4.20	14.0	96.0	100.0	100.0	87.0
Above 50 Level - Block 2	1,100	4.30	16.0	96.0	100.0	100.0	87.0
Above 50 Level - Block 8	1,100	4.10	15.0	96.0	100.0	100.0	87.0
Above 50 Level - Block 10	1,100	4.25	15.0	96.0	100.0	100.0	87.0
Above 50 Level - Adansi	1,100	5.20	10.0	98.0	100.0	100.0	87.0
Above 50 Level – Côte d'Or	1,100	5.00	5.00	100.0	100.0	100.0	87.0
Above 50 Level - Sansu	1,100	4.10	15.0	95.0	100.0	100.0	87.0
Below 50 Level	1,100	5.20	16.0	96.0	100.0	100.0	87.0

Several factors are used for the modifying of the Ore Reserve and include mining recovery, dilution and processing recovery. These are applied based on the mining method employed. A weighted average dilution factor equal to 15.5% is for all of the Ore Reserve.


Inferred Mineral Resource in business plan

Obuasi	Tonnes	Grade	Contained g	old
as at 31 December 2017	million	g/t	tonnes	Moz
Above 50 Level	4.06	6.96	27.12	0.87
Below 50 Level	1.01	14.84	15.02	0.48
Total	5.08	8.30	42.13	1.35

Ore Reserve below infrastructure

Obuasi		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Proved	1-	(=)	-	-
	Probable	1.70	20.68	35.15	1.13
	Total	1.70	20.68	35.15	1.13

Ore Reserve below infrastructure is restricted to the ground below 50 Level that requires a decline to access and is located between 50 and 60 Level below the Kwesi Mensah Shaft (KMS).



Ore Reserve increased year-on-year as a result of updated mine designs for Sansu, Block 8 and Block 10 (Includes Block 9).



CONTINENTAL AFRICA CONTINUED

GUINEA

Siguiri gold mine is AngloGold Ashanti's only operation in the Republic of Guinea. The mine is 85% owned by AngloGold Ashanti and 15% by the government of Guinea. The mine is a conventional open pit operation situated in the Siguiri-district in the north-east of Guinea. It lies about 850km north-northeast from the capital city of Conakry and 109km west of the border with Mali by road.

Gold-bearing ore is mined from several pits (generally three pits at any one time). The plant is currently being upgraded to process fresh material. This work will be completed during 2018.



Inclusive Mineral Resource

Guinea		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	24.19	0.65	15.78	0.51
	Indicated	156.34	0.84	131.43	4.23
	Inferred	78.35	1.01	79.06	2.54
	Total	258.88	0.87	226.27	7.27

Exclusive Mineral Resource

Guinea		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	\ <u>-</u>	-	-	_
	Indicated	85.09	0.83	70.30	2.26
	Inferred	77.94	1.01	78.75	2.53
	Total	163.04	0.91	149.04	4.79

Ore Reserve

Guinea		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Proved	24.19	0.65	15.78	0.51
	Probable	63.18	0.85	53.97	1.74
	Total	87.37	0.80	69.75	2.24



















Introduction

introduction	
Property description	Siguiri in Guinea is 85% owned by AngloGold Ashanti and 15% by the Government of Guinea. It is an ongoing open pit operation.
Location	The mine is located approximately 850km north-northeast of Conakry, 25km northwest of the town of Siguiri and 190km southeast of the Malian capital Bamako, near the Mali border.
History	Gold mining in the district can be traced back for centuries, but there are no reliable records of pre-western production. The French became involved in the area in the late-19th and early-20th centuries. Between 1931 and 1951, the French reported gold coming out of Siguiri, with figures varying between 1t and 3.8t annually, however, little exploration work was completed.
	There was a phase of Russian exploration in the area between 1960 and 1963. The Russian work focused on the placer deposits along the major river channels in the area.
	In 1980, SOMIQ (Société Miniere Internationale du Quebec) gained the exploration rights for Siguiri and Mandiana. SOMIQ focused its work on the Koron and Didi areas. The Chevaning Mining Company Ltd was then created to undertake a detailed economic evaluation of the prospect, with more intensive work beginning in the late 1980s.
	Société Aurifere de Guinea took over from its predecessors and continued work on the placer deposits. Production on the Koron placer reached a peak in 1992 with 1.1t of gold being produced. Due to a number of difficulties, the mine was shut down later that year. Golden Shamrock started a FS in 1995 after which Ashanti Goldfields invested in the deposit and Siguiri mine started production in 1998 as Société Ashanti Goldfields de Guinea (SAG).
	The metallurgical plant is currently being upgraded to process hard rock and this is planned for completion in 2018.
Legal aspects and tenure	Siguiri is mined under licence from the government of Guinea. The published Mineral Resource and Ore Reserve are covered by SAG mining concession D/97/171/PRG/SGG, totalling 1,494.5km². The SAG concession was granted under the Convention de Base between the République de Guinea and SAG signed on 4 August 1997. The concession is to be explored and mined exclusively for gold, silver and diamonds by SAG for 25 years from the date of the agreement, until 4 August 2022.
	The Convention de Base will guide the renewal of the mining concession in 2022. The SAG concession was granted under a new amended Convention de Base between the République de Guinea and SAG signed on 28 June 2016 and ratified by the Guinean parliament on 13 December 2016. The Convention de Base has been ratified by the constitutional court and published in the Journal Officiel of the Republic of Guinea on 24 January 2017. Dependent on the submission of the necessary renewal documentation on, or before, 4 March 2022 the concession is to be explored and mined exclusively for gold, silver and diamonds by SAG for 25 years from the date of agreement to 13 December 2041.
Mining method	Siguiri is currently a multi-pit oxide gold mining operation, operated by a contract miner. The mining method is selective conventional techniques using excavators and trucks on 3m high flitches. Three Caterpillar 6020B excavators are the main loading equipment matched with CAT 777G dump trucks. A SMU suitable for selective mining and nominated mining equipment of 5m x 5m x 3m based on historical grade control areas are used to simulate the expected mining dilution and ore losses.
Operational infrastructure	The Siguiri gold mine includes a processing plant, a tailings storage facility and other infrastructure such as a mine village, water supply system, roads, power supply by on site generators and communications systems. Additional infrastructure includes on site offices, accommodation and workshops to support remote mining.
	Siguiri can be accessed via a small airfield and a well-paved road connects Siguiri to Bamako in the north and Kouroussa in the south. Access to the mine via roads and to Siguiri is easily passable through most of the year, although some secondary roads are seasonal with limited access during wet season.






Mineral processing

Processing of the ore is done by a CIP processing plant that has been successfully optimised to reach an average throughput of 11.8Mt per annum. Ore has historically been derived from a number of oxide pits in the Block 1 concession area, with the primary future ore supply provided by Seguélén (oxide ore), Kami and Bidini (both fresh rock ore).


The existing processing facility was designed for the processing of soft ore only and can only introduce a small percentage of fresh rock ore in the mill feed. A project is currently at implementation stage to upgrade the processing plant to treat up to 50% fresh rock ore by quarter four of 2018.

Risks

In previous Mineral Resource declarations a significant risk was raised concerning the validity of a valid mining concession and mining convention post 2018, the latter representing the earliest date that the mining convention of 1997 would have expired. The favourable conclusion of the Convention de Base negotiation during 2016 and its ratification in 2017 by parliament has significantly reduced the risk of the remaining Mineral Resource and Ore Reserve not being covered by a valid mining concession. The current mining concession is now confirmed to be valid until 4 August 2022, with high likelihood of renewal until 2041.







Competent Persons

Siguiri		Professional	Membership	Relevant	
Category	Competent Persons	organisation	number	experience	Qualification
Mineral Resource	Steven Robins	MAusIMM	222 533	21 years	MSc (Mineral Resource Evaluation), BSc Hons (Geology), MBA
Ore Reserve	Desiderius Kamugisha	MAusIMM	227 181	16 years	BSc (Mining Engineering)

Geology

The Siguiri Gold Mine is situated in the northern part of the Siguiri Basin of Guinea, and is underlain by Lower Proterozoic rocks of the Birimian meta-sedimentary and volcano-sedimentary formations. Where exposed, the sediments consist of a well-bedded turbiditic sequence of greenschist facies siltstones, sandstones, greywackes and minor conglomerates, with some brecciated and possibly volcanic members. Stratigraphic relationships in the area are however poorly understood due to poor exposure and a thick lateritic duricrust. The typical regolith or laterite residual profile at Siguiri consists of four main sub-horizontal layers:

- Lateritic Duricrust: a hard ferruginous (and aluminous) crust
- Mottled Zone: a bauxite clay zone, produced by isovolumetric weathering, containing lateritic and gibbsitic nodules and accumulations which impart a mottled appearance
- Saprolite: a generally clay rich zone of weathered rock, composed of mixtures of kaolinite, hematite and/or goethite and/or gibbsite. Although more than 20% of weatherable minerals are altered, primary fabrics are often preserved
- · Saprock/Transition zone: slightly weathered rock with less than 20% of weatherable minerals altered









The main structural and lithological trend in the current mining area of Block 1, changes from a roughly N-S orientation in the south to NW-SE in the north.

The mineralisation at Siguiri occurs as a secondary gold in alluvial or colluvial gravel in lateritic cover and a primary vein hosted mineralisation. The veins are quartz dominant and display a variety of styles and orientations, with a sub-vertical NE-trending conjugate quartz vein set predominating in most of the open pits, irrespective of the orientation of the bedding. Auriferous quartz veins show a strong lithological control and are best developed in the sandstone/greywacke units. Current structural and mineralisation models remain poorly understood and vary from a thrust-related faulting and fracturing system to a large, shallow-to-moderately SW plunging asymmetric fold system, with auriferous quartz veins related to axial planar fracturing.

The geology of Block 2 differs from Block 1 in that the block is mostly underlain by meta-volcanics and volcani-clastics. Mineralisation styles appear to be similar as those in Block 1, with Saraya appearing to be located on a north-south orientated structure.

Deposit type

The Siguiri orebodies are early Proterozoic (Birimian) orogenic quartz-vein hosted deposits located in the Siguiri Basin of West Africa. Generally poorly exposed, the basin sediments have been subject to greenschist facies metamorphism and consist of a well-bedded turbiditic sedimentary sequence with some brecciated and possibly volcanic members. Mineralisation also occurs as secondary gold in alluvial and colluvial gravels in laterite cover.

Three main sedimentary packages are recognised in the Siguiri district, the Balato, Fatoya and Kintinian Formations. The Balato Formation is dominated by centimetre scale alternations of shale-siltstone and greywacke. The overlying Fatoya Formation consists of metre scale beds of greywacke fining towards the west. The Kintinian Formation is a thick package of shale and sandstone with a basal clast-supported conglomerate.

The orebodies are structurally controlled and the area has undergone at least three distinct phases of deformation, with initial N-S compression developing minor folds, the second and largest deformation event is associated with E-W to ENE-WSW directed compression leading to N-S structural architecture, and the third event was a NW-SE compression that led to refolding of existing structures.

A deep oxidation (weathering) profile is developed in the region, varying between 50m to 150m. The mineralised saprolite currently provides the main oxide feedstock for the CIP processing plant although a new treatment option has been approved to mine the fresh rock extensions of the ore deposits.

Mineralisation style

Primary gold mineralisation occurs in all three lithostratigraphic units of the Siguiri region although the majority of known mineralisation is found in the central and more competent Fatoya Formation. In some deposits the mineralisation shows strong lithological control and is preferentially developed in coarser-grained units that have higher fracture/vein densities relative to fine-grained rocks.

The mineralisation dominantly follows sub-vertical N-S thrusts, NE-SW dextral shear zones, and WNW-ESE sinistral faults associated with the main (D2) deformation event. The mineralised veins are remarkable for the relative consistency of their orientation (NE), despite the highly variable orientation of bedding and major structures.


Mineralised veins are more intensely developed along major structural trends with quartz-carbonate-sulphide veining developed along structures. Some of these structures have developed as incipient faults and are represented by discrete stockworks of mineralised quartz-carbonate veins occurring along a trend, instead of being clearly defined continuous structures.

Mineralisation characteristics

Two styles of primary mineralisation have been recognised at Siguiri. The first is characterised by precipitation of gold-bearing pyrite associated with proximal albite and distal carbon alteration, and opening of carbonate-pyrite veins. The second style corresponds to ENE-WSW trending native gold bearing quartz veins with carbonate selvages which crosscut carbonate-pyrite veins and show arsenopyrite (pyrite) halos.



SE-NW Geological cross-section through Bidini pit



Exploration

Exploration at Siguiri was historically focused on finding new oxide Mineral Resource in the saprolite, and upgrading the confidence in the existing oxide Mineral Resource. This was achieved using geophysics, soil geochemistry and drillhole sampling in the context of the regional and pit-scale geological models. Following the completion of an asset strategy optimisation project in 2012, which indicated the potential economic viability of the fresh rock material, the aim of the exploration has expanded and the objectives are two-fold. Firstly, to explore for replacement and additional oxide material for short-term mining requirements. Secondly, to increase the level of confidence in the five major fresh rock targets below the existing oxide pits at Kami, Bidini, Tubani, Seguélén, Sokunu and Sintroko.

309 drillholes totalling 28,418m was completed in 2017 and was primarily focused on increasing confidence in the Tubani, Seguélén and Silakoro and Kami Mineral Resource for conversion to Indicated Mineral Resource thereby allowing estimation of an Ore Reserve.

Infill drilling took place at Seguélén PB2, Kami, Tubani, and Silakoro, and reconnaissance drilling at Silakoro NE, Kolenda South (Ellis Park) and John Deer. Preliminary interpretation of the airborne magnetic and radiometric geophysical survey over portions of Block 1 and Block 2 and the Saraya West licence was completed. Seven targets were identified across the Seguélén West area, as well as an area NE of the Foulata deposit and potential extensions of the Saraya mineralisation within the Saraya West licence. These targets will be validated by field mapping, focusing on outcropping and artisanal mining activity. At the Saraya West PL, a second phase of soil sampling was initiated, expanding the coverage of the 2016 programme. To date, 46% of the Saraya West programme has been completed.

Target generation and evaluation of Block 1, the Corridor Blocks and TSF Exploration Licences was carried out and will be followed up by reconnaissance work to investigate priority targets. A soil sampling programme to cover an untested area in the northwest of Block1 has been completed.





Projects

A FS to allow the exploitation of the fresh rock material was completed in December 2015. Called the combination plant project, this project will upgrade the current plant and enable processing of a combination of oxides and fresh rock material. The plant throughput will remain at 12Mtpa with a flexible design allowing up to 6Mtpa fresh rock material to be processed. Targeted fresh rock pits include Kami, Bidini, Tubani, Sintroko, Seguélén and Sokuno. The FS was approved by the board of AngloGold Ashanti following successful negotiations with the government of Guinea regarding the Convention de Base and having obtained access to Seguélén Area 1. Construction of the combination plant commenced in 2017 and will be completed during 2018.

Conceptual studies have been initiated to evaluate the potential of mining in Block 2 and Block 3 with priority placed on the higher value Block 2 deposits. Infill drilling, aimed to convert Inferred to Indicated Mineral Resource commenced in 2017 at Foulata and will expand to Saraya in 2018, culminating in the start of a PFS in 2019.

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

Siguiri			Type of drilling				
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured			÷-	-	(-)	2 50	i -
Indicated	20 x 40, 25 x 25,	√	√		-	_	=
	50 x 25						
Inferred	20 x 40, 50 x 25,	√	V	-	_	-	-
	50 x 50						
Grade/ore control	5 x 10, 5 x 12,	√	V	√	_	_	_
	10 x 5, 10 x 10,						
	13 x 8						

In general the following drillhole spacing grids are used:

- 100m x 200m to define the extent and geometry of the anomaly (this is considered a pre-Mineral Resource)
- 50m x 50m to upgrade to Inferred Mineral Resource
- 25m x 25m (square or staggered) and 50m x 25m (Kami and Bidini) for Indicated Mineral Resource
- 10m x 5m (historic) and variable dependent on the deposit and continuity of mineralisation 12.5m x 5m, 12.5m x 7.5m or 15m x 5m for Measured Mineral Resource (grade control)

Inclusive Mineral Resource

Siguiri		Tonnes	Grade	Contained g	old
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Bidini (fresh rock)	Measured	-	_	_	_
	Indicated	8.01	1.44	11.57	0.37
	Inferred	1.96	1.39	2.72	0.09
	Total	9.97	1.43	14.28	0.46
Bidini (oxide)	Measured	2 <u>~</u>	1-	722	<u></u>
	Indicated	3.01	0.93	2.81	0.09
	Inferred	7.02	0.84	5.90	0.19
	Total	10.03	0.87	8.71	0.28
Bidini (transitional)	Measured	7-	-	-	_
	Indicated	3.88	1.39	5.38	0.17
	Inferred	0.84	1.33	1.12	0.04
	Total	4.72	1.38	6.49	0.21



CONTINENTAL AFRICA CONTINUED

Inclusive Mineral Resource continued

Siguiri		Tonnes	Grade	Contained gold		
as at 31 December 2017	Category	million	g/t	tonnes		
Eureka East	Measured	_	-	-		
	Indicated	0.68	0.92	0.63	0.02	
	Inferred	0.22	0.79	0.17	0.01	
	Total	0.89	0.89	0.80	0.03	
Foulata	Measured	_	-	=	_	
	Indicated	1-	-	-	-	
	Inferred	3.21	1.33	4.28	0.14	
	Total	3.21	1.33	4.28	0.14	
Kalamagna	Measured	:	-	-	-	
	Indicated	5.56	0.73	4.04	0.13	
	Inferred	2.78	0.72	2.00	0.06	
	Total	8.35	0.72	6.04	0.19	
Kami (fresh rock)	Measured	-	-	-	-	
	Indicated	35.04	0.96	33.53	1.08	
	Inferred	4.36	0.86	3.76	0.12	
	Total	39.41	0.95	37.28	1.20	
Kami (oxide)	Measured	20-0.0		-	-	
	Indicated	12.25	0.65	7.96	0.26	
	Inferred	2.32	0.68	1.59	0.05	
	Total	14.57	0.66	9.55	0.31	
Kami (transitional)	Measured		_	-	-	
	Indicated	2.59	0.97	2.52	0.08	
	Inferred	0.30	0.79	0.24	0.01	
	Total	2.89	0.95	2.76	0.09	
Kosise	Measured	(-	_	-	-	
	Indicated	3.54	0.72	2.56	0.08	
	Inferred	4.03	0.66	2.64	0.09	
	Total	7.57	0.69	5.20	0.17	
Kounkoun	Measured	a=	-	-	-	
	Indicated	82	_	-		
	Inferred	9.53	1.28	12.19	0.39	
	Total	9.53	1.28	12.19	0.39	
Kozan North	Measured	8 	-	=		
	Indicated	8.23	0.67	5.50	0.18	
	Inferred	0.61	0.70	0.43	0.01	
	Total	8.84	0.67	5.93	0.19	
Kozan South	Measured	\$ = .	-	=	-	
	Indicated	6.58	0.63	4.17	0.13	
	Inferred	0.36	0.95	0.34	0.01	
	Total	6.93	0.65	4.50	0.14	
Seguélén (oxide)	Measured	-	-	_	_	
	Indicated	8.87	0.88	7.77	0.25	
	Inferred	2.75	0.78	2.14	0.07	
	Total	11.62	0.85	9.91	0.32	













Inclusive Mineral Resource continued

Siguiri		Tonnes	Grade	Contained g	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Seguélén (sulphide)	Measured		-	-	-
	Indicated	2.40	1.19	2.84	0.09
	Inferred	3.35	1.06	3.55	0.11
	Total	5.75	1.11	6.39	0.21
Seguélén (transitional)	Measured	_	_	=	-
	Indicated	1.58	1.07	1.69	0.05
	Inferred	0.64	0.96	0.62	0.02
	Total	2.22	1.04	2.31	0.07
Saraya (sulphide)	Measured	2-	-	-	-
	Indicated	<u>-</u>	_	_	_
	Inferred	2.29	2.88	6.59	0.21
	Total	2.29	2.88	6.59	0.21
Saraya (oxide)	Measured	s -		-	-
	Indicated	_	_	_	_
	Inferred	0.88	2.10	1.84	0.06
	Total	0.88	2.10	1.84	0.06
Saraya (transitional)	Measured	32-E	4. .	_	_
	Indicated	-	_	_	_
	Inferred	0.57	2.57	1.47	0.05
	Total	0.57	2.57	1.47	0.05
Sintroko South	Measured	3 	-	=	_
	Indicated	2.33	1.22	2.84	0.09
	Inferred	0.32	1.82	0.58	0.02
	Total	2.65	1.29	3.42	0.11
Silakoro	Measured	-	_	_	_
	Indicated	0.88	2.04	1.79	0.06
	Inferred	0.80	1.46	1.17	0.04
	Total	1.68	1.76	2.96	0.10
Sokunu	Measured	·-	y-	_	=
	Indicated	8.07	0.75	6.06	0.19
	Inferred	6.04	0.87	5.25	0.17
	Total	14.11	0.80	11.31	0.36
Soloni	Measured	9 	-	-	=
	Indicated	3.84	0.59	2.26	0.07
	Inferred	3.59	0.70	2.50	0.08
	Total	7.43	0.64	4.76	0.15
Sorofe (fresh rock)	Measured	i -	-	-	-
	Indicated	2.07	1.19	2.45	0.08
	Inferred	1.39	1.38	1.92	0.06
	Total	3.46	1.26	4.37	0.14
Sorofe (oxide)	Measured	-	-	_	_
	Indicated	4.16	1.15	4.79	0.15
	Inferred	3.27	1.20	3.94	0.13
	Total	7.42	1.18	8.73	0.28



Inclusive Mineral Resource continued


Siguiri		Tonnes	Grade	Contained g	old
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Sorofe (transitional)	Measured	:-	-	i—i	-
	Indicated	0.83	1.18	0.98	0.03
	Inferred	1.53	1.66	2.54	0.08
	Total	2.36	1.49	3.52	0.11
Stockpile (full grade ore)	Measured	7.97	0.97	7.71	0.25
	Indicated	_	_	-	_
	Inferred	_	_	_	_
	Total	7.97	0.97	7.71	0.25
Stockpile (marginal ore)	Measured	16.22	0.50	8.07	0.26
	Indicated	9: 	1	-	-
	Inferred	8 <u>=</u>	12	-	_
	Total	16.22	0.50	8.07	0.26
Stockpile (spent heap leach)	Measured		-	-	-
	Indicated	31.95	0.54	17.29	0.56
	Inferred	13.40	0.57	7.61	0.24
	Total	45.35	0.55	24.90	0.80
Siguiri	Total	258.88	0.87	226.27	7.27

The Siguiri inclusive Mineral Resource is reported above the mineralised waste cut-off within Whittle economic pit shells, based on a gold price of \$1,400/oz and considering mining, processing and operational costs.

Estimation

Mineral Resource definition drilling is done with aircore drilling (AC), RC and DD. All available geological drillhole information is validated for usage in the Mineral Resource models and together with the local geology of the deposit, an understanding of grade variability is used to categorise the drillhole information into appropriate estimation domains. Detailed statistical analyses are conducted on each of these domains and this allows for the identification of high-grade outlier values.

The Mineral Resource model is estimated using ordinary kriging into a 3D block model. Geological interpretation is based on geological drillhole data. The dimensions of these Mineral Resource blocks range from $10m \times 10m \times 2.5m$ to $50m \times 25m \times 6m$ block sizes, guided by the shape of the deposit and the drilling density. The Mineral Resource is declared within an optimised Mineral Resource pit shell using a gold price of \$1,400/oz.



The grade tonnage curve does not include stockpiles.












Exclusive Mineral Resource


Siguiri		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	1.	-	-	E.
	Indicated	85.09	0.83	70.30	2.26
	Inferred	77.94	1.01	78.75	2.53
	Total	163.04	0.91	149.04	4.79

The exclusive Mineral Resource at Siguiri includes:

- Indicated Mineral Resource that is economic at the Mineral Resource gold price of US\$1,400/oz but not at the Ore Reserve price (this material forms approximately one third of the exclusive Mineral Resource)
- Inferred Mineral Resource not included in the current pit designs (selected parts of these areas will be included in infill drilling programmes during 2017 and 2018 to meet LOM planning requirements)
- Inferred Mineral Resource located within the Ore Reserve optimised pit shell (this material forms an insignificant proportion of the exclusive Mineral Resource)



The primary contributors to the 18% increase in Siguiri's published Mineral Resource from 2016 to 2017 are exploration (+0.825Moz) and cost improvements related to a change in mining contract (+0.718Moz). There were also minor contributions from a change in grade capping strategy and reporting. As a result, the mining depletion (-0.346Moz) was more than offset, yielding a net positive increase in published Mineral Resource of 1.323Moz.



As a low grade deposit, Siguiri is very sensitive to gold price changes.



CONTINENTAL AFRICA CONTINUED

SIGUIR

Ore Reserve

Ore Reserve

Siguiri		Tonnes	Grade	Contained g	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Bidini (fresh rock)	Proved	-	-	===	-
	Probable	2.75	1.48	4.08	0.13
	Total	2.75	1.48	4.08	0.13
Bidini (oxide)	Proved	-	-	-	-
	Probable	1.77	0.98	1.74	0.06
	Total	1.77	0.98	1.74	0.06
Bidini (transitional)	Proved	:-	-	-	-
	Probable	1.91	1.45	2.78	0.09
	Total	1.91	1.45	2.78	0.09
Kami (fresh rock)	Proved	1-	-	-	_
	Probable	15.54	1.14	17.72	0.57
	Total	15.54	1.14	17.72	0.57
Kami (oxide)	Proved	_	-	_	_
	Probable	0.69	0.80	0.55	0.02
	Total	0.69	0.80	0.55	0.02
Kami (transitional)	Proved	9-	-	1-1	_
	Probable	1.24	1.14	1.42	0.05
	Total	1.24	1.14	1.42	0.05
Kozan North	Proved	-	-	-	_
	Probable	1.79	0.69	1.25	0.04
	Total	1.79	0.69	1.25	0.04
Seguélén (oxide)	Proved	8-	-	-	_
	Probable	0.51	1.06	0.55	0.02
	Total	0.51	1.06	0.55	0.02
Seguélén (sulphide)	Proved	_	-	_	_
	Probable	1.41	1.24	1.75	0.06
	Total	1.41	1.24	1.75	0.06
Seguélén (transitional)	Proved	9=1	_	_	_
	Probable	1.16	1.35	1.56	0.05
	Total	1.16	1.35	1.56	0.05
Silakoro	Proved	2-1	-	-	-
	Probable	0.59	1.80	1.07	0.03
	Total	0.59	1.80	1.07	0.03
Sorofe (fresh rock)	Proved	1-	-	_	_
	Probable	1.01	1.29	1.30	0.04
	Total	1.01	1.29	1.30	0.04
Sorofe (oxide)	Proved	r- :	-	_	_
	Probable	0.59	1.03	0.60	0.02
	Total	0.59	1.03	0.60	0.02
Sorofe (transitional)	Proved	2-	_	-	_
on of the state of the state of ₹0	Probable	0.26	1.19	0.31	0.01
	Total	0.26	1.19	0.31	0.01





Ore Reserve continued

Siguiri		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Stockpile (full grade ore)	Proved	7.97	0.97	7.71	0.25
	Probable	:	-	_	-
	Total	7.97	0.97	7.71	0.25
Stockpile (marginal ore)	Proved	16.22	0.50	8.07	0.26
	Probable	=	_	_	_
	Total	16.22	0.50	8.07	0.26
Stockpile (spent heap leach)	Proved		_	_	_
	Probable	31.95	0.54	17.29	0.56
	Total	31.95	0.54	17.29	0.56
Siguiri	Total	87.37	0.80	69.75	2.24

Estimation

The Mineral Resource models for each pit are depleted to the current mined-out surface. Costs are assigned on a pit-by-pit basis, reflecting the existing cost structure of the operation. The relevant dilution and ore-loss factors are applied and pit optimisation is then performed. The relevant modifying factors such as metallurgical recoveries, geotechnical parameters, cut-off grades and economics are applied to generate the mine designs that are used to estimate the final Ore Reserve.

Ore Reserve modifying factors

		Cut-off			RMF	RMF	MRF	MRF		
Siguiri	Gold price	grade	Dilution	Dilution	% (based	% (based	% (based	% (based	MCF	MetRF
as at 31 December 2017	US\$/oz	g/t Au	%	g/t	on tonnes)	on g/t)	on tonnes)	on g/t)	%	%
Bidini (fresh rock)	1,100	0.75	15.5	0.1	100.0	100.0	88.2	93.1	100.0	93.0
Bidini (oxide)	1,100	0.60	19.9	0.2	100.0	100.0	83.6	89.0	100.0	93.0
Bidini (transitional)	1,100	0.75	16.9	0.1	100.0	100.0	85.5	91.4	100.0	93.0
Kami (fresh rock)	1,100	0.75	4.9	0.6	100.0	100.0	99.3	99.5	100.0	93.0
Kami (oxide)	1,100	0.60	13.6	0.4	100.0	100.0	79.6	78.1	100.0	93.0
Kami (transitional)	1,100	0.75	5.2	0.5	100.0	100.0	89.1	89.5	100.0	93.0
Kosise	1,100	0.60	0.0	0.0	100.0	100.0	100.0	100.0	100.0	93.0
Kozan North	1,100	0.60	17.8	0.3	100.0	100.0	84.6	88.0	100.0	91.0
Seguélén (sulphide)	1,100	0.70	4.6	0.4	100.0	100.0	99.4	99.7	100.0	93.0
Seguélén (oxide)	1,100	0.60	6.8	0.3	100.0	100.0	87.6	85.6	100.0	91.0
Seguélén (transitional)	1,100	0.70	5.3	0.5	100.0	100.0	93.2	93.4	100.0	93.0
Silakoro	1,100	0.60	4.3	0.4	100.0	100.0	92.0	91.9	100.0	91.0
Sorofe (fresh rock)	1,100	0.75	15.4	0.2	100.0	100.0	89.1	93.4	100.0	93.0
Sorofe (oxide)	1,100	0.55	37.5	0.1	100.0	100.0	81.9	90.5	100.0	93.0
Sorofe (transitional)	1,100	0.75	27.4	0.2	100.0	100.0	80.9	87.9	100.0	93.0
Stockpile (full grade ore)	1,100	_	_	=	100.0	100.0	100.0	100.0	100.0	88.0
Stockpile (marginal ore)	1,100	-	-	-	100.0	100.0	100.0	100.0	100.0	91.0
Stockpile (spent heap leach)	1,100	_	-	_	100.0	100.0	100.0	100.0	100.0	90.0


The Mineral Resource models were modified to include the expected mining dilution and ore losses. These are built into the Mineral Resource block model prior to pit optimisation. Additional modifying factors based on historical information were also applied prior to estimation of Ore Reserve.



Inferred Mineral Resource in business plan

Siguiri	Tonnes	Grade	Contained g	jold
as at 31 December 2017	million	g/t	tonnes	Moz
Bidini (fresh rock)	0.14	1.28	0.19	0.01
Bidini (oxide)	0.54	0.86	0.47	0.01
Bidini (transitional)	0.10	1.27	0.13	0.00
Kami (fresh rock)	0.27	0.87	0.24	0.01
Kami (oxide)	0.00	0.45	0.00	0.00
Kami (transitional)	0.00	0.64	0.00	0.00
Seguélén (oxide)	0.11	0.77	0.09	0.00
Seguélén (sulphide)	0.75	1.17	0.87	0.03
Seguélén (transitional)	0.03	0.78	0.02	0.00
Silakoro	0.03	1.27	0.03	0.00
Sorofe (fresh rock)	0.13	1.38	0.18	0.01
Sorofe (oxide)	0.06	0.82	0.05	0.00
Sorofe (transitional)	0.00	0.90	0.00	0.00
Total	2.17	1.05	2.27	0.07

Ore Reserve does not include Inferred Mineral Resource, but within the pit design Inferred Mineral Resource is included. For the optimisation the impact of excluding Inferred Mineral Resource is tested to determine if the pit sizes will still generate a positive cash flow at \$1,100/oz gold price.



Changes in the Ore Reserve are mainly due to depletion, offset by conversion from Inferred Mineral Resource in Tubani (Sorofe) and Silakoro pits and an overall drop in cost.




















CONTINENTAL AFRICA CONTINUED

MAL

AngloGold Ashanti has interests in three mines in the West African country of Mali, with two mines (Sadiola and Morila) being operational and one (Yatela) undergoing closure. Sadiola and Yatela are JV operations with IAMGOLD and the Government of Mali, while Morila is a JV with Randgold and the Government of Mali. Sadiola is currently considering a major pushback to access hard rock, Morila is a mature operation focusing on tailings reclamation and small satellite deposits, while Yatela is currently undergoing closure.

The Sadiola operation is managed by AngloGold Ashanti while Randgold manages Morila. There is no Mineral Resource or Ore Reserve reported for Yatela.



⁽¹⁾ Yatela is currently in closure mode.

Inclusive Mineral Resource

Mali		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	6.35	0.54	3.43	0.11
	Indicated	50.30	1.79	89.94	2.89
	Inferred	7.62	1.62	12.37	0.40
	Total	64.27	1.65	105.74	3.40

Exclusive Mineral Resource

Mali		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	-	-	_	-
	Indicated	20.68	1.73	35.68	1.15
	Inferred	7.62	1.62	12.37	0.40
	Total	28.30	1.70	48.05	1.54

Ore Reserve

Mali		Tonnes million	Grade g/t	Contained gold	
as at 31 December 2017	Category			tonnes	Moz
	Proved	0.10	2.14	0.22	0.01
	Probable	32.58	1.69	54.97	1.77
	Total	32.68	1.69	55.18	1.77

Introduction South Africa Continental Africa Australasia Americas Administrative



















Introduction

madadada	
Property description	The mine is operated by Morila SA, a JV company incorporating Randgold (40%), AngloGold Ashanti (40%) and the government of Mali (20%). Randgold took over the operation of Morila mine from AngloGold Ashanti in February 2008. In 2009, Morila was converted to a stockpile treatment operation. Closure of the operation was originally scheduled for 2013 but a pit pushback and a tailings treatment project has extended its life to 2019.
Location	The Morila mine is situated some 280km south-east of Bamako, the capital city of Mali.
History	In 1996 Morila was discovered by Randgold. A PFS in 1998 supported the fast tracking of the mine and, by August 1998, a bankable FS was underway. In 2000, a JV partner was sought and AngloGold purchased 40% of the mine and became the operator of the mine. In February 2001, the Malian president officially opened the mine.
	During 2003, a capital expansion programme was completed and increased the production level to 350,000t per month by year-end. In 2008 AngloGold Ashanti considered Morila to be non-strategic and Randgold took over the operational responsibility for Morila.
	In 2009 Morila started its transition to a stockpile and tailings retreatment operation.
Legal aspects and tenure	Morila's exploitation permit PE 99/15 (Decree No 99-217/PM-RM) covers 199.8km² and was issued on 4 August 1999 for 30 years.
Mining method	The main pit has been mined via open pit and is now mined out. Production of the Domba satellite pit is via conventional open pit mining methods. Production is primarily retreatment of tailings and dumps.
Operational infrastructure	All operational infrastructures are in place to support a mining operation including a processing plant, power generation, village and TSF.
Mineral processing	Stockpile and tailing materials are being processed. The metallurgical plant utilises a conventional CIL process with an upfront gravity section to extract the free gold and has annual throughput capacity of 4.3Mt.
Risks	No material risks have been identified.

Competent Persons

Morila		Professional	Membership	Relevant	
Category	Competent Person	organisation	number	experience	Qualification
Mineral Resource and	Rodney Quick*	SACNASP	400014/05	24 years	BSc Hons (Geology), MSc
Ore Reserve					(Geology)

^{*} Employed by Randgold, 3rd Floor, Unity Chambers, 28 Halkett Street, St Helier, Jersey OJE2

Geology


The Morila deposit occurs within a sequence of amphibolite facies Birimian meta-sediments. The economic mineralisation is located in these meta-sediments within a broad north-northwest trending corridor of shearing. This shear zone has near-vertical and flat-lying components and is interpreted as being a second-order shear off the main Banafin shear, approximately 25km to the east. The Doubalakoro granite pluton borders the meta-sediments to the west and the Massigui granites lie to the east. Gold mineralisation is associated with silica-feldspar alteration and the sulphide minerals arsenopyrite, pyrrhotite and pyrite (with minor chalcopyrite).

Exploration

Exploration at Morila has been limited to reviews of potential targets, including the Samacline area and drilling at the Domba pit in support of the evaluation of Domba as a potential short-term ore source.









Projects

Birimian option agreement

In 2016 Morila signed an option agreement with Birimian Gold Maii SARL (Birimian), which provides Morila access to Birimian's Ntiola and Viper projects which are adjacent to the existing Morila permit.

In terms of the arrangements, Morila has an option to acquire the Ntiola and Viper projects after conducting exploration work and a PFS. This work is ongoing.

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification


Morila		Type of drilling					
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured		= 3		-	-0	27	8-2
Indicated	10 x 5, 50 x 100	(Trick)	\checkmark		 //	√	Auger drilling
Inferred	100 x 100	_	_	_	<u> </u>	✓	Auger drilling
Grade/ore control	10 x 5	-	\checkmark	_	√	_	_

Inclusive Mineral Resource

Morila		Tonnes	Grade	Contained o	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Satellite pit	Measured	-	-	-	-
	Indicated	0.10	1.62	0.16	0.01
	Inferred	(-	=	=	-
	Total	0.10	1.62	0.16	0.01
TSF	Measured	6.25	0.51	3.21	0.10
	Indicated	20	-	_	-
	Inferred	0.38	0.45	0.17	0.01
	Total	6.63	0.51	3.38	0.11
Morila	Total	6.73	0.53	3.54	0.11

Estimation

The Mineral Resource consists of material from TSF and Domba pit as marginal and mineralised waste stockpiles are depleted. The TSF forms the bulk of the Mineral Resource and was drilled on a spacing of 50m x 50m and estimated using ordinary kriging methods into a 50m x 50m block size.









Administrative

Exclusive Mineral Resource

Morila		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	Contained go tonnes 0.17	Moz
	Measured	-	-	-	=
	Indicated	-	-	-	_
	Inferred	0.38	0.45	0.17	0.01
	Total	0.38	0.45	0.17	0.01



Mineral Resource decreased as a result of normal mining depletion.



As it is a mature operation at the end of its life with very little additional opportunity, Morila is insensitive to an increase in gold price but very sensitive on the downside.



Ore Reserve

Ore Reserve

Morila		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Satellite pit	Proved	1 -	-	-	-
	Probable	0.12	1.35	0.16	0.01
	Total	0.12	1.35	0.16	0.01
TSF	Proved	le s	-	_	-
	Probable	4.13	0.54	2.22	0.07
	Total	4.13	0.54	2.22	0.07
Morila	Total	4.25	0.56	2.38	0.08

Estimation

The Mineral Resource models are used as the basis for the Ore Reserve. All appropriate costs, metallurgical recovery factors and geotechnical parameters are applied to generate the mine designs that are used to estimate the final Ore Reserve.


Ore Reserve modifying factors

		Cut-off		MRF			
Morila as at 31 December 2017	Gold price US\$/oz	grade g/t Au	Dilution g/t	% (based on tonnes)	MCF	MetRF	
Satellite pit	1,000	0.00	0.2	97.0	100.0	91.0	
TSF	1,000	0.49	0.1	_	100.0	57.0	

\$1,000/oz Ore Reserve price used by Randgold (operating partner). Only 5% dilution has been encountered for with reporting of tonnages from the TSF.

Inferred Mineral Resource in business plan

There is no Inferred Mineral Resource included in the business plan.



Depletion was offset slightly by the addition of the Domba open pit Ore Reserve.




















Introduction

Property description	The Sadiola gold deposit is mined by the Société d'Exploration des Mines d'Or de Sadiola SA (SEMOS) that consists of a JV agreement between AngloGold Ashanti (41%), IAMGOLD Corporation (41%) and the state of Mali (18%).
Location	Sadiola is situated in western Mall, 77km to the south of the regional capital of Kayes and about 440km north-west of the capital city of Bamako. The property lies within the Galam Bambouk gold area, which straddles the Mali-Senegal border close to the border with Guinea.
History	Sadiola has a history of alluvial gold working dating back to the 11th century. In 1991/1992 IAMGOLD acquired the rights to the concession and explored the area, and in 1993 Anglo American entered into an earn-in option to the property. In 1994 a FS was completed on the property and accepted by the Mali government.
	Construction started in 1995 and on 20 December 1996 the first gold was poured.
	In November 2009, IAMGOLD and AngloGold Ashanti announced that they were acquiring the International Finance Corporations 6% interest for a total of \$14.5 million.
	A FS study, Sadiola Sulphide Project (SSP), looking at mining and processing the sulphide ore was completed in 2016, however a decision to proceed remains on hold while awaiting the conclusion of negotiations with the government.
Legal aspects and tenure	SEMOS is bound by the original prospecting and exploitation agreement (including its subsequent legal modifications) entered into on 5 April 1990 between AGEM Ltd. (AGEM) and the Mali government and the mining licence, valid for the original mineral commodities until 5 April 2020. The identity number of the current exploitation area, DECRET No 00-080/PM-RM DU 06 MARS 2000 is a modification of all previous exploitation areas. Sadiola is operated under the license DECRET No 00-080/PM-RM DU 06 MARS 2000 valid from 1 August 1994 to 1 August 2024 covering a total area of 303km². The SSP project will extend operations beyond 2024. As part of the revision, an amended environmental and social impact assessment (ESIA) and associated permits are currently going through the approvals process. Dialogue with the government of Mali has been ongoing throughout the project study phase and, as such, there are no foreseeable reasons why the amended ESIA and associated approvals should not be approved.
Mining method	Current operations are focused on mining of oxide material from the FN pits, north of the Sadiola main pit, which is supplemented with low/marginal grade ore from stockpiles. Mining from the Sadiola main pit has stopped as the oxide Ore Reserve is depleted although this pit remains a key project in the extension of the LOM plan. Mining is through conventional open pit mining methods.
	Current mining is carried out by a contractor and monitored by Wenco Fleet Management System 24/7.
Operational infrastructure	Sadiola includes a main pit and several smaller satellite pits, a processing plant, a TSF and other infrastructure such as a mine village, water supply system, roads, airstrip and communications systems.
	Since the beginning of the operation mining activities have been outsourced.
	All mining occurs within the mining licence boundaries.
Mineral processing	Ore is treated in a 4.9Mtpa CIP processing plant. The plant was originally designed to treat only soft oxide ore, but has been progressively adapted to include a blend of hard oxides as well as batch feeding of a sulphide ore blend. Any hard material making up the blend currently undergoes preconditioning through separate primary crushers.
	The SSP aims to mine the underlying sulphide material in the Sadiola main pit and modify the existing oxide plant to process the sulphide ore. The modified plant will treat both sulphide stockpiles and the ROM sulphide material. This project will extend the life of Sadiola and leverage any further sulphide exploration successes in the region.
Risks	With the current LOM schedule, the oxide ore from pits will finish in 2018. After this only low grade stockpiles are available and can feed the processing plant until the second quarter of 2019. Approval of the SSP is dependent on various approvals from the government of Mali. Dialogue with the government of Mali has been ongoing throughout the project study phase on these outstanding agreements. The project will remain paused until all approvals have been granted.
	The site brownfields exploration team continues to look for opportunities that could extend the LOM until the project is commissioned.









Competent Persons

Sadiola		Professional	Membership	Relevant	
Category	Competent Person	organisation	number	experience	Qualification
Mineral Resource	Geoffrey H. Gushee	MAusIMM	207 957	29 years	BA (Geology), GDE (Mining Engineering), MEng (Mineral Resource Management), MDP
Ore Reserve	Andrew Bridges	MAusIMM	300 976	19 years	BSc (Hons) Mining Engineering

Geology

The Sadiola gold deposits are located within the Malian portion of the Kenieba-Kedougou Inlier, a major early Paleoproterozoic-Birimian window along the north-east margin of the Kenema-Man shield. The deposits are in the north of the inlier and positioned in the Kofi Formation, just east of the Senegalo-Malian Shear Zone terrane boundary. Regional metamorphism is to greenschist facies with amphibolite facies metamorphism observed in the contact aureoles around major intrusions.

Deposit type

The Sadiola deposit is considered a mesothermal shear-hosted gold deposit and can be correlated with an Ashanti-type orogenic gold model.

Mineralisation style

The Sadiola gold system displays the Sadiola Hill-style Au-As-Sb mineralisation. Within the Sadiola main pit the bulk of the ore is hosted within the brittle-ductile Sadiola Fracture Zone and impure footwall carbonates. Mineralisation also occurs along the array of NNE-trending shears although gold grade decreases with increasing distance from the Sadiola Fracture Zone.

Mineralisation is shear-hosted and associated with a polyphase hydrothermal alteration history comprising an early calc-silicate phase followed by a potassic alteration stage. The metal associations of the ore typically comprise As-Au-Sb and minor to trace amounts of Cu-W-Mo-Ag-Bi-Zn-Pb-Te-Fe-bearing mineral species. Structural controls on primary mineralisation in the FE satellite pits are similar to that of Sadiola but later karstification and protracted weathering resulted in the formation of a gold residuum. Lithostratigraphic contacts also appear to have been an efficient interface for channeling fluids.

Oxide mineralisation

The geometry of the extensive, soft, oxide deposit and its supergene enrichment of gold relates almost exclusively to the weathering history of the primary mineralisation. Intense tropical weathering has produced deep troughs of white to grey, decarbonated, kaolin-rich saprolite, locally abundant nontronite and relative gold enrichment. Penetration of groundwater has caused oxidation of the primary sulphides and the formation of acidic groundwaters, further promoting deeper argillisation of the bedrock.

Sulphide mineralisation

Drilling of the (unweathered) primary mineralisation has allowed detailed investigation of major and minor hydrothermal alteration processes that were active during the formation of the deposit. Primary gold is fine grained, dominantly less than 15 microns, with rare grains approaching 50 microns. Visible gold is rare. Gold mineralisation is associated with both arsenic and antimony dominated sulphide assemblages of arsenopyrite, pyrrhotite, pyrite, stibnite and gudmuntite as well as potassic, calc-silicate, propylitic alteration and silicification.

Mineralisation characteristics

The gold mineralisation in the Sadiola main pit is related to the interaction of the north-striking Sadiola Fracture Zone (SFZ) and a north-northeast-striking fault array. The SFZ follows the competency contrast between the brittle hangingwall greywacke and the ductile footwall marbles and is mineralised over a drilled strike length of approximately 2,500km. The stratigraphy is intruded by discontinuous diorite and quartz-feldspar porphyry dykes. Mineralisation occurs in all four rock types although most of the mineralisation is hosted in the footwall carbonates adjacent to the SFZ. The deposit has been intensely weathered to a maximum depth of 200m.


At the FE pits, located about 7km to the southeast of the Sadiola main pit, mineralisation is hosted in marbles adjacent to the upper contact with carbon-rich pelites. Gold is associated with north-northeast to northeast striking faults and lens-shaped breccia zones that are broadly parallel to the north-west-trending stratigraphy. The FE4 deposit is located in an interbedded sandstone and pelite sequence with mineralisation predominantly hosted in breccia along a north-east-striking regional shear and several subsidiary north-northeast-trending faults.





At Tambali, located 2km to the south of the Sadiola main pit, the mineralisation is associated with two sets of structures, orientated north-northeasterly (dipping steeply south-east) and north-westerly (dipping south-west). These structures are often related to thin tourmaline-quartz-rich shears/veins or zones of (mostly north-northeast trending) quartz-feldspar porphyry intrusions that have undergone later shearing. A north-west trending graphite-rich brecciated boundary between south-westerly-dipping sandstones (in the east) and metapelites (in the west) is also evident. Bedding parallel shearing is also indicated in some areas, possibly accounting for some of the westerly-dipping mineralised structures. Tambali mineralisation is similar in style to the Sadiola main pit and it is subjected to similar structural controls.

W-E Geological cross-section through Sadiola pit





Exploration

The 2017 exploration campaign focused primarily on the remaining oxide targets within the lease with the view to add Ore Reserve to the current mine life. Exploration of the transitional and fresh rock potential was also carried out below the Tambali and FE pits in order to enhance the value of the future SSP.

Oxide exploration

The exploration programmes were derived from a review of the existing and potential new oxide targets using the latest geological information and updated geophysical interpretation.

RC drilling was completed at five oxide targets with the objective to delineate short term Ore Reserve to add to the mine life. The results of the work showed limited narrow, low grade potential and did not warrant follow up prospecting.

Sulphide exploration

DD was conducted to investigate the extension of sulphide ore potential below the FE3 and Tambali oxide pits. At Tambali significant narrow high grade intersections were achieved at depth. This potential sulphide Mineral Resource is recommended for follow up. The FE3 drilling along strike intersected low grades confined to narrow alteration zones in fresh rock with limited economic potential.

Additional core drilling for sterilisation of the deeper FE4 sulphide Mineral Resource was conducted. Results confirmed the continuity of a narrow mineralisation trend into the sulphide zone but with low probability of economic potential.

Geochemical analysis in the form of multi-element portable X-ray Fluorescence (pXRF) was conducted on the drill samples. The results assisted in geometallurgical characterisation and lithological differentiation in the deep core drilling and in the RC drill chips. The analysis of pathfinder elements was also used in oxide targeting.

Projects

The SSP remains the only major AngloGold Ashanti project in Mali and is the focus for extension of the LOM. The project has been re-evaluated and optimised in light of the current economic and political climate. The project consists of a new pushback in the Sadiola main pit in order to mine the underlying sulphide ore, and an expansion and upgrade of the existing processing plant to be able to treat the sulphide ore. The revised project extends operations beyond 2024. As part of the revision, an amended ESIA was completed in 2017 and approved by the government of Mali. Dialogue with the government of Mali has been ongoing throughout the project study phase. The project is paused pending favourable conclusion of discussions with the government of Mali on fiscal agreements.

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

Sadiola			Type of drilling				
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured	6.25 x 12.5	√	√	-	(-)	_	: -
Indicated	25 x 25, 50 x 25	√	√	-	-	_	-
Inferred	50 x 50	√	√	_	-	_	_
Grade/ore control	5 x 10,	√	√	_	_	_	-
	6.25 x 12.5						








Sadiola		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
FE2	Measured	-	-	_	=
	Indicated	0.14	1.48	0.20	0.01
	Inferred	0.00	1.30	0.00	0.00
	Total	0.14	1.48	0.20	0.01
FE3	Measured	2-	_	tonnes - 0.20 0.00 0.20 - 1.89 0.07 1.96 - 0.14 0.03 0.16 - 3.29 0.36 3.65 - 0.87 0.06 0.93 - 1.77 0.59 2.36 - 2.24 0.20 2.44 - 2.22 0.22	_
	Indicated	1.04	1.83	1.89	0.06
	Inferred	0.03	2.11	0.07	0.00
	Total	1.07	1.84	1.96	0.06
FE4	Measured	=	-	-	_
	Indicated	0.06	2.36	0.14	0.00
	Inferred	0.01	2.84	0.03	0.00
	Total	0.07	2.42	0.16	0.01
FN	Measured	8 -	-	-	_
	Indicated	2.44	1.35	3.29	0.11
	Inferred	0.30	1.19	0.36	0.01
	Total	2.74	1.33	3.65	0.12
Tabakoto (Sekokoto)	Measured	-	=	_	_
The second secon	Indicated	0.63	1.39	0.87	0.03
	Inferred	0.05	1.16	0.06	0.00
	Total	0.68	1.37	0.93	0.03
Tambali	Measured	10 -1 11	-	_	_
	Indicated	1.70	1.04	1.77	0.06
	Inferred	0.50	1.19	0.59	0.02
	Total	2.20	1.08	2.36	0.08
SSP (oxide)	Measured	ş.—	1=	=	_
	Indicated	1.71	1.30	- 3.29 0.36 3.65 - 0.87 0.06 0.93 - 1.77 0.59 2.36 - 2.24 0.20 2.44	0.07
	Inferred	0.19	1.05		0.01
	Total	1.91	1.28		0.08
SSP (transitional)	Measured		-	-	_
531 4 3 3 3 5 5 5	Indicated	1.18	1.89	2.22	0.07
	Inferred	0.14	1.57		0.01
	Total	1.32	1.85	201,071,00,00	0.08
SSP (sulphide)	Measured	6-	_		
	Indicated	36.75	1.94	71.44	2.30
	Inferred	6.02	1.77	10.67	0.34
	Total	42.77	1.92	82.11	2.64
Total stockpiles	Measured	0.10	2.14	0.22	0.01
	Indicated	4.56	1.25	5.71	0.18
	Inferred	8=8	_	_	_
	Total	4.66	1.27	5.93	0.19
Sadiola	Total	57.55	1.78	102.19	3.29



Estimation

The Mineral Resource is taken as the material that falls within the \$1,400/oz economic shell optimised for each individual deposit. A 3D surface is generated to create the outline of the geological model within which grades are estimated. Block sizes are between 25m x 25m x 10m and 30m x 30m x 10m and, where appropriate, selective sub-celling is used for definition on the geological and mineralisation boundaries. All the deposits are estimated by ordinary kriging. Where deemed appropriate, a geostatistical technique called uniform conditioning (UC) or localised uniform conditioning (LUC) is used to estimate the proportion of material that occurs above the cut-off, hence forming a recoverable Mineral Resource model at a specific SMU.



The grade tonnage curve does not include stockpiles.

Exclusive Mineral Resource


Sadiola		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	37 <u>-24</u>	_	122	<u>=</u>
	Indicated	20.68	1.73	35.68	1.15
	Inferred	7.24	1.68	12.20	0.39
	Total	27.92	1.71	47.88	1.54

The exclusive Mineral Resource is the part of the Mineral Resource that was not converted to Ore Reserve. It is defined as the Mineral Resource that is outside the current Ore Reserve designs, but inside the Mineral Resource shells and includes the Inferred Mineral Resource within the Ore Reserve design.

The exclusive Mineral Resource gives an indication of the future potential of the deposit. This material could be converted to Ore Reserve with an increase in the gold price and favourable costs. The Inferred Mineral Resource portion of the Mineral Resource within the Ore Reserve pit design will be converted to the Ore Reserve through grade control drilling.








A slight increase in cost from the updated FS resulted in higher cut-off grades. These changes had a slight impact on all of the sulphide project pits. Infill drilling at the FE3, Tambali and FN satellite pits resulted in exploration gains.







Sadiola is sensitive to gold price changes due to the marginal nature of the satellite pits.

Ore Reserve

Ore Reserve

Sadiola		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
FE3	Proved	82		_	
	Probable	0.18	1.18	0.21	0.01
	Total	0.18	1.18	0.21	0.01
FE4	Proved	-	_	-	-
	Probable	0.05	2.15	0.10	0.00
	Total	0.05	2.15	0.10	0.00
FN	Proved	<u> </u>	-	7	_
	Probable	0.76	1.47	1.11	0.04
	Total	0.76	1.47	1.11	0.04
Tabakoto (Sekokoto)	Proved	82		-	
	Probable	0.27	1.52	0.41	0.01
	Total	0.27	1.52	0.41	0.01
Tambali	Proved	-	-	-	-
	Probable	0.24	0.95	0.22	0.01
	Total	0.24	0.95	0.22	0.01
SSP (oxide)	Proved	8-1	-	-	-
	Probable	0.66	1.52	1.00	0.03
	Total	0.66	1.52	1.00	0.03
SSP (transitional)	Proved		-	_	-
	Probable	0.62	2.17	1.34	0.04
	Total	0.62	2.17	1.34	0.04
SSP (sulphide)	Proved		:-	-	-
	Probable	21.02	2.02	42.49	1.37
	Total	21.02	2.02	42.49	1.37
Total stockpiles	Proved	0.10	2.14	0.22	0.01
	Probable	4.56	1.25	5.71	0.18
	Total	4.66	1.27	5.93	0.19
Sadiola	Total	28.43	1.86	52.80	1.70





Estimation

The Mineral Resource models are used as the basis for the Ore Reserve. Optimisations are run on the Measured and Indicated Mineral Resource and the Measured, Indicated and Inferred Mineral Resource. All appropriate costs, metallurgical recovery factors and geotechnical parameters are applied to generate the mine designs that are used to estimate the final Ore Reserve.

Ore Reserve modifying factors

		Cut-off		RMF		
Sadiola	Gold price	grade	Dilution	% (based on	MCF	MetRF
as at 31 December 2017	US\$/oz	g/t Au	%	tonnes)	%	%
FE3	1,200	0.58	17.6	85.0	100.0	75.0 – 94.0
FE4	1,200	0.35	9.0	97.0	100.0	75.0 – 94.0
FN	1,200	0.87	17.6	85.0	100.0	75.0 - 94.0
Tabakoto (Sekokoto)	1,200	0.85	17.6	85.0	100.0	75.0 - 94.0
Tambali	1,200	0.55	17.6	85.0	100.0	75.0 - 94.0
SSP (oxide)	1,200	0.51	5.0	95.0	100.0	85.0 - 94.0
SSP (transitional)	1,200	0.78	5.0	95.0	100.0	75.0
SSP (sulphide)	1,200	0.77	5.0	95.0	100.0	76.0 - 80.0
Total stockpiles	1,200	0.77		-	100.0	76.0

Recovery factor varies according to ore type (laterite, saprolite, siliceous oxide, saprolitic sulphide, hard sulphide, intermediate oxide, intermediate sulphide, transitional and graphitic). \$1,200/oz Ore Reserve price used for the SSP project and short term oxide pits.

The modifying factors applied to the Ore Reserve for Sadiola are ore loss and dilution. For the satellite pits, due to the nature of the mineralisation, the ore loss and dilution are different from the SSP main pit. These modifying factors have been applied to reflect current mining practices.


The SSP main pit utilises ore loss incorporated into the modelling process. The other satellite pits have variable ore loss and dilution applied dependent on mining method. The pits that are to be mined as part of the current operation have between 0% and 9% applied while those that are to be mined as part of the SSP have 15% ore loss and 17.6% dilution applied. The latter is to allow for mining by a face shovel rather than an excavator.

Inferred Mineral Resource in business plan


Sadiola	Tonnes	Grade	Contained g	jold
as at 31 December 2017	million	g/t	tonnes	Moz
FE3	0.00	0.95	0.00	0.00
FE4	0.00	2.63	0.01	0.00
Tabakoto (Sekokoto)	0.01	1.42	0.01	0.00
Tambali	0.03	0.99	0.03	0.00
SSP (oxide)	0.04	1.42	0.06	0.00
SSP (transitional)	0.05	1.72	0.09	0.00
SSP (sulphide)	0.52	1.59	0.82	0.03
FN	0.02	1.24	0.03	0.00
Total	0.68	1.55	1.05	0.03

Inferred Mineral Resource material has been included in the business plan as incidental material when the pit is mined. Several of the small oxide pits that are included in the bridging period until the main SSP pit is mined contain Inferred Mineral Resource with the overall Inferred Mineral Resource included in the total business plan less than 3%.





There are four key components to the year-on-year changes in Ore Reserve ounces. There were decreases due to depletion, cost updates and designs and additions due to a revised Mineral Resource model. The costs were updated with data from the 2016 FS.



Americas





CONTINENTAL AFRICA CONTINUED

TANZANIA



Geita is AngloGold Ashanti's only operation in Tanzania and one of the largest open pit gold mines in Africa. Prior to April 2004, Geita was managed under a JV agreement between Ashanti and AngloGold. Since the merger, Geita is a wholly owned subsidiary of AngloGold Ashanti.

In 2016 underground mining successfully started at a satellite deposit to provide ore to the processing plant and in late 2017, two additional portals were created that interfaced with the existing surface operations.



Inclusive Mineral Resource

Tanzania		Tonnes	Grade	Contained g	gold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	S	-	-	-
	Indicated	29.24	3.41	99.65	3.20
	Inferred	22.44	4.46	100.13	3.22
	Total	51.68	3.87	199.78	6.42

Exclusive Mineral Resource

Tanzania		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	2 -	-	-	_
	Indicated	20.70	2.93	60.64	1.95
	Inferred	22.44	4.46	100.13	3.22
	Total	43.14	3.73	160.77	5.17

Ore Reserve

Tanzania		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Proved	:=	_	1#3	_
	Probable	8.54	4.55	38.86	1.25
	Total	8.54	4.55	38.86	1.25



Introduction

Introduction	
Property description	Geita is wholly owned by AngloGold Ashanti and currently sources ore from two open pits (Nyankanga and Geita Hill) and three underground sections (Star and Comet Cut 2, Star and Comet Cut 3 and Nyankanga Block 5). Underground mining commenced at Star and Comet in 2016 and at Nyankanga in 2017.
Location	Geita gold mine is located approximately 910km from the Tanzanian capital city of Dar es Salaam. It falls within the Lake Zone of northern-western Tanzania, approximately 120km west of Mwanza and 4km away from the town of Geta. The mining lease area falls within the Archaean Sukumaland Greenstone Belt of the Lake Victoria goldfields.
History	In 1936 the Geita deposits were first discovered and by 1966 three mines had produced almost 1Moz.
	Ashanti acquired the project through acquisition of Cluff Resources in 1996 and in early December 2000, Ashanti reached an agreement to sell AngloGold a 50% interest in Geita for \$324 million. AngloGold added its neighbouring Nyamulilima Hill deposits into the JV company. In 2004, the merger of AngloGold and Ashanti resulted in the operation being run by AngloGold Ashanti.
	The decision was taken to go underground at Star and Comet in 2015 and the underground development started in 2016. In 2017 the Nyankanga underground operation was started.
Legal aspects and tenure	The special mining licence (SML45/99) covers approximately 196.17km² and expires on 26 August 2024. There are a further 120km² of prospecting licences in the immediate vicinity to the SML. However, these do not contain any Ore Reserve.
Mining method	Mining at Geita is by both open pit and underground methods. The open put mining is currently undertaken by conventional truck-and-shovel open pit mining method on two active pits (Nyankanga and Geita Hill). The open pit mining is conducted using Geita owned, operated and maintained fleet. A contractor provides drilling and blasting services. Underground mining commenced at Star and Comet in 2016 and subsequently at Nyankanga in 2017 following a mining study using the services of an underground mining contractor. Ore is hauled from the Star and Comet operation to the central ROM pad by the Geita surface mining fleet.
Operational infrastructure	As an ongoing operation Geita currently has an established 5.2Mtpa CIL processing plant capable of processing hard ore. It also has an established TSF with sufficient area to construct wall raises every three years to accommodate planned future production. A full workshop facility is in place to support the maintenance of heavy mining equipment and all light support equipment. Contractor infrastructure supported on the mine site includes workshops for the production and exploration drilling contractor, workshops for the underground mining contractor, as well as a plant for the explosives supplier. Geita has further support infrastructure in place including a mine village, medical clinic, mine store, administration buildings and an airstrip.
Mineral processing	Geita ore processing method is via conventional CIL process. The CIL plant has a throughput capacity of 5.2Mtpa. The circuit contains a primary gyratory crusher, secondary and tertiary crushers, a semi-autogenous mill, ball mill and 12 leach tanks. This is coupled with a gravity circuit through two knelson concentrators. In planning the plant feed blend material hardness, grade and sulphide content are considered in order to optimise throughput and recovery.
Risks	There are regular artisanal and small scale miners activities and illegal intrusions into the mine, but there is a holistic mitigation plan in process to manage this.
	The primary risk remains the declining Ore Reserve profile. The mitigating actions put in place focus on optimising the exploration and project plans to convert both surface and underground Mineral Resource to Ore Reserve.






















Competent Persons

Geita		Professional	Membership	Relevant	
Category	Competent Person	organisation	number	experience	Qualification
Mineral Resource	Craig Duvel	SACNASP	400007/98	23 years	BSc Hons (Geology), GDE (Mining Engineering)
Ore Reserve	Robert Van Der Westhuizen	MAusIMM	223 783	18 years	MSc (Engineering)

GEOLOGY

Deposit type

The Geita Greenstone Belt (GGB) hosts several world-class shear-hosted Archaean lode gold deposits and forms the northern portion of the regional Sukumaland Greenstone Belt, itself one of several belts that comprise the Lake Victoria goldfields. Other gold mines hosted in the Lake Victoria Goldfields include Golden Pride, Bulyanhulu, Tulawaka, Buzwagi and North Mara.

The east-west oriented GGB is 60km in length, up to 15km wide. The Geita terrain is comprised of upper- to mid-Nyanzian greenschist facies units, made up of clastic sediments, black shales, banded iron formation (BIF), volcaniclastics and meta-basalts. These have been intruded by a variety of felsic to mafic intrusive bodies, dykes and sills. Gabbro dykes accommodated by regional north-northeasterly structures are also prominent geological features in the area.







North-west trending deformation corridors divide the GGB into three distinct sub-terrains, namely the Nyamulilima Terrain in the west (hosting the Star and Comet, Ridge 8 and Roberts deposits), the Central Terrain in the central part (hosting the Nyankanga, Geita Hill, Lone Cone and Chipaka deposits) and the Kukuluma Terrain to the north-east (hosting the Matandani, Kukuluma and Area 3 West deposits).

Mineralisation style

Geita's gold mineralisation is preferentially hosted in BIF, cherts and ironstones that have been affected by both ductile and dominant brittle deformation associated with shear zones. The shears preferentially exploit fold axial planes as well as the contacts between the supracrustal and intrusive rocks.

The GGB has been through a protracted history of deformation, which resulted in a large-scale synformal configuration in the Central Terrain, with west-northwest trending limbs connected by a north-east trending hinge zone. The deposits of the Central Terrain are mainly located within the relatively low-strain hinge zone. The Nyankanga deposit is hosted in a BIF-dominated supracrustal package that is extensively intruded by, and locally form a roof-pendant within the dioritic Nyankanga Intrusive Complex. At Geita Hill, dioritic rocks are present as sills and dykes intruded into a supracrustal sequence that has been subject to extensive polyphase folding.

To the west, the Nyamulilima Terrain comprises a semi-circular structure surrounding intrusive centers, which internally encompasses structural systems of variable scale that locally control gold mineralisation. At Star and Comet, a folded sedimentary package of BIF intercalated with clastic and tuffaceous meta-sediments is intruded by a tonalitic complex.

The Kukuluma Terrain trends west-northwesterly, with sub-vertical limbs being dominant over compressed, multiphase folded zones. The three major deposits in the area (Kukuluma, Matandani and Area 3) are located along a 5km long east-southeast mineralisation trend. The geology of the deposits is dominated by volcano-sedimentary rocks that are polydeformed and intruded by syn- to latefolding diorite bodies. Host rocks for mineralisation are fine-grained iron-rich clastic sediments, cherts, BIF and tuffaceous rocks, with local intercalated carbonaceous shales.


Mineralisation characteristics

Gold mineralisation at Nyankanga occurs within a northeast-trending and northwest-dipping anastomosing shear system, typically along the lowermost shears, with higher grade mineralisation mainly proximal to the basal contact of BIF packages. Mineralisation is associated with chlorite-carbonate-silica alteration and pyrite-dominant sulphide in the damage zones surrounding the shear surfaces as veins, veinlets, local breccias and sulphide replacement of magnetite layers. At Geita Hill, mineralisation at the deposit scale is controlled by a narrow NE-trending and NW-dipping shear zone that exploits the axial surfaces of F3 folds. The bulk of the ore is also carried by damage zones adjacent to the main shear.

At Star and Comet, a major mineralised shear zone runs NNW-SSE through the deposit where it is localised along the contact of BIF and tonalite. An envelope of mostly brittle deformation up to 10m thick (which affects both lithologies) occurs either side of the shear zone and controls distribution of mineralisation. Most of the gold mineralisation is hosted in pyrrhotite patches associated with strong silicification together with carbonate alteration.



E-W Geological cross-section through Star and Comet



Within the Kukuluma Terrain, steeply dipping ductile/brittle gold-fertile shear zones are developed along, or close to, the edges of an elongate diorite body, hosted in iron-rich host rocks and locally exploiting axial surfaces of tight folds. Gold mineralisation in the Kukuluma terrain is strongly associated with pyrrhotite, pyrite and arsenopyrite concentrations, accompanied by strong carbonate and silica alteration of host rocks. Gold is present in gold minerals and sulphides, dominantly in arsenopyrite.

Exploration

Resource development drilling concentrated on Nyankanga underground, Star and Comet Cut 2 underground, Star and Comet Cut 3 underground and Geita Hill underground. The aim of the Mineral Resource development drilling was to upgrade the confidence in the Mineral Resource to bring material within the underground mine design to Inferred and Indicated Mineral Resource classifications.

Resource delineation drilling was completed at several deposits to test for extensions to mineralisation that can be exploited by both open pit and shallow underground methods. At Nyamulilima the drilling focused on testing the down-plunge extensions of the Star and Comet Cut 2 and Cut 3 orebodies and at Matandani the drilling focused on testing an updated geological model targeting the down-plunge extensions of high grade zones on both the eastern and western limbs of the deposit. The Star and Comet Cut 2 and Cut 3 drilling returned positive results, as did the drilling on the eastern limb at Matandani. Reconnaisance drilling was carried out on the Selous target at Nyamulilima, returning encouraging intersections.

Following the successful completion of a 2D Seismic survey in 2015, a major 3D Seismic survey project was completed over a 20km² area covering the Nyankanga and Geita Hill deposits in 2016. The survey produced high resolution results to a depth of













1,500m below these deposits. The data processing was completed in late 2016 and modelling and targeting was completed in the first half of 2017. Two of the targets in the Nyankanga area were drill-tested in the second half of 2017. Both drillholes confirmed the geological interpretation and the reflectors identified in the seismic data. The first drillhole returned gold intersections while the second drillhole results are expected in early 2018.

Detailed geological mapping of satellite targets was completed over three targets in the Nyamulilima terrain, three targets in the Central terrain and four targets on the prospecting licences. The detailed mapping of the targets will be used to update geological interpretations and design the reconnaisance drill plans. The detailed mapping continued through 2017 in Nyankanga and Geita Hill pits for the purposes of updating the geological models to be used in underground mine planning and exploration.

Projects

Geita's exploration strategy is focused on three areas. The first is the upgrading and extension of surface and underground Mineral Resource on the core producing deposits. The second is the aggressive exploration of satellite targets within the lease area which have potential to produce satellite deposit ore sources. The third is exploration to support major projects.

In the core areas, underground mining was successfully started at Star and Comet Cut 2 in 2016. Development to Star and Comet Cut 3 was initiated from the Cut 2 platform and the underground ore mining at Star and Comet Cut 3 was ramped up as planned in 2017. Underground exploration drilling has been successfully converting Inferred Mineral Resource to Indicated Mineral Resource and adding additional Mineral Resource in these two deposits. Detailed mine design, planning and permitting for Nyankanga underground was completed in 2016 and underground development commenced as planned at Blocks 4 and 5 in 2017. Following the successful implementation of underground operations at Star and Comet and Nyankanga, the underground exploration and development will be expanded to include Geita Hill and Ridge 8 deposits post 2018.

There are approximately 50 satellite targets within Geita leases. Resourcing of the satellite target exploration programme has lagged behind the core areas following the gold price decline in 2013 and the development of these targets has not kept pace with the core areas. The satellite target exploration programme was re-planned and dedicated resources were put in place in 2017 to support a more aggressive exploration programme on the satellite targets. Consistent with previous years, the 10 targets ranked as priority one will remain first on the schedule as they have potential to provide near term value in the mine plan.

The other major project at Geita is the refractory ore project which encompasses the four deposits of the Kukuluma terrain and their potential extensions: Matandani, Kukuluma, Area 3W and Area 3CS. Drilling was completed in 2015 within the Matandani pit, which contains the largest sulphide Mineral Resource potential, in order to obtain samples for further metallurgical test work. Metallurgical scoping test work was successfully concluded in 2016. The PFS, which was planned to commence in 2017, has been postponed while resources are focused on ramping up underground production.

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

Geita		Type of drilling					
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured		 .	-	-	-	-	-
Indicated	10 x 10, 20 x 20,	√	√	_	_	_	_
	25 x 15, 25 x 25,						
	40 x 20, 40 x 40						
Inferred	40 x 40, 50 x 50,	√	√	_	_	_	_
	80 x 20, 80 x 40						
Grade/ore control	5 x 10, 10 x 5	√	√	=	650	10 m	Underground:
							diamond fan drilling
							Open pit: RC grid



CONTINENTAL AFRICA CONTINUED

Inclusive Mineral Resource

Geita		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	
Area 3 West (oxide)	Measured	_	-	-	-
	Indicated	0.19	2.71	0.52	0.02
	Inferred	0.00	2.41	0.00	0.00
	Total	0.20	2.70	0.53	0.02
Chipaka	Measured	-	-	220	=
	Indicated	0.20	2.32	0.46	0.01
	Inferred	0.30	2.52	0.77	0.02
	Total	0.50	2.44	1.23	0.04
Geita Hill (open pit)	Measured			_	_
	Indicated	2.23	2.97	6.61	0.21
	Inferred	0.50	2.09	1.05	0.03
	Total	2.73	2.80	7.66	0.25
Kalondwa Hill	Measured	_	_	_	_
	Indicated	_	-	-	-
	Inferred	0.43	4.08	1.74	0.06
	Total	0.43	4.08	1.74	0.06
Kukuluma (oxide)	Measured		_	_	_
	Indicated	0.01	4.80	0.05	0.00
	Inferred	0.00	2.78	0.01	0.00
	Total	0.01	4.34	0.06	0.00
Kukuluma (transitional)	Measured	8-2	_	_	
	Indicated	0.09	4.64	0.41	0.01
	Inferred	0.02	4.47	0.10	0.00
	Total	0.11	4.60	0.51	0.02
Kukuluma (sulphide)	Measured	· -	_	_	_
, ,	Indicated	0.02	5.21	0.11	0.00
	Inferred	0.30	4.27	1.27	0.04
	Total	0.32	4.33	1.38	0.04
Lone Cone	Measured	s –	-	-	_
	Indicated	0.92	3.00	2.76	0.09
	Inferred	0.39	3.56	1.39	0.04
	Total	1.31	3.17	4.14	0.13
Matandani (oxide)	Measured		_	_	_
	Indicated	1.37	2.26	3.09	0.10
	Inferred	0.70	2.27	1.60	0.05
	Total	2.07	2.26	4.69	0.15
Matandani (transitional)	Measured	5 <u></u>		2	1000000
enert vanotte anases ansatelog förstättöttöttä stättä	Indicated	0.09	3.77	0.33	0.01
	Inferred	0.09	4.50	0.42	0.01
	Total	0.18	4.15	0.74	0.02













Inclusive Mineral Resource continued

Geita		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Matandani (sulphide)	Measured	9 4	_	-	2
	Indicated	0.04	4.79	0.21	0.01
	Inferred	2.37	4.65	11.02	0.35
	Total	2.42	4.65	11.23	0.36
Nyankanga (open pit Cut 7)	Measured	s -	_	_	-
	Indicated	0.11	3.88	0.43	0.01
	Inferred	0.01	4.77	0.04	0.00
	Total	0.12	3.95	0.47	0.01
Nyankanga (open pit Cut 8)	Measured	:-	_	_	-
, , , , ,	Indicated	5.36	5.89	31.59	1.02
	Inferred	0.37	1.63	0.60	0.02
	Total	5.73	5.62	32.19	1.03
Ridge 8 (open pit)	Measured		-	_	_
	Indicated	0.77	2.45	1.89	0.06
	Inferred	0.00	1.30	0.00	0.00
	Total	0.77	2.45	1.90	0.06
Roberts	Measured	_	-	_	
	Indicated	2.73	1.89	5.17	0.17
	Inferred	0.07	5.25	0.35	0.01
	Total	2.79	1.97	5.51	0.18
Star and Comet (open pit)	Measured	· -	_	_	_
	Indicated	<u></u>		_	2
	Inferred	0.00	3.28	0.01	0.00
	Total	0.00	3.28	0.01	0.00
Stockpile (full grade ore)	Measured	S(<u>I</u>)	-		
and an extension of the contract of the contra	Indicated	0.39	2.74	1.07	0.03
	Inferred	500505	_	. _ :	_
	Total	0.39	2.74	1.07	0.03
Stockpile (marginal ore)	Measured	7-	_	_	_
	Indicated	8.88	0.99	8.77	0.28
	Inferred	-	-	-	-
	Total	8.88	0.99	8.77	0.28
Stockpile (refractory ore)	Measured	:=	_	_	_
	Indicated	0.56	2.80	1.57	0.05
	Inferred	844		-	
	Total	0.56	2.80	1.57	0.05
Geita Hill (underground)	Measured	· -	-		-
	Indicated	0.76	3.81	2.89	0.09
	Inferred	9.31	3.77	35.10	1.13
	Total	10.07	3.77	37.98	1.22



Inclusive Mineral Resource continued

Geita		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Nyankanga (underground) – Block 1	Measured	%. 	-	-	-
	Indicated	0.62	8.19	5.08	0.16
	Inferred	0.43	6.84	2.93	0.09
	Total	1.05	7.64	8.01	0.26
Nyankanga (underground) - Block 2	Measured	_	_	_	22
	Indicated	0.40	5.94	2.38	0.08
	Inferred	0.77	6.18	4.76	0.15
	Total	1.17	6.10	7.15	0.23
Nyankanga (underground) – Block 3	Measured	_	-	_	_
	Indicated	0.31	5.04	1.54	0.05
	Inferred	0.84	5.67	4.76	0.15
	Total	1.15	5.50	6.31	0.20
Nyankanga (underground) – Block 4	Measured	_	_	_	_
	Indicated	0.45	6.83	3.08	0.10
	Inferred	2.46	5.83	14.34	0.46
	Total	2.91	5.99	17.42	0.56
Nyankanga (underground) – Block 5	Measured	_	-	-	_
	Indicated	0.67	7.85	5.25	0.17
	Inferred	0.40	6.91	2.74	0.09
	Total	1.07	7.50	8.00	0.26
Ridge 8 (underground)	Measured	82	_	_	_
	Indicated	0.61	4.88	3.00	0.10
	Inferred	1.62	5.46	8.83	0.28
	Total	2.23	5.30	11.83	0.38
Star and Comet (underground Cut 2)	Measured	e —	-	_	_
	Indicated	0.56	7.73	4.36	0.14
	Inferred	0.05	8.35	0.38	0.01
	Total	0.61	7.78	4.74	0.15
Star and Comet (underground Cut 3)	Measured	(i—)	_	-	_
	Indicated	0.89	7.87	7.02	0.23
	Inferred	1.00	5.93	5.91	0.19
	Total	1.89	6.85	12.92	0.42
Geita	Total	51.68	3.87	199.78	6.42

Estimation

For the open pits, the mineralisation boundaries for the individual deposits are defined from the detailed logging of all geological drillholes. This information is validated and then used to create a 3D model. The geological model is subsequently populated with an appropriately dimensioned block model. Ordinary kriging is used to interpolate values into the blocks. A geostatistical technique called UC is used to generate a recoverable Mineral Resource model which estimates the proportion of ore that occurs above the Mineral Resource cut-off grade assuming a specified SMU. The open pit Mineral Resource is reported within a \$1,400/oz optimised pit shell and above the calculated mineralised waste cut-off grade per pit. Stockpiled material above mineralised waste cut-off grade is included in the Mineral Resource.













For the underground Mineral Resource, the geological model and the mineralised boundary are generated in the same way as for the open pits. However, a high grade wireframe is delineated within the broader, lower grade mineralised envelope. In this instance, all geological controls are adhered to when determining this doman. Ordinary kriging models are then constructed within the low and high grade domains and numerous validation exercises are completed to ensure robust estimates are achieved. The ultimate open pit designs are used as the limiting boundaries between open pit and underground during the model compilation. The underground Mineral Resource is reported inside a mineable shape optimiser (MSO) shape generated using a given underground cut-off grade for each deposit. The underground stopes and development are evaluated using the ordinary kriging models and the open pit designs are evaluated using the UC models.





The grade tonnage curve does not include stockpiles.

Exclusive Mineral Resource

Geita		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	-	-	-	-
	Indicated	20.70	2.93	60.64	1.95
	Inferred	22.44	4.46	100.13	3.22
	Total	43.14	3.73	160.77	5.17

The exclusive Mineral Resource at Geita consists of:

- The underground Mineral Resource (with the exception of Indicated Mineral Resource within the Nyankanga Block 5 and Star and Comet cuts 2 and 3 mine design where an underground Ore Reserve has been declared)
- All open pit Mineral Resource that is located between the Ore Reserve pit shell (at a gold price of \$1,100/oz) and the Mineral Resource pit shell (at a gold price of \$1,400/oz)
- Material within the Ore Reserve pit shell that is Inferred Mineral Resource or falls below the Ore Reserve cut-off grade and above the Mineral Resource cut-off grade
- Material within the Nyankanga Block 5 and Star and Comet Cuts 2 and 3 underground mine designs that is Inferred Mineral Resource


This material forms potential extensions to the current LOM if it can be converted to Ore Reserve. A significant portion of this material is in the Inferred Mineral Resource category and infill drilling programmes are planned to upgrade potentially economical areas to Indicated Mineral Resource.




Mineral Resource below infrastructure

Geita	Category	Tonnes	Grade	Contained gold	
as at 31 December 2017		million	g/t	tonnes	Moz
	Measured	=	=		_
	Indicated	3.15	5.70	17.97	0.58
	Inferred	15.43	4.58	70.73	2.27
	Total	18.58	4.77	88.69	2.85

Any underground Mineral Resource for which there is neither an established portal nor significant underground infrastructure to access the Mineral Resource is reported as Mineral Resource below infrastructure. As such, all underground Mineral Resource with the exception of Nyankanga Block 5 and Star and Comet cuts 2 and 3 (which have established portals and significant development in place as at 31 December 2017) have been separately categorised as Mineral Resource below infrastructure.



As at 31 December 2017, there is a decrease of approximately 0.90Moz (12.3%) in comparison to the previous year's declaration. The significant movements are because of depletion (0.54Moz), cost increase (0.25Moz) and a loss of 0.24Moz due to a change in methodology for reporting material in the crown pillar. Previously all material above the open pit cut-off grade in the crown pillar was reported as open pit Mineral Resource whereas, in 2017, only the material within an MSO shape, derived using higher underground cut-off grades, is reported as underground Mineral Resource. This was offset by a small gain of 0.14Moz by including Inferred Mineral Resource previously excluded from the open pit optimisation at Matandani.



Geita is not very sensitive to a drop in gold price as it is transitioning from an open pit to an underground operation.













Ore Reserve

Ore Reserve

Geita		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Geita Hill (open pit)	Proved	18	-	=	_
	Probable	0.21	3.48	0.73	0.02
	Total	0.21	3.48	0.73	0.02
Nyankanga (open pit) Cut 8	Proved	6 -7	-	 2	-
	Probable	4.55	5.53	25.17	0.81
	Total	4.55	5.53	25.17	0.81
Nyankanga (underground) - Block 5	Proved	:	-	-	-
	Probable	0.54	7.44	4.05	0.13
	Total	0.54	7.44	4.05	0.13
Star and Comet (underground) Cut 2	Proved	1-	-	-	-
	Probable	0.19	7.00	1.35	0.04
	Total	0.19	7.00	1.35	0.04
Star and Comet (underground) Cut 3	Proved	-	_	_	_
	Probable	0.52	7.70	3.97	0.13
	Total	0.52	7.70	3.97	0.13
Stockpile (full grade ore)	Proved	ş.— :	1-	-	-
	Probable	0.39	2.63	1.03	0.03
	Total	0.39	2.63	1.03	0.03
Stockpile (marginal ore)	Proved	g. -	-	=	-
	Probable	2.14	1.20	2.56	0.08
	Total	2.14	1.20	2.56	0.08
Geita	Total	8.54	4.55	38.86	1.25

Estimation

The Mineral Resource models are used as the basis for Ore Reserve estimation. Input parameters for the estimation of the Ore Reserve include gold price, mining dilution and recovery, geotechnical, stay in business capital, operating costs, metallurgical recovery, processing capacity and mining equipment capacities. Appropriate Ore Reserve cut-off grades are applied and optimised pit shells are generated for the open pit sources. Pit designs are then done on selected shells and signed off by all relevant parties to ensure compliance to specifications. Underground designs are completed and evaluated. These designs are incorporated into the production and treatment scheduling stages to yield ore tonnes and grades. Financial evaluations completed for production and treatment schedules to check cash flow analysis from the estimated Ore Reserve.

The Ore Reserve for Geita operating, prospective pits and underground mine areas were estimated using updated economical factors, latest Mineral Resource models, geological, geotechnical, mining engineering and metallurgical parameters. The environmental, socio-political, legal and regulatory factors were also considered.



CONTINENTAL AFRICA CONTINUED

Ore Reserve modifying factors


		Cut-off	RMF	RMF	MRF	MRF		
Geita	Gold price	grade	% (based	% (based	% (based	% (based	MCF	MetRF
as at 31 December 2017	US\$/oz	g/t Au	on tonnes)	on g/t)	on tonnes)	on g/t)	%	%
Geita Hill (open pit)	1,100	1.50	95.0	85.0	108.0	92.0	96.0	89.3
Nyankanga (open pit) Cut 7 and 8	1,100	1.40	100.0	100.0	105.0	95.0	96.0	92.0
Nyankanga (underground) Block 5	1,100	3.02	100.0	100.0	95.0	95.0	96.0	92.0
Star and Comet (underground)								
Cut 2	1,100	2.84	100.0	100.0	95.0	95.0	96.0	76.0
Star and Comet (underground)								
Cut 3	1,100	2.93	100.0	100.0	95.0	95.0	96.0	84.4

Dilution included in MRF and considered MCF of 96%.

Modifying factors are applied during the production scheduling stage with the aim of closely estimating the tonnes, grade and metal that would be delivered to the ROM pad (i.e. Ore Reserve). The aim is to be able to fully account for all variance along the chain from the Mineral Resource model to process plant received and gold produced.

During the year, Geita continued to implement various elements of mine to mill improvements supported with blast movement tracking technology. The modifying factors considered are based on reconciliation, which is ongoing between Mineral Resource models, grade control models, mine design perimeters, actual mining and plant feed, specifically on the open pits. Limited historic data is available for the underground mine and the factors are based on recent drilling results from geology and from similar type underground deposits and mining methods as suggested by underground planning experts in the group.

For the open pits, the MRF is applied during the production scheduling stage. Dilution included in MRF. These factors are also applied in the optimisation process, in the software package, to ensure the optimal selected shell reflects the impact of these factors.







The underground mines have the dilution and mining recovery losses separately applied during the production scheduling stage. The MRF is estimated to cater for recovery losses from pillars and a further factor might be applied to cater for these pillars, depending on if they are mined-out at a later stage or not during detailed pit designs and scheduling process.

The MCF is applied after the production scheduling stage for both open pit and underground in the treatment schedule. The aim is to be able to fully account for all variance along the chain from the Mineral Resource model to process plant received and gold produced.


Inferred Mineral Resource in business plan

Geita	Tonnes	Grade	Contained gold	
as at 31 December 2017	million	g/t	tonnes	Moz
Geita Hill (open pit)	0.03	0.30	0.01	0.00
Nyankanga (open pit) Cut 8	0.37	1.63	0.60	0.02
Nyankanga (underground) Block 1	0.43	6.84	2.93	0.09
Nyankanga (underground) Block 2	0.77	6.18	4.76	0.15
Nyankanga (underground) Block 3	0.59	6.57	3.90	0.13
Nyankanga (underground) Block 4	1.26	6.77	8.51	0.27
Nyankanga (underground) Block 5	0.36	6.44	2.31	0.07
Star and Comet (underground) Cut 2	0.10	3.29	0.33	0.01
Star and Comet (underground) Cut 3	0.72	4.85	3.47	0.11
Total	4.63	5.80	26.83	0.86

No Inferred Mineral Resource is included in the final Ore Reserve reporting. However, Inferred Mineral Resource within the Ore Reserve pit shell is included in the business plan. This material forms potential extensions to the current LOM if it is converted to Ore Reserve and infill drilling programmes are planned to upgrade potentially economic areas to Indicated Mineral Resource.

For Nyankanga, the Inferred Mineral Resource is not included in the pit optimisation and therefore does not contribute to the economic assessment of the optimised pit. Although the selected Geita Hill East shells included around 16.2% of Inferred Mineral Resource, the Indicated Mineral Resource component on its own, is still able to yield favourable economic results for the final designed pit. The Inferred Mineral Resource in business plan is present within the final pit shell as exclusive Mineral Resource.

Inferred Mineral Resource is not included in the Star and Comet underground mine design and Ore Reserve estimation process and therefore it does not contribute to the economic assessment of the underground Ore Reserve.



Year-on-year the Ore Reserve declined by 91.9% and 58.9% in ore tonnes and metal content respectively. Driven primarily by changes in the overall economic parameters, specifically in Geita Hill East and depletions. The increased cost of processing raised the cut-off grades resulting in reclassification of marginal ore stockpiles to mineralised waste.





SECTION 4











Regional overview

153

Sunrise Dam

156

Tropicana

164





AUSTRALASIA



Administrative



Operations

- 1 Sunrise Dam
- 2 Tropicana (70%)


0 1,000km


Americas

Key statistics

	Units	2017	2016	2015
Operational performance				
Tonnes treated/milled	Mt	9.4	8.9	8.2
Recovered grade	oz/t	0.061	0.058	0.068
	g/t	1.89	1.82	2.12
Gold production (attributable)	000oz	559	520	560
Total cash costs	\$/oz	743	793	702
Total production costs	\$/oz	991	1,056	919
All-in sustaining costs (1)	\$/oz	1,062	1,067	875
Capital expenditure (attributable)	\$m	153	109	78

⁽¹⁾ Excludes stockpile write-offs









As at 31 December 2017, the total attributable Mineral Resource (inclusive of the Ore Reserve) for the Australasia region was 11.2Moz (2016: 11.5Moz) and the attributable Ore Reserve was 4.0Moz (2016: 4Moz).

This is equivalent to 5% and 8% of the group's Mineral Resource and Ore Reserve. Production from Australasia was steady at 559koz in 2017, equivalent to 15% of group production.

AngloGold Ashanti operates two mines in Western Australia: Sunrise Dam, which is wholly owned, and Tropicana gold mine, a JV with Independence Group NL, which holds a 30% stake.





Inclusive Mineral Resource

Australasia	Category	Tonnes million	Grade g/t	Contained gold	
as at 31 December 2017				tonnes	Moz
	Measured	33.57	0.97	32.40	1.04
	Indicated	127.10	1.98	251.04	8.07
	Inferred	35.38	1.84	64.93	2.09
	Total	196.05	1.78	348.37	11.20

Exclusive Mineral Resource

Australasia	Category	Tonnes	Grade	Contained gold	
as at 31 December 2017		million	g/t	tonnes	Moz
	Measured	10.53	0.57	6.05	0.19
	Indicated	84.41	1.79	151.43	4.87
	Inferred	35.38	1.84	64.93	2.09
	Total	130.32	1.71	222.41	7.15

Ore Reserve

Australasia		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Proved	23.04	1.14	26.33	0.85
	Probable	42.69	2.33	99.60	3.20
	Total	65.73	1.92	125.94	4.05























Introduction


Property description	Sunrise Dam is an underground mine that is wholly owned by AngloGold Ashanti.
	, , , ,
Location	Sunrise Dam is approximately 220km north-northeast of Kalgoorlie and 55km south of Laverton in Western Australia.
History	Open pit production began in 1997 and has now been completed at a final depth of 500m below surface. Underground mining commenced in 2003 with a number of different mining methods being applied, depending on the style of mineralisation and grade of the geological domain. By 2014 the mine was wholly an underground mining operation supplemented with stockpile processing.
Legal aspects and tenure	During the year the mining leases was consolidated with Sunrise Dam being now contained within two mining lease covering over 7,800Ha, which are in good standing with the expiry dates in 2038. The Mineral Resource and Ore Reserve for the Sunrise Dam underground mine is contained within M39/1116. The Golden Delicious Mineral Resource is also contained within the M39/1116 mining lease. The lease M39/1116 also contains mine infrastructure, tailings stage facilities and stockpiles. There is a smaller mining lease M39/1117, which hosts water extraction infrastructure.
Mining method	Mining is carried out by underground mining contractors and productivity improvements over the past few years has seen total underground tonnages mined reach a steady state of around 3Mtpa. This has been possible by the use of bulk mechanised sub-level open stoping using stabilising pillars and waste back fill where possible.
Operational infrastructure	All required surface infrastructure is in place including a fully functional camp, plant, power plant and reticulation, offices and road system. The underground mining infrastructure has been undergoing continuous upgrades with an extra power feed to the UG mine completed during 2017 and a major ventilation fan upgrade scheduled for 2018.
Mineral processing	Ore is treated in a conventional gravity and CIL process plant. Installation of a new fine grind and flotation circuit is currently underway with commissioning scheduled for mid 2018. This will improve process recoveries by an average of 6%.
Risks	The complexity of the Sunrise Dam mineralisation means that the largest risk associated with the calculation of the Ore Reserve is linked to the accuracy of the Mineral Resource. Design risk is low as the mining method has been practiced at Sunrise Dam for the past 10 years.

Competent Persons

Sunrise Dam Category	Competent Person	Professional organisation	Membership number	Relevant experience	Qualification
Mineral Resource	Fraser Clark	MAusIMM	226 390	16 years	BSc Hons (Geology), Postgraduate Certificate in Geostatistics
Ore Reserve	Peter Merry	MAusIMM	306 163	15 years	BEng (Mining), GDE (Mining Engineering)









Geology

Deposit type

Sunrise Dam is considered to be a mesothermal gold deposit typical of many orebodies found in the Archaean greenstone belts of Western Australia.

Mineralisation style


At Sunrise Dam, gold mineralisation is structurally controlled and vein hosted. The style of mineralisation can be differentiated depending on the structure or environment in which it is hosted. There are three dominant styles recognised:

- · Shear-related and high strain, e.g. Sunrise Shear Zone
- Stockwork development in planar faults with brittle characteristics (these occur in all rock types and are commonly concentrated at contacts within the volcanic stratigraphy or the porphyry margin and within hinge positions within the magnetite shales) e.g. Cosmo, Dolly and Vogue
- · Placer-style mineralisation hosted within the fluvial sediments

Mineralisation characteristics

Mineralisation is typically hosted in quartz-carbonate veins and breccias with varying quantities of pyrite and arsenopyrite. Gold occurs as free gold and is also occulded in the sulphides. The gold mineralisation is often associated with strongly altered country rocks proximal to the shear and fracture network that the hydrothermal fluids have passed through.

Sunrise Dam - mineralised lodes







Exploration

During 2017, the exploration plan was focused on Mineral Resource expansion drilling and Mineral Resource infill drilling. The Mineral Resource expansion drilling focused on drill testing the under explored portions of the mine at depth and along strike to supply additional Mineral Resource into the LOM plan. Significant drill platforms have been established at the southern end of the mine to access the strike and depth extensions of the Vogue crebody. Strategic drill platforms have also been established to facilitate systematic exploration of the middle and northern regions of the property. The exploration drilling focused on the down dip extensions of Vogue and also testing the southern extensions of the Carey Shear Zone. The Carey Shear remains open along strike and down-dip, providing significant upside potential as the exploration proceeds Mineral Resource conversion.

Mineral Resource development drilling took place concurrently and focused on drilling in the southern strike extension of the upper part of the Vogue orebody as well as down dip of the current Ore Reserve. In total the exploration activities added 316koz of gold to the Mineral Resource during the year.

Projects

There are two projects in progress at Sunrise Dam, they are:

- The Recovery Enhancement project, which is looking to evaluate the feasibility of using fine grind and flotation to improve the process plant recovery, currently in construction and due for completion mid year 2018
- The Materials Handling project, which is exploring the options for reducing the long term materials handling costs at the mine by replacing part of the truck and haul operations used to transport material to the process plant

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

Sunrise Dam		Type of drilling							
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments		
Measured	25 x 25	-	_	-	-	-	-		
Indicated	40 x 20, 40 x 40	√	√	-	_	-	_		
Inferred	100 x 100,	√	√	_	_	_	_		
	40 x 40								
Grade/ore control	6 x 8, 9 x 10		√		8-0	2-			

Inclusive Mineral Resource

Sunrise Dam		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Golden Delicious	Measured	0.66	1.47	0.97	0.03
	Indicated	2.40	1.24	2.98	0.10
	Inferred	0.02	0.89	0.02	0.00
	Total	3.09	1.29	3.97	0.13
Sunrise Dam stockpile (open pit)	Measured	10.76	0.95	10.25	0.33
	Indicated	1 -	-	-	-
	Inferred	10.00	-	=	-
	Total	10.76	0.95	10.25	0.33
Sunrise Dam underground	Measured	_	_	_	=
	Indicated	56.89	2.23	126.85	4.08
	Inferred	24.92	1.79	44.62	1.43
	Total	81.81	2.10	171.46	5.51
Sunrise Dam stockpile (underground)	Measured	0.13	3.08	0.39	0.01
	Indicated	7. 	-	-	-
	Inferred	82		_	-
	Total	0.13	3.08	0.39	0.01
Sunrise Dam	Total	95.78	1.94	186.07	5.98





Estimation

Estimation of the underground Mineral Resource uses the geological model boundaries to subdivide all drillhole data into appropriate domains. The geostatistical method of ordinary block kriging is used to estimate the Mineral Resource. High-grade restraining is used to limit the effects of outlier grade values. Dense patterns of underground RC are completed prior to the final mine design, upon which, grade control models are created using conditional simulation. This allows for the probabilistic determination of the optimal mining stope configuration.

Mining of the open pit Mineral Resource was completed during 2012 and mining of the crown pillar at the base of the pit finished in early 2014. Remaining stockpiled material is estimated based on detailed grade control drilling completed prior to mining. Grades were estimated by means of the conditional simulation geostatistical method.

The Golden Delicious deposit has been estimated using UC. All available geological drillhole information is validated for use in the models and the local geology of the deposit is used to classify the drillhole information into appropriate estimation domains. Detailed statistical analyses are conducted on each of these domains and this allows for the identification of high-grade outliers. If these values are anomalous to the characteristics of the general population they are then cutback to an appropriate upper limit for the population.





Exclusive Mineral Resource

Sunrise Dam		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	0.66	1.47	0.97	0.03
	Indicated	51.05	2.02	103.32	3.32
	Inferred	24.95	1.79	44.64	1.44
	Total	76.66	1.94	148.94	4.79

The exclusive Mineral Resource includes a large portion of the underground Indicated Mineral Resource as the material is of a lower-grade and therefore fails to meet Ore Reserve cut-off grade requirements as well a small amount of Golden Delicious. The entire Inferred Mineral Resource in the underground mine is included in the exclusive Mineral Resource. Much of this Inferred Mineral Resource is located in the deeper parts of the underground mine where the drill density is not yet adequate for the Mineral Resource to be considered in the Ore Reserve estimation process.















Mineral Resource below infrastructure

Sunrise Dam		Tonnes	Grade	Contained g	gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz	
	Measured	-	-	-	Ξ	
	Indicated	2.38	2.67	6.35	0.20	
	Inferred	10.63	1.80	19.13	0.61	
	Total	13.01	1.96	25.48	0.82	

The Mineral Resource below infrastructure occurs below the 1,500mRL.



The increase in Mineral Resource from 2016 was largely due to successful exploration, as well a methodology changes in the estimation approach by calibrating the Mineral Resource estimate to the grade control estimates. The increase was offset by Mineral Resource depletion and sterilisation of the historic Sunrise Shear mining panels 3 and 4.



As a low grade underground mine Sunrise Dam is sensitive to changes in gold price.



Ore Reserve

Ore Reserve

Sunrise Dam		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Stockpile (open pit)	Proved	10.76	0.95	10.25	0.33
	Probable	*: - *:	7 <u>—</u>	-	_
	Total	10.76	0.95	10.25	0.33
Underground	Proved	5 - 0	1770	-	_
	Probable	8.24	3.22	26.50	0.85
	Total	8.24	3.22	26.50	0.85
Stockpile (underground)	Proved	0.13	3.08	0.39	0.01
	Probable	5. - 5	:=	_	_
	Total	0.13	3.08	0.39	0.01
Sunrise Dam	Total	19.12	1.94	37.14	1.19

Estimation

The underground Ore Reserve is based on portions of the Mineral Resource model which were projected to be mineable based on price, mining factors and mill recovery assumptions. The mining shapes are based on Indicated Mineral Resource materials that are projected to provide a 15% margin on total cost, based on the reference assumptions. Mine layout and designs have been created within mining shapes for each geological domain to calculate the Ore Reserve directly from the Mineral Resource model. The Proved and Probable Ore Reserve was then defined by applying the Mineral Resource classification for each estimation domain.

Ore Reserve modifying factors

		Cut-off			RMF	RMF	MRF	MRF		
Sunrise Dam as at 31 December 2017	Gold price AUD/oz	grade g/t Au	Dilution %	Dilution g/t	% (based on tonnes)	% (based on g/t)	% (based on tonnes)	% (based on g/t)	MCF %	MetRF
Stockpile (open pit)	1,491	0.75	0.0	0.0	100.0	100.0	100.0	100.0	100.0	85.0
Underground	1,491	2.71	5.0	0.2	14.6	21.1	99.0	99.0	100.0	86.0
Stockpile (underground)	1,491	2.71	5.0	0.2	14.6	21.1	99.0	99.0	100.0	86.0

No significant changes in the modifying factors used in the Ore Reserve as gold price, costs and mining performance was fairly constant year-on-year.

Inferred Mineral Resource in business plan

Sunrise Dam	Tonnes	Grade	Contained g	old	
as at 31 December 2017	million	g/t	tonnes	Moz	
Underground	1.38	3.60	4.97	0.16	
Total	1.38	3.60	4.97	0.16	

The Inferred Mineral Resource in the business plan includes extensions of all geological domains, including the Carey Shear domain. Further exploratory drilling during 2018 is planned with the aim of increasing confidence in these areas to bring them into the Ore Reserve.

Ore Reserve below infrastructure

No Ore Reserve below infrastructure.
















Year-on-year changes in Ore Reserve are due mainly to depletion with ounces mined exceeding the amount of ounces added to the Ore Reserve as a result of exploration activities.





Introduction

introduction	
Property description	Tropicana is comprised of a number of open pits that are operated as a JV between AngloGold Ashanti (70%), which manages the operation and Independence Group NL (30%).
Location	Tropicana is located 200km east of Sunrise Dam and 330km east-northeast of Kalgoorlie, Western Australia. Tropicana is the first deposit discovered in this remote portion of the Great Victoria Desert.
History	Open pit mining began during 2012 with first gold production occurring during September 2013. Tropicana will reach the 2Moz produced milestone during the first quarter of 2018.
Legal aspects and tenure	Tropicana has security of tenure for all current exploration licences and the mining lease that covers its future Ore Reserve:
	 M39/1096 valid from 11 March 2015 to 10 March 2036 covering a total area of 27,228ha.
	The previous 31 mining leases comprising the 27,228ha (including M39/980, M39/981, M39/982 and M39/1052) were conditionally surrendered in favour of the grant of the single mining lease M39/1096 on 11 March 2015 for 21 years with all existing rights and obligations preserved. This process was completed with the co-operation of the Department of Mines and Petroleum.
Mining method	Mining activities are undertaken by Macmahon in an alliance partnership with AngloGold Ashanti. Mining is conventional open cut, drill and blast, followed by truck and excavator operation to develop the deposits (Havana, Havana South, Tropicana and Boston Shaker). The total annual movement of ore and waste is approximately 95Mtpa.
Operational infrastructure	All infrastructure facilities are in place and operational. The processing plant and TSF are operating well, consistent with design specifications. The infrastructure includes, but it is not limited to, a dedicated gas and diesel power station, water supply, processing plant, mine, dewatering infrastructure, tailing dump facility, workshops, camp facilities and airstrips.
Mineral processing	The processing plant comprises crushing, high pressure grinding rolls, one stage grinding and CIL recovery and a capacity of 7.0 to 7.5Mtpa expanding to 7.6 to 8.1Mtpa.
Risks	An independent, external Mineral Resource and Ore Reserve audit was undertaken in September 2017 and found no fatal flaws in process or output.

Competent Persons

Tropicana		Professional	Membership	Relevant	
Category	Competent Person	organisation	number	experience	Qualification
Mineral Resource	Mark Kent	MAusIMM	203 631	20 years	BSc Hons (Geology), MSc (Mineral Resource Evaluation)
Ore Reserve	Leonardo Vilela Couto	MAusIMM	308 304	6 years	BSc (Mining Engineering), MSc (Mineral Economics)

Introduction South Africa Continental Africa Australasia Americas Administrative




















AUSTRALASIA CONTINUED

TROPICANA







Geology

Deposit type

The Tropicana Gold Project area lies east of a north-east – trending magnetic feature, interpreted to be the major tectonic suture between the Yilgarn Craton and the Proterozoic Albany-Fraser Orogen that extends over 700km. The gold deposit is hosted in Archean gneissic metamorphic rocks (ca. 2,640Ma). Cover sequences are generally 10-30m thick and the mineral deposit is not exposed at surface.


Together, the Tropicana, Havana, Havana South and Boston Shaker deposits define a north-east trending mineralised corridor, approximately 1.2km wide and 5km long, that has been tested to a vertical depth of more than 1,200m. The Mineral Resource remains open down-dip from the Tropicana, Havana and Boston Shaker deposits and has the potential to be extended to the north and south. Neither the immediate metamorphic host rocks nor the mineralised zones are exposed at surface due to the presence of widespread younger cover sequences of between 0.5m and 15m thick.

Mineralisation style

The Tropicana deposit comprises a mineralised zone up to 50m thick, hosted predominantly in quartzo-feldspathic gneiss with a garnet-gneiss dominated hangingwall package. The mineralisation is comprised of subordinate thin (3m to 5m), discontinuous mineralised lenses that typically return intercepts of >0.5g/t gold. The Havana deposit comprises a lower, laterally continuous, higher-grade lode up to 50m thick that is overlain, in the central and southern parts of the proposed pit, by stacked, typically lower-grade and thinner (up to 25m thick) mineralised zones. Havana is also dominantly hosted in quartzo-feldspathic gneiss, again with a garnet gneiss dominated hangingwall.

Mineralisation characteristics

Mineralisation is accompanied by pyrite (2% to 8%) with accessory pyrrhotite, chalcopyrite and other minor sulphides and tellurides. The gold mineralisation is related to shear planes that postdate the main gneissic fabric developed during peak granulite-facies metamorphism.





Exploration

During 2017 the Tropicana JV brownfields exploration programmes included Mineral Resource development drilling and near mine exploration drilling. Mineral Resource development drilling completed infill drilling at Havana South and Tropicana, as well as extensional drilling at Boston Shaker for assessment of an underground potential. While the near mine exploration programmes looked to explore for potential open pit satellite Mineral Resource, within 60km of the mine. They comprised a mix of advanced and early stage exploration using DD, RC and AC drilling. The programmes are testing prospects such as Madras, New Zebra, Paradise, Angel Eyes and Sanpan, following a comprehensive target generation exercise in early 2016. The results of the 2017 exploration drilling and ongoing targeting work provide a comprehensive pipeline of exploration targets with focus on near mine exploration going forward in 2018.

Projects

The Tropicana JV has approved phase one of the Long Island strategy, effectively increasing production from the mine in the medium term and extending the mine life. The installation of a second ball mill in the Tropicana processing plant grinding circuit has also been approved. The 6MW ball mill will enable the annual throughput rate to be lifted to approximately 8.1Mtpa and through a reduction in grind size, baseline metallurgical recovery will be improved by up to 3%, to approximately 92%. The increased throughput will efficiently match processing capacity to the Long Island mining rate, and effectively bring forward gold production delivering the best production profile for the operation. The improved recovery rate will add approximately 120,000oz to recovered gold over the LOM.

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

Tropicana							
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured	12 x 12, 25 x 25	√	√	-	-	-	_
Indicated	50 x 50	√	\checkmark	_	_	_	_
Inferred	100 x 100	√	V	_	_	_	_
Grade/ore control	12 x 12	228	√	_	_	_	_

















Inclusive Mineral Resource


Tropicana		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Boston Shaker Stage 4 - BS04	Measured	62	-	200	ш
	Indicated	3.11	2.27	7.05	0.23
	Inferred	12	-	-	-
	Total	3.11	2.27	7.05	0.23
Boston Shaker Stage 3 - BS03	Measured	0.56	1.78		0.03
	Indicated	3.29	1.94	6.37	0.20
	Inferred	0.00	0.44	0.00	0.00
	Total	3.85	1.91	7.05 - 7.05 0.99 6.37 0.00 7.36 2.13 10.82 - 12.94 0.06 35.33 0.02 35.41 4.99 9.91 0.00 14.90 - 16.31 7.55 23.86 1.93 10.28 - 12.20 10.70 - 25.15	0.24
Havana Stage 3 – HA03	Measured	0.84	2.53	2.13	0.07
	Indicated	6.40	1.69	10.82	0.35
	Inferred	_	-	-	_
	Total	7.24	1.79	12.94	0.42
Havana Stage 4 - HA04	Measured	0.04	1.40	0.06	0.00
	Indicated	20.61	1.71	35.33	1.14
	Inferred	0.03	0.65	0.02	0.00
	Total	20.68	1.71		1.14
Havana South Stage 1 - HS01	Measured	4.77	1.05	4.99	0.16
	Indicated	7.79	1.27	9.91	0.32
	Inferred	0.00	0.30	0.00	0.00
	Total	12.56	1.19	14.90	0.48
Havana South Shell	Measured	_	-	-	-
	Indicated	14.24	1.14	16.31	0.52
	Inferred	6.43	1.18	7.55	0.24
	Total	20.67	1.15	23.86	0.77
Tropicana Stage 2 - TP02	Measured	1.02	1.89	1.93	0.06
	Indicated	5.33	1.93	7.05 - 7.05 0.99 6.37 0.00 7.36 2.13 10.82 - 12.94 0.06 35.33 0.02 35.41 4.99 9.91 0.00 14.90 - 16.31 7.55 23.86 1.93 10.28 - 12.20 10.70 - 10.70 - 10.70	0.33
	Inferred	i —	:-		-
	Total	6.35	1.92		0.39
Tropicana stockpile (open pit)	Measured	14.80	0.72	10.70	0.34
	Indicated	S		-	-
	Inferred	(i)—	_	_	_
	Total	14.80	0.72	10.70	0.34
ropicana – underground	Measured	양느	722	1 <u>22</u> 5	_
	Indicated	7.04	3.57	25.15	0.81
	Inferred	3.97	3.20	12.71	0.41
	Total	11.01	3.44	37.87	1.22
Tropicana	Total	100.27	1.62	162.29	5.22




Estimation

All available geological drillhole information is validated for use in the models and the local geology of the deposit is used to classify the drillhole information into appropriate geostatistical domains. Detailed statistical analyses are conducted on each of these domains. The recoverable gold Mineral Resource for the open pit is estimated by LUC. Conventional UC estimates the proportion of material recovered by mining above a cut-off grade, assuming a specified SMU, LUC goes a step further to position the SMU block within the estimated panel based on the most likely position of the higher grade SMU blocks relative to the lower grades SMU blocks.

The underground Mineral Resource estimate uses all available drilling targeting the down plunge and along strike extents of the mineralisation, outside the current open pit limits. The geostatistical method of ordinary kriging is used to estimate the underground Mineral Resource.





Exclusive Mineral Resource

Tropicana	Category	Tonnes million	Grade g/t	Contained gold	
as at 31 December 2017				tonnes	Moz
	Measured	9.87	0.51	5.08	0.16
	Indicated	33.36	1.44	48.11	1.55
	Inferred	10.43	1.95	20.29	0.65
	Total	53.66	1.37	73.47	2.36

The exclusive Mineral Resource includes Inferred Mineral Resource at depth in the designed pits and optimised shells, as well as the underground Mineral Resource, which is not yet drilled to a level of confidence to support an Ore Reserve.


Mineral Resource below infrastructure

Tropicana		Tonnes million	Grade	Contained gold	
as at 31 December 2017	Category		g/t	tonnes	Moz
	Measured	-	-	=	-
	Indicated	7.04	3.57	25.15	0.81
	Inferred	3.97	3.20	12.71	0.41
	Total	11.01	3.44	37.87	1.22


The underground Mineral Resource is considered as being below infrastructure as no development has yet taken place or is currently planned.







There is an overall decrease in Mineral Resource with losses due to depletion and cost increases, and minor additions due to revised modelling parameters and exploration additions.



The open pit Mineral Resource is sensitive to gold price changes in Havana South. In other areas, the pit designs are fixed based on the current business plan.





Ore Reserve

Ore Reserve

Tropicana		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Boston Shaker Stage 4 - BS04	Proved	s -	-	-	-
	Probable	2.35	2.84	6.65	0.21
	Total	2.35	2.84	6.65	0.21
Boston Shaker Stage 3 - BS03	Proved	0.42	2.13	0.89	0.03
	Probable	2.57	2.34	5.99	0.19
	Total	2.98	2.31	3 2.02 3 9.92 0 11.94 3 0.05 9 32.50	0.22
Havana Stage 3 – HA03	Proved	0.66	3.08	2.02	0.07
	Probable	4.76	2.08	9.92	0.32
	Total	5.42	2.20	11.94	0.38
Havana Stage 4 – HA04	Proved	0.03	1.78	0.05	0.00
	Probable	15.55	2.09	32.50	1.04
	Total	15.58	2.09	6.65 6.65 0.89 5.99 6.88 2.02 9.92 11.94 0.05 32.55 3.91 8.28 12.19 1.85 9.76 11.61 6.97 - 6.97	1.05
Havana South Stage 1 - HS01	Proved	2.74	1.43	3.91	0.13
	Probable	4.82	1.72	8.28	0.27
	Total	7.56	1.61	- 6.65 6.65 0.89 5.99 6.88 2.02 9.92 11.94 0.05 32.50 32.55 3.91 8.28 12.19 1.85 9.76 11.61 6.97	0.39
Tropicana Stage 2 - TP02	Proved	0.88	2.11	1.85	0.06
	Probable	4.41	2.21	9.76	0.31
	Total	5.29	2.20	11.61	0.37
Stockpile (open pit)	Proved	7.43	0.94	6.97	0.22
	Probable	(-)	-	-	_
	Total	7.43	0.94	6.97	0.22
Tropicana	Total	46.61	1.91	88.80	2.85

Estimation

The Ore Reserve for Tropicana is based on an operating LOM plan and a PFS. For the operating LOM plan, a FS was completed in 2010, which determined a technically achievable and financially economic mine plan. The pits that make up the operating LOM plan are Tropicana, Havana, Boston Shaker and Havana South. The PFS is based on an expansion of Havana. All Ore Reserve is estimated by reporting physicals (volumes, tonnes, grades, material types, etc) against the Mineral Resource model within detailed staged pit designs. Ore Reserve physicals are then scheduled and put through a financial model for economic evaluation.

Ore Reserve modifying factors

		Cut-off		
Tropicana as at 31 December 2017	Gold price	grade	MCF %	MetRF %
	AUD/oz	g/t Au		
	1,491	0.70	100.0	90.0

Weighted average recovery: 90.0%. Weighted average cut-off grade: 0.70g/t Au

The metallurgical recovery is based upon historic performance of the process plant to date. This is the only factor applied in the Ore Reserve estimation process. Mining selectivity was accounted for during the Mineral Resource estimation process, which produced a diluted Mineral Resource model. Consequently, no further adjustment was made and 100% mining recovery and no grade dilution were assumed during the Ore Reserve estimation process. The diluted Mineral Resource model is regularly reconciled against operating performance.














Inferred Mineral Resource in business plan

All Mineral Resource categories, including the Inferred Mineral Resource, were included in the business plan but the Inferred was excluded from the Ore Reserve. It is noted that there is an insignificant percentage of Inferred Mineral Resource (approximately 0.1% by tonnage) within the pit designs used.

Ore Reserve below infrastructure

No Ore Reserve below infrastructure.



Changes in the Ore Reserve are mainly due to the addition of a large cutback on the Havana and Boston Shaker pits, expansion to the Havana South pit, and depletion during 2017 operations.
















SECTION 5 AMERICAS













AMERICAS

REGIONAL OVERVIEW







Key statistics

	Units	2017	2016	2015
Operational performance(1)				
Tonnes treated/milled	Mt	7.5	7.0	7.0
Recovered grade	oz/t	0.102	0.106	0.108
	g/t	3.49	3.64	3.71
Gold production (attributable)	000oz	840	820	948
Total cash costs	\$/oz	638	578	576
Total production costs	\$/oz	973	909	845
All-in sustaining costs (2)	\$/oz	943	875	792
Capital expenditure (attributable)	\$m	234	225	196

⁽¹⁾ Operational performance data for the Americas region is for the continuing operations (excludes CC&V which was sold effective 3 August 2015), unless otherwise stated

⁽²⁾ Excludes stockpile write-offs








The Americas region incorporates three mining operations in Brazil and Argentina, and an active greenfield exploration and advanced project development programme in Colombia. As at 31 December 2017, the total attributable Mineral Resource (inclusive of the Ore Reserve) for the Americas region was 56.9Moz (2016: 58.1Moz) and the attributable Ore Reserve was 5.1Moz (2016: 3.1Moz).

This is equivalent to 27% and 10% of the group's Mineral Resource and Ore Reserve respectively. Combined production for the Americas was 840koz of gold in 2017, equivalent to 22% of group production.



AngloGold Ashanti has three operations in the Americas, the Cerro Vanguardia mine in Argentina (AngloGold Ashanti 92.5% and Formicruz 7.5%), AngloGold Ashanti Córrego do Sítio Mineração operations (referred to as AGA Mineração and includes the Cuiabá, Lamego and Córrego do Sítio (CdS) mines) and Serra Grande, both in Brazil, and three advanced greenfield projects in Colombia.

The projects in Colombia form a significant contribution to AngloGold Ashanti's Mineral Resource with the three projects, La Colosa, Quebradona (AngloGold Ashanti 93.505% and B2Gold 6.495%) and Gramalote (AngloGold Ashanti 51% and B2Gold 49%) contributing 37.1Moz.

Inclusive Mineral Resource

Americas	Category	Tonnes million	Grade g/t	Contained gold	
as at 31 December 2016				tonnes	Moz
	Measured	27.47	5.07	139.23	4.48
	Indicated	1,064.46	0.99	1,054.24	33.89
	Inferred	802.73	0.72	577.57	18.57
	Total	1,894.67	0.93	1,771.04	56.94

Americas		Tonnes million	Grade %Cu	Contained copper	
as at 31 December 2016	Category			tonnes million	pounds million
	Measured	1-	-	_	-
	Indicated	105.25	1.08	1,14	2,508
	Inferred	471.60	0.53	2,49	5,492
	Total	576.85	0.63	3,63	8,000

Exclusive Mineral Resource

Americas	Category	Tonnes million	Grade g/t	Contained gold	
as at 31 December 2016				tonnes	Moz
	Measured	16.59	6.11	101.42	3.26
	Indicated	982.51	0.92	903.33	29.04
	Inferred	800.69	0.72	573.94	18.45
	Total	1,799.79	0.88	1,578.70	50.76






















Ore Reserve

Americas		Tonnes million	Grade g/t	Contained gold	
as at 31 December 2016	Category			tonnes	Moz
	Proved	8.89	2.89	25.67	0.83
	Probable	81.83	1.61	131.68	4.23
	Total	90.72	1.73	157.35	5.06









ARGENTINA



AngloGold Ashanti has a single operation in Argentina, the Cerro Vanguardia mine, which is a JV with Formicruz (a state company operating in the province of Santa Cruz). Formicruz holds a 7.5% interest in the mine, with the remaining 92.5% belonging to AngloGold Ashanti. Production is from both underground and open pit mining and is fed either into a Merrill Crowe plant or onto a heap-leach.

Inclusive Mineral Resource

Argentina	Category	Tonnes million	Grade g/t	Contained gold	
as at 31 December 2017				tonnes	Moz
	Measured	7.44	2.20	16.35	0.53
	Indicated	18.59	3.13	58.17	1.87
	Inferred	2.91	2.63	7.65	0.25
	Total	28.94	2.84	82.18	2.64

Exclusive Mineral Resource

Argentina	Category	Tonnes	Grade g/t	Contained gold	
as at 31 December 2017		million		tonnes	Moz
	Measured	2.72	3.13	8.53	0.27
	Indicated	12.80	2.93	37.49	1.21
	Inferred	1.12	4.55	5.10	0.16
	Total	16.64	3.07	51.11	1.64

Ore Reserve

Argentina	Category	Tonnes million	Grade g/t	Contained gold	
as at 31 December 2017				tonnes	Moz
	Proved	4.62	1.69	7.81	0.25
	Probable	5.55	3.69	20.50	0.66
	Total	10.17	2.78	28.32	0.91










Introduction

miroduotion	
Property description	Cerro Vanguardia is a gold-silver mine. A number of open pits and multiple underground mines, located in different parts of the property are mined at the same time. AngloGold Ashanti has a 92.5% stake in Cerro Vanguardia, the company's sole operation in Argentina, with Fomicruz, a state company operating in the province of Santa Cruz, owning the remaining 7.5%. The climate is semi-arid and although snow is not rare, winter is mild and exploration activities are normally possible all year round.
Location	Cerro Vanguardia is located in Santa Cruz province, southern Patagonia, Argentina, approximately 110km north-northwest of the coastal town of Puerto San Julian. Access to the area is by aircraft from Buenos Aires to Comodoro Rivadavia (380km) or Rio Gallegos (510km) and then by road to the mine site.
History	Gold exploration at the site started in late 1980s by the state owned Fomicruz and Minera Mincorp (JV between Anglo American Argentina Holdings Ltd and a local private company Perez Companc). Cerro Vanguardia commenced as an open pit operation in 1998, which was supplemented in 2010 with the start of shallow underground mining to access high-grade material. The heap-leaching operation started in 2012. The mine has been operated by AngloGold Ashanti since 1998.
Legal aspects and tenure	The mining lease encompasses an area of approximately 543km². The licence 402642/CV/97 covers the full Ore Reserve and was issued on the 27 December 1996 and expires on the 26 December 2036.
Mining method	Cerro Vanguardia uses conventional open pit mining method with a doubled bench height of 20m and in the underground, longhole stoping. Open pit mining is distributed between multiple operating pits, typically 5 to 10 at any one time, depending on the plant feed requirements. Currently, there are four underground mines which are operated at same time, located at Fortuna, Osvaldo 8, Veronica and Zorro veins. Three more are in development (Liliana, Serena and Cuncuna). The underground workings, which began production in 2010, account for around 30% of total production, a percentage that will increase in the next few years. Low-grade material is stockpiled and processed by heap-leaching.
Operational infrastructure	Most of the infrastructure is located on site. It includes a camp site with capacity for more than 1,000 people, Merrill Crowe plant, heap-leaching facilities, cyanide recycling plant, mine laboratory, maintenance facilities, warehouses and sewage processing plant. Four natural gas power generators fed by a 40km long pipeline provide electricity to the operation. Natural gas is also used for heating. Mine offices facilities are conveniently located in the main mining area. Dewatering supplies water for use both as processing water and camp consumption. Due to the particular features of the mine, and in order to optimise hauling, all pits have local single or multiple waste dumps. The tallings dam is located in and contained by a natural depression.
Mineral processing	Waste dumps and heap-leach stockpiles are located adjacent to each pit. Plant grade ore feed is trucked to either the long-range or the short-range stockpiles in order to smooth out the head grades and avoid recovery losses due to higher than planned silver grades. The metallurgical plant has a daily capacity of 3,000t and includes a cyanide recovery facility.
	Production capacity of the heap-leach facility, which was commissioned in the last quarter of 2012 and processes lower-grade material, is around 2.0Mtpa at gold and silver grades of around 0.65g/t and 17g/t respectively.
Risks	The Mineral Resource and Ore Reserve is sensitive to gold and silver prices as well as to local exchange rate fluctuations. The low grades from the open pits and difficult hydrogeological and geotechnical conditions for underground are on-going risks that are managed on a day to day basis.









Competent Persons

Cerro Vanguardia		Professional	Membership	Relevant		
Category	Competent Person	organisation	number	experience	Qualification	
Mineral Resource	Juan Paredes	MAusIMM	227 738	21 years	PhD (Geology)	
Ore Reserve	Javier Santillan	MAusIMM	319 366	14 years	BSc (Mining Engineering)	

Geology

The Cerro Vanguardia district is located within the southern Deseado Massif in the Santa Cruz Province of Patagonia, Argentina. The Deseado Massif is an extensive rhyolite province of Middle to Upper Jurassic age. The most important geological feature in the Deseado Massif is an extended plateau formed by pyroclastic, epiclastic and extrusive rocks which were part of a strong explosive volcanic event associated with regional extensional tectonics developed during the Middle – Upper Jurassic and related to the opening of the Atlantic Ocean. The rocks representing this magmatism are termed the Bajo Pobre Formation and Bahia Laura Group. Bajo Pobre Formation comprises andesites, basalts and mafic volcanic agglomerates. The Bahia Laura Group includes both the Chon Aike Formation (ignimbrites, tuffs, volcanic breccias, agglomerates, lavas and domes) and the La Matilde Formation (tuffs and epiclastic volcanics interlayered with ignimbrites).

Deposit type

The Middle – Upper Jurassic ignimbrites and volcanic rocks from Chon Aike formation host the low-sulphidation epithermal gold and silver deposit. The thickness of the ignimbrite sequence is estimated to have exceeded 1,000m but some lateral variations have been identified across the district. Epithermal Au-Ag bearing structures cut across all Jurassic rocks in the stratigraphy. The two main ignimbrite units, Masiva-Lajosa and Granosa, host the majority of the mineralised veins. The Masiva-Lajosa ignimbrite occurs at the top of the sequence while the Granosa ignimbrite occurs towards the bottom. These two ignimbrites are separated by two thinner, polymictic ignimbrite units (Brechosa and Brechosa Base) and a sequence of stratified crystal to ash-rich tuffs (Estratificada unit). The base of the sequence is a mixed unit of stratified ignimbrite intercalated with fine-grained tuffs (Estratificada Inferior ignimbrite).

Mineralisation style

Cerro Vanguardia is located in the core of the 60,000km² Deseado Massif, one of the most extensive volcanic complexes in southern Patagonia. The Deseado Massif is an extensive rhyolite province of Middle to Upper Jurassic age deposited over Paleozoic low-grade metamorphic basement rocks. These rocks are exposed in erosional windows through overlying Cretaceous sediments and Tertiary to Quaternary basalts. The orebodies comprise a series of low-sulphidation epithermal vein deposits containing gold and large quantities of silver, produced as a by-product.

Mineralisation characteristics


The mineralisation is concentrated in steeply-dipping quartz veins that cut the flat-lying ignimbrites and volcaniclastic rocks. The Cerro Vanguardia district contains around 100 gold and silver-bearing epithermal veins for a cumulative exposed vein strike extension of more than 240km, of which 57 veins are currently known to contain economic gold and silver mineralisation.

The veins at Cerro Vanguardia consist mainly of quartz and adularia and contain minor electrum, native gold, silver sulphides and native silver as fine-grained disseminations. Vein textures are mainly characterised by colloform-crustiform banding, pseudomorphic quartz-lattice textures, massive-to-vuggy quartz veins and vein breccias. 40Ar/39Ar dating on adularia from the Osvaldo Diez vein yielded ages of around 153Ma while the age of the thick sequence of ignimbrites hosting the veins has been dated between 166Ma to 150Ma.





W-E Geological cross-section of the Teresa vein Cerro Vanguardia



Exploration

The 2017 exploration programme comprised 6,477m of RC and 9,142m of DD, as well as 17,592m of trenching and 5,266m of channel sampling. In addition, a number of ground magnetics and Horizontal-Loop Electromagnetic (HLEM) surveys were completed.

Surface exploration targeted previously under explored areas, mainly in the north of the district while drilling concentrated on the identification and development of the Mineral Resource in the central core area and western part of the southern domain.

The RC drilling programme was focused on two different targets. Firstly, testing ground magnetic anomalies (at Fortuna, Laura, Sonia and extensions of Vanguardia 2 veins) and secondly, exploring for new Mineral Resource and defining lateral and downdip extension of mineralisation in under-drilled areas of certain veins (Ariadna, Coirn, El Palo, Gesica, Goyo, Patricia, Patty, Potrero, Teresa, Vanguardia 3W, Vanguardia E, Vernica, Zorro veins).

Small sub-surficial ore-shoots has been identified at Gesica, Potrero and at the intersection of Laura and Sonia veins while a complete new silver-rich Mineral Resource has been developed on the Teresa-El Palo trend.

The DD programme was carried out during two and a half months using two rigs, and drilling 38 holes along 10 veins.

As with the RC, DD was used to define downdip extensions of mineralisation in under-drilled areas of the most important veins of the central productive domain. Drilling was successful in defining new Mineral Resource at Osvaldo Diez 2-8 and Zorro below the current underground development. Additional Mineral Resource were also found on a secondary vein at Luciana 1, but there was only partial success at Vanguardia 3 and Gesica.

A deeper extension of mineralisation was identified and delineated at the Teresa vein using DD while two new areas were discovered when testing the ground magnetic targets at a lateral extension of the Vanguardia 2 and Sonia vein systems.



Trenching and channel sampling was carried out extensively in order to define new drilling targets. During the last portion of 2016 and all of 2017 a total 17,592m were excavated in 132 individual trenches and 5,266m cut in 190 channels. Trenching was focused in four areas: 1) Jani, Laura, Sonia, Vanguardia 2, Vanguardia 3 and Vanguardia 3W veins in the north and north-west of the district; 2) Cuncuna and Sandra veins in the east; 3) Fortuna, Serena Sur, Mara and Carnero veins in the main central part; and 4) Teresa, El Palo, Laguna del Mineral, Ariadna, Patricia and Pardo veins in the southern, silver-rich sector of the district.

New Mineral Resource was discovered in veins at Gesica, Luciana, Osvaldo Diez, Potrero, Sonia, Laura, Teresa and Zorro. The additional Mineral Resource generated was separated into full-grade vein material and low-grade heap-leaching material.

A ground magnetics programme designed to search for shallow bind structures started in August and a total of 29.6km was completed by a contractor in the southern part of the district. Several company-operated HLEM small surveys were carried out over Cuncuna, Fortuna, Gesica, Molino, Vanguardia 2 and Teresa El Palo veins areas and totalled 6.8km².

Projects

An exploration project has been initiated focusing on the generation of new Mineral Resource to replace mining depletion. This will be achieved through the identification and delineation of high grade orebodies at depth and along strike of know mineralisation and generative exploration work using geophysic and geochemestry looking for new ore shoots in the veins of the central, north and south.

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

Cerro Vanguardia			Type of drilling				
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured	12 x 5, 12 x 10	√	√	_	\checkmark	92	
Indicated	40 × 40	√	√	-	√	-	_
Inferred	80 x 80	√	√	_	\checkmark	_	_
Grade/ore control	6 x 10, 12 x 5	_	√	_	√	_	_

Inclusive Mineral Resource

Cerro Vanguardia		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Vein (open pit)	Measured	1.67	6.08	10.13	0.33
	Indicated	7.35	4.95	36.42	1.17
	Inferred	1.16	4.52	5.27	0.17
	Total	10.19	5.09	51.82	1.67
In situ heap leach stockwork material	Measured	1.81	0.67	1.21	0.04
	Indicated	9.39	0.54	5.10	0.16
	Inferred	1.50	0.49	0.73	0.02
	Total	12.69	0.55	7.04	0.23
Heap leach stockpiles	Measured	3.64	0.59	2.14	0.07
	Indicated	82	122	_	_
	Inferred	s =	-	_	=
	Total	3.64	0.59	2.14	0.07
Vein (underground)	Measured	0.32	8.97	2.87	0.09
	Indicated	1.85	9.00	16.65	0.54
	Inferred	0.25	6.62	1.65	0.05
	Total	2.42	8.75	21.17	0.68
Cerro Vanguardia	Total	28.94	2.84	82.18	2.64













Inclusive Mineral Resource by-product: silver (Ag)


Cerro Vanguardia	Category	Tonnes	Grade	Contained silver	
as at 31 December 2017		million	g/t	tonnes	Moz
	Measured	7.44	58.43	435	13.97
	Indicated	18.59	77.83	1,447	46.52
	Inferred	2.91	73.99	215	6.92
	Total	28.94	72.46	2,097	67.42


Silver is produced as a by-product with the ratio of silver to gold ranging from 10g/t to 20g/t of silver per 1g/t of gold.

Estimation

The mineralisation boundaries for each geological entity (veins, stockwork and wall rock) are defined from the detailed logging of all geological drillholes. This data is validated and the information used to create a 3D model. This model is subsequently overlain with a 5m x 25m x 5m block model. Volumetric measurements of the deposit are then determined using relevant block dimensions. Ordinary kriging is used to perform grade interpolation and field tests are conducted to determine appropriate in situ densities.

Conditional simulations are performed in the main deposits for uncertainty assessment and the Mineral Resource is then classified into Measured, Indicated and Inferred Mineral Resource categories according to internal AngloGold Ashanti guidelines. For the veins where simulations are not done, drill density is used to classify the Mineral Resource.





Exclusive Mineral Resource

Cerro Vanguardia		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	t tonnes 3 8.53 3 37.49	Moz
	Measured	2.72	3.13	8.53	0.27
	Indicated	12.80	2.93	37.49	1.21
	Inferred	1.12	4.55	5.10	0.16
	Total	16.64	3.07	51.11	1.64


The exclusive Mineral Resource is primarily located between the pt design and the Mineral Resource shell and exists due to the difference in the economic parameters that have been used.

Where the grades of gold and silver are above the Mineral Resource cut-off but below the Ore Reserve cut-off, significant zones of exclusive Mineral Resource will be generated. Very deep Mineral Resource will not be converted in the near term to Ore Reserve and is therefore listed as exclusive Mineral Resource.




Mineral Resource below infrastructure

Cerro Vanguardia	Category	Tonnes	Grade	Contained gold	
as at 31 December 2017		million	g/t	tonnes	Moz
	Measured	s-	-	-	-
	Indicated	, -			-
	Inferred	0.23	6.76	1.53	0.05
	Total	0.23	6.76	1.53	0.05



Year-on-year changes in Mineral Resource are mainly related to depletion.



The Mineral Resource is sensitive to changes in gold price. A great deal of low-grade material is present in the deposit which is reflected in the large tonnage increase and grade decrease at elevated gold prices.













Ore Reserve

Ore Reserve

Cerro Vanguardia		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Vein (open pit)	Proved	0.57	6.62	3.80	0.12
	Probable	1.82	5.37	9.76	0.31
	Total	2.39	5.67	13.56	0.44
In situ heap leach stockwork material	Proved	0.24	0.80	0.20	0.01
	Probable	2.51	0.70	1.75	0.06
	Total	2.76	0.70	1.94	0.06
Heap leach stockpile	Proved	3.64	0.59	2.14	0.07
	Probable	-	_	-	-
	Total	3.64	0.59	2.14	0.07
Vein (underground)	Proved	0.16	10.74	1.67	0.05
	Probable	1.22	7.35	9.00	0.29
	Total	1.38	7.73	10.67	0.34
Cerro Vanguardia	Total	10.17	2.78	28.32	0.91

Ore Reserve by-product: silver (Ag)

Cerro Vanguardia		Tonnes	Grade	Contained s	silver
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Proved	4.62	56.77	262	8.43
	Probable	5.55	74.98	416	13.39
	Total	10.17	66.72	678	21.81

Estimation

The appropriate Mineral Resource models are used as the basis for estimating the Ore Reserve. All relevant modifying factors such as mining dilution and costs are used in the Ore Reserve conversion process. This is based on the original block grades and tonnage and includes waste material (both internal and external). Appropriate Ore Reserve cut-off grades are applied and all blocks above this cut-off are reported.

It is important to emphasise the importance of silver during the optimisation of the pits, since silver is a significant by-product at Cerro Vanguardia. The ratio of silver to gold commonly ranges from 20g/t to 30g/t of silver per 1g/t of gold.

Ore Reserve depletion includes material that comes from the operational dilution, which constitutes an additional low grade tonnage that is mined as part of the ongoing operation. Mineral Resource is estimated *in situ* and thus does not include this dilution.

Ore Reserve modifying factors

				MRF	MRF		
Cerro Vanguardia as at 31 December 2017	Gold price ARS/oz	Cut-off grade g/t Au	Dilution %	% (based on tonnes)	% (based on g/t)	MCF %	MetRF
Vein (open pit)	17,898	2.84	45.0	97.0	96.0	93.0	95.7
In situ heap leach (stockwork material)	17,898	0.46	-	97.0	96.0	93.0	64.4
Heap leach stockpiles	17,898	0.46		97.0	96.0	93.0	64.4
Vein (underground)	17,898	5.00	45.0	97.0	96.0	93.0	95.7

A detailed reconciliation process compares estimated versus mined ore, including comparison between predicted grades and tonnes produced in the processing plant. These comparisons are used in determining which modifying factors to use in the Ore Reserve calculations.




Inferred Mineral Resource in business plan

Cerro Vanguardia	Tonnes	Grade	Contained gold	
as at 31 December 2017	million	g/t	tonnes	Moz
Vein (open pit)	0.07	2.65	0.20	0.01
In situ heap leach stockwork material	0.09	0.46	0.04	0.00
Vein (underground)	0.00	4.66	0.01	0.00
Total	0.16	1.51	0.25	0.01

The Inferred Mineral Resource is normally located in the deeper parts of the orebody, such as the bottom of the open pits and deeper portions of the underground Mineral Resource. It is considered in the business plan in order to delineate the final designs of the open pits, improving efficiency in Mineral Resource utilisation.

In the current business plan, around 5% of the open pits and 16% of the underground designs contain Inferred Mineral Resource. The Inferred Mineral Resource is excluded for Ore Reserve reporting.



Slight decrease in the Ore Reserve year on year, with the depletion being largely offset by improvements in the estimation methodology and modelling.







BRAZIL





Inclusive Mineral Resource

Brazil	Category	Tonnes	Grade g/t	Contained gold	
as at 31 December 2017		million		tonnes	Moz
	Measured	20.04	6.13	122.87	3.95
	Indicated	24.21	5.85	141.75	4.56
	Inferred	46.50	5.84	271.47	8.73
	Total	90.75	5.91	536.09	17.24

Exclusive Mineral Resource

Brazil	Category	Tonnes million	Grade g/t	Contained gold	
as at 31 December 2017				tonnes	Moz
	Measured	13.87	6.70	92.89	2.99
	Indicated	11.69	5.66	66.16	2.13
	Inferred	46.25	5.85	270.39	8.69
	Total	71.80	5.98	429.44	13.81


Ore Reserve

Brazil	Category	Tonnes million	Grade g/t	Contained gold	
as at 31 December 2017				tonnes	Moz
	Proved	4.28	4.17	17.86	0.57
	Probable	12.56	4.50	56.50	1.82
	Total	16.84	4.42	74.36	2.39



Introduction

Property description	AGA Mineração encompasses mining operations at Cuiabá, Lamego, Córrego do Sítio and the project, Nova Lima Sul.		
Location	The AGA Mineração mining complex is located in south-eastern Brazil in the state of Minas Gerais. Operations are 30km from the capital of the state (Belo Horizonte) in the case of Cuiabá and Lamego, and about 100km in the case of Córrego do Sítio, in the municipalities of Nova Lima, Sabará and Santa Bárbara respectively.		
Legal aspects and tenure	Under the current Brazilian mining code and pertinent complementary legislation, mining concessions and mining "manifests" are valid up to the depletion of the Ore Reserve and Mineral Resource, provided that all obligations and the required periodic reporting to the federal government are met.		



Mineral Resource

Inclusive Mineral Resource

AGA Mineração	Category	Tonnes million	Grade g/t	Contained gold	
as at 31 December 2017				tonnes	Moz
	Measured	13.52	7.13	96.47	3.10
	Indicated	18.13	6.39	115.87	3.73
	Inferred	31.88	6.58	209.84	6.75
	Total	63.53	6.65	422.18	13.57

Inclusive Mineral Resource by-product: sulphur (S)

AGA Mineração	Category	Tonnes million	Grade %S	Contained sulphur	
as at 31 December 2017				tonnes million	pounds million
	Measured	9.93	5.6	0.56	1,234
	Indicated	8.35	6.4	0.53	1,171
	Inferred	12.18	5.8	0.70	1,551
	Total	30.46	5.9	1.79	3,956

Sulphur is a by-product of the Cuiabá and Lamego mining operations (71% of the sulphur is from Cuiabá and 29% from Lamego).














Exclusive Mineral Resource

AGA Mineração		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	10.97	7.46	81.81	2.63
	Indicated	8.95	6.06	54.23	1.74
	Inferred	31.88	6.58	209.84	6.75
	Total	51.80	6.68	345.89	11.12

Mineral Resource below infrastructure

AGA Mineração	Category	Tonnes million	Grade g/t	Contained gold	
as at 31 December 2017				tonnes	Moz
	Measured	0.04	6.20	0.28	0.01
	Indicated	6.83	7.48	51.07	1.64
	Inferred	24.52	7.17	175.73	5.65
	Total	31.39	7.23	227.07	7.30

The Mineral Resource below infrastructure is made up of 36% from Córrego do Sítio, 48% from Cuiabá, 8% from Lamego and 8% from Nova Lima Sul.



Overall decrease in the Mineral Resource, with decreases as a result of depletion and the constraining of the open pits, balanced by exploration additions at Cuiabá below Level 25 on Fonte Grande Sul and below Level 8.1 on the Carruagem orebody at Lamego.

Ore Reserve

Ore Reserve

AGA Mineração	Category	Tonnes million	Grade g/t	Contained gold	
as at 31 December 2017				tonnes	Moz
	Proved	2.59	5.09	13.18	0.42
	Probable	10.79	4.72	50.90	1.64
	Total	13.38	4.79	64.08	2.06



Ore Reserve by-product: sulphur (S)


AGA Mineração	Category	Tonnes million	Grade %S	Contained sulphur	
as at 31 December 2017				tonnes million	pounds million
	Proved	2.17	4.3	0.09	204
	Probable	6.79	4.1	0.28	611
	Total	8.96	4.1	0.37	815

Sulphur is a by-product of the Cuiabá and Lamego mining operations (90% of the sulphur is from Cuiabá and 10% from Lamego).

Ore Reserve below infrastructure

AGA Mineração	Category	Tonnes million	Grade g/t	Contained gold	
as at 31 December 2017				tonnes	Moz
	Proved	0.00	6.11	0.02	0.00
	Probable	3.52	5.44	19.18	0.62
	Total	3.53	5.44	19.20	0.62

The Ore Reserve below infrastructure is made up of 84% from Cuiabá and 16% from Lamego.



Year-on-year increase in the Ore Reserve, driven by the inclusion of transitional and sulphide material in the Córrego do Sítio Rosalino open pit as well as Mineral Resource conversion.





















AGA MINERAÇÃO - CÓRREGO DO SÍTIO

Introduction

Property description

Córrego do Sítio (CdS) is wholly owned by AngloGold Ashanti Córrego do Sítio Mineração (AGACSM). The CdS gold complex has been in operation since 1989 and consists of two operations: an oxide open pit mine (ore treated by a 600ktpa heap-leach operation producing about 25kozpa) and two sulphide underground mines (ore treated at a 700ktpa pressure leaching sulphide plant producing about 80kozpa). The haulage distance from the main underground mine, CdS I, to the metallurgical plant is around 15km. The annual production capacity of CdS is 1.2Mt. CdS I underground utilises the sub-evel stoping mining method. Since 2014, the mining sequence at CdS I underground has been changing from bottom-up to top-down in order to provide earlier access to high grade stoping areas. Gold production from the CdS operations is transported by road to the company's own refinery at the Queiroz plant, about 140km away.

Location

CdS is located in the municipality of Santa Barbara, 100km east of the city of Belo Horizonte, the capital of Minas Gerais state.

History

Exploration across the CdS area by AngloGold Ashanti began in the 1980s. A FS for the oxide Ore Reserve, to be mined by open pit and treated in a heap-leach plant, was approved in 1987. From 2002, development of underground exploration drifts began, and a FS for the sulphide Ore Reserve, to be mined underground and treated in a sulphide plant, was concluded in 2010. Implementation followed from 2010, and the ramp-up was concluded in 2012. In 2011, there were major renovations to the structure of São Bento metallurgical plant which were finished in 2012. In 2013, the crushing circuit was improved in order to optimise the throughput.

Legal aspects and tenure

CdS I includes one underground operation and a number of individual open pit operations and is hosted by three geographically contiguous concessions granted by DNPM (the Brazilian National Department for the Mineral Production, the licensing authority) to AGA Mineração, as follows:

- DNPM Mining Concession 930.181/2008 with 2,977.83ha in area
- DNPM Mining Concession 833.472/2003 with 7.57ha in area
- The DNPM Mining Concession 830.129/1982 with 460.13ha in area
- CdS II includes one active underground operation (formerly known as the São Bento Mine) and hosted by two geographically contiguous concessions granted by DNPM to AGA Mineração
- The DNPM Mining Concession 930.556/2000 with 2,015.54ha in area
- The DNPM Mining Concession 830.943/1979 with 556.37ha in area

All five CdS mining concessions are in good standing.

DNPM Mining Concession 830.943/1979 hosts the deepest portion of the former São Bento mine and has been granted a temporary mining suspension. New documentation, based on a revised mine plan has to be submitted to the DNPM, if and when AGA Mineração decides to resume the underground operation on this concession area. A new Brazilian mining code is currently under discussion, however, it is not anticipated to change the company's rights, which are already established.

Mining method

The underground mining method for CdS is sub-level stoping. Each panel consists of three levels with secondary development drives being some 300m along strike in the north-east/south-west direction and cross-cuts, 300m in a south-west direction. The stopes are 15m in height. The mining sequence is bottom-up, though all of CdS I is being converted to a top-down sequences. According to geotechnical guidance, a sill pillar of 4m in height is designed between panels, and 4m rib pillars are used each 30m along the strike. The stope drilling is executed via fan drilling in ascending and descending directions. The loading and hauling operations are performed by 8t front-end loaders and 30t articulated trucks, at an approximate rate of 1,500tpd.

ntroduction South Africa Continental Africa Australasia Americas Administral





Operational infrastructure	CdS infrastructure consists of two treatment plants, namely, the sulphides plant for the underground mines at CdS II and the heap-leach plant for the oxide ore mined by open pit mine at CdS I, as well as a tailings dam for the sulphide plant, the neutralised tailings deposit for the oxide material and numerous waste dumps for the open pit mines at CdS I.
	Ancillary facilities comprise a water treatment facility, effluents treatment facilities, equipment workshops, laboratory, warehouses, explosives and accessories magazines, fuel stations, electric substations as well as offices, medical clinic, cafeteria, dressing rooms, bathrooms, storerooms, garage, fuel stations, explosives magazines, a Centre of Environmental Studies, nursery and other facilities required to operate the mine.
	The mine power is supplied from the state grid. Water is primarily sourced from recycling of the underground mine water and supplementary water catchment wells.
	Good communication infrastructure is available in the area.
Mineral processing	There are two metallurgical plants in CdS: the heap-leach plant for the oxide ore and the sulphide plant.
	The sulphide process consists of crushing, grinding and gravity concentration, flotation, thickening, acidulation, pressure oxidation (POX autoclave), counter current decantation, CIL extraction, elution, neutralisation, electro-winning and tailings disposal. The plant and POX circuit have a capacity of 600ktpa.
	The heap-leaching process consist of crushing, agglomeration, stacking, leaching, adsorption, elution and electro-winning.
Risks	The major risk to the operation is the lack of Ore Reserve flexibility. This risk is controlled and mitigated by integrated planning with the exploration team and monitoring the execution of the plan.

Competent Persons

AGA Mineração — Córrego do Sítio		Professional	Membership	Relevant		
Category	Competent Person	organisation	number	experience	Qualification	
Mineral Resource	Rodrigo Martins	MAusIMM	311 050	13 years	MSc (Geology), BSc (Geology)	
Ore Reserve	Cristóvão Tefilo dos Santos	MAusIMM	312 542	9 years	Graduate Dip (Mining)	

Geology

The CdS gold deposit is located in the eastern part of the Rio das Velhas Archean greenstone belt, in the Quadriltero Ferrfero region, at the southern margin of the So Francisco Craton in Brazil.

Deposit type

CdS is an orogenic gold deposit hosted in intensely deformed clastic and volcaniclastic, carbonaceous schists and metagraywackes in an approximately 30km north-east/south-west striking shear zone.

Hydrothermal alteration phases associated with the mineralisation are dominated by sericite and carbonate.


Mineralisation style

CdS is located in the eastern part of the lower to middle greenschist facies archean Rio das Velhas greenstone belt. The CdS I, II and III gold deposits and associated targets are located in a gold trend that extends for about 14km in a north-easterly direction, from Grota Funda (CdS I areas) in the south to Jambeiro (CdS III areas) in the north. CdS II Area is the north portion of the Córrego do Sítio gold trend. The main gold targets and deposits are distributed over three trends, namely the CdS trend, the Donana Trend and the Cristina Trend. At CdS I, main ore-bodies are Rosalino, Cachorro Bravo, Laranjeiras and Carvoaria, which constitute the current production sources and the most significant mineralisations at Mine I.



AMERICAS CONTINUED

AGA MINERAÇÃO - CÓRREGO DO SÍTIO











At CdS II, the main orebodies are São Bento, Pinta Bem (both BIF hosted) and Sangue de Boi (metapellite hosted). At CdS III, Anomalia I and II represent the orebodies with highest level of information and potential so far (for formal declaration purposes, CdS III deposits are incorporated as CdS II). CdS mineralisation occurs in a greenstone belt geological environment where the gold content is associated to quartz and sulphides (mainly very fine, acicular arsenopyrite crystals) in a structurally controlled corridor of approximately 20km in strike length and about 500m vertical extent, developed under compressional tectonic settings.

Mineralisation characteristics

The CdS deposits consist of narrow north-east/south-west elongated and folded lenses of mineralisation, plan-parallel to main regional deformational structure S2, dipping 60° to 70° south-east and plunging 20° to 30° north-east. The orebodies present themselves are consistently folded, boudinaged and locally interrupted by younger structures. CdS is an orogenic type deposit and comprises many hydrothermal lodes with quartz veins and low sulphide content disseminated in the wall rocks. In general, the mineralisation consists of sericitic zones and quartz veinlets with both metapellites and BIF as host-rocks. The sedimentary sequence, and consequently the mineralised deposits, are cross-cut by a swarm of basic dykes of uncertain age, with a general orientation north-north-east/south-south-west and dipping to south-east, with thickness varying from 20cm up to 10-20m. The gold occurs as native gold in smoky-quartz veins and as microscopic or sub-microscopic inclusions in arsenopyrite (the main mineralisation style) and sometimes in an iron-antinomy sulphide and berthierite (FeSb₂S₄). Other typical sulphide minerals are pyrrhotite, pyrite, stibnite, sphalerite and chalcopyrite.

Longitudinal section through the Córrego do Sítio orebody



Exploration

During the period July 2016 to June 2017, 42,346m were drilled along the CdS trends with the exploration work focused on:

- Supporting the production plan of the open pit and underground mines (mainly CdS I) through Mineral Resource conversion thereby reducing the LOM risks
- Assessing high grade mineralisation targets
- Evaluating the potential of near-mine areas and the region

Mineral Resource drilling at the CdS business unit was undertaker in compliance with the company's operational excellence plan. The exploration goal was to increase LOM confidence levels by performing sufficient drilling to convert Mineral Resource with the aim of keeping the production plan free of conceptual material for five years and by having 240 vertical metres of material in at least Indicated Mineral Resource classification ahead of development. Based on that, exploration drilling programme comprised significant surface and underground drilling campaigns.

The surface campaign was focused on Mine I Mineral Resource addition at depth, testing the down-dip continuity of Carvoaria, Cachorro Bravo and Laranjeiras orebodies for long-term underground operations. The deep drilling campaign at Mine I intercepted good thickness and high grade ore continuity down plunge at Cachorro Bravo and Carvoaria. This improved knowledge and confidence of the mineralisation extension at significant depth below current ore models. Considering the underground production plan for the next three years of the sulphide areas at CdS I, the underground drilling concentrated on Mineral Resource conversion on a 50m x 25m drilling grid for the three main orebodies: Cachorro Bravo, Laranjeiras and Carvoaria. The results confirmed the mineralisation along the structures, improving the model quality and spatial reliability. Mineral Resource addition from underground also occurred as a result of the drilling of secondary lenses. Other exploratory works carried out included underground geological mapping and long-term geological and grade model updates.





AGA MINERAÇÃO - CÓRREGO DO SÍTIO

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

AGA Mineração – Corregó do Sítio			1	Type of drilling			
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured	25 x 25	√	_	-	V	-	_
Indicated	25 x 40, 30 x 25,	√	√	_	-	_	-
	50 x 30, 50 x 50						
Inferred	40 x 100,	√	√	-	√	_	-
	100 x 50,						
	100 x 100,						
	200 x 200						
Grade/ore control	$3 \times 3, 5 \times 5$	√	V	_	√	_	_

Inclusive Mineral Resource

AGA Mineração - Córrego do Sítio		Tonnes	Grade	Contained g	old
as at 31 December 2017	Category	million	g/t	tonnes	Moz
CdS I (sulphide) Rosalino underground	Measured	·-	-	-	-
	Indicated	0.47	4.34	2.04	0.07
	Inferred	3.01	3.77	11.34	0.36
	Total	3.48	3.84	13.38	0.43
CdS I (sulphide) secondary underground	Measured	_	-	_	_
	Indicated	0.10	6.31	0.65	0.02
	Inferred	0.69	5.05	3.49	0.11
	Total	0.79	5.22	4.14	0.13
CdS I (sulphide) Cachorro Bravo	Measured	1.34	6.34	8.52	0.27
underground	Indicated	0.53	6.52	3.44	0.11
	Inferred	0.55	6.21	3.41	0.11
	Total	2.42	6.35	15.38	0.49
CdS I (sulphide) Laranjeiras underground	Measured	1.35	5.72	7.70	0.25
	Indicated	1.05	5.87	6.16	0.20
	Inferred	1.22	7.04	8.60	0.28
	Total	3.62	6.21	22.46	0.72
CdS I (sulphide) Carvoaria underground	Measured	0.33	9.38	3.13	0.10
	Indicated	0.67	6.92	4.67	0.15
	Inferred	1.00	8.33	8.35	0.27
	Total	2.01	8.03	16.14	0.52
CdS I (transitional) Rosalino underground	Measured	-	-	=	=
	Indicated	0.01	3.79	0.03	0.00
	Inferred	0.06	4.52	0.28	0.01
	Total	0.07	4.43	0.32	0.01
CdS I (sulphide) Rosalino open pit	Measured	-	_	_	-
	Indicated	2.10	4.01	8.43	0.27
	Inferred	0.26	3.85	0.98	0.03
	Total	2.36	4.00	9.41	0.30
CdS I (oxide) Rosalino open pit	Measured	0.12	1.97	0.24	0.01
	Indicated	0.91	2.91	2.65	0.09
	Inferred	0.24	3.09	0.74	0.02
	Total	1.27	2.85	3.64	0.12















Inclusive Mineral Resource continued

AGA Mineração – Córrego do Sítio		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
CdS I (transitional) Rosalino open pit	Measured	0.03	2.05	0.06	0.00
	Indicated	0.58	2.77	1.60	0.05
	Inferred	0.17	2.51	0.43	0.01
	Total	0.78	2.69	2.09	0.07
CdS I (oxide) secondary open pit	Measured	0.15	5.52	0.84	0.03
	Indicated	0.24	5.73	1.40	0.04
	Inferred	0.43	3.64	1.56	0.05
	Total	0.82	4.61	3.80	0.12
CdS I (transitional)	Measured	0.02	8.16	0.20	0.01
	Indicated	0.27	7.74	2.09	0.07
	Inferred	0.27	6.29	1.72	0.06
	Total	0.57	7.06	4.01	0.13
CdS II (sulphide) Sangue de Boi	Measured	0.05	9.67	0.52	0.02
underground	Indicated	0.44	7.76	3.40	0.11
	Inferred	1.65	6.54	10.81	0.35
	Total	2.14	6.87	14.73	0.47
CdS II (sulphide) São Bento Mine	Measured	_	-	_	-
underground	Indicated	0.45	7.95	3.58	0.12
	Inferred	5.14	6.03	30.98	1.00
	Total	5.59	6.18	34.56	1.11
CdS II (sulphide) Pinta Bem underground	Measured	-	<u>-</u>	_	_
	Indicated	0.38	3.04	1.17	0.04
	Inferred	0.58	3.26	1.90	0.06
	Total	0.97	3.17	3.07	0.10
CdS II (sulphide) secondary underground	Measured	8-1	-	-	_
	Indicated	-	-	-	_
	Inferred	0.92	6.79	6.26	0.20
	Total	0.92	6.79	6.26	0.20
CdS II (oxide)	Measured	8_1	17.22	_	-
	Indicated	1.05	3.89	4.07	0.13
	Inferred	1.07	3.16	3.39	0.11
	Total	2.12	3.52	7.46	0.24
CdS II (transitional)	Measured	<i>x</i> -	-	_	_
	Indicated	0.12	3.71	0.43	0.01
	Inferred	0.17	3.79	0.64	0.02
	Total	0.29	3.76	1.08	0.03
AGA Mineração – Córrego do Sítio	Total	30.23	5.36	161.93	5.21


Estimation


Ordinary kriging is used to estimate gold for all the targets and for sulphur and density at selected targets. When the sample population is not sufficient to estimate the density, the mean and/or a reference value is used. Only gold is preferentially estimated by lenses. For some targets the dykes divide sample populations and domains are estimated separately with different variogram and search parameters. The Mineral Resource classification is performed using conditional simulation or drill spacing.



AMERICAS CONTINUED

AGA MINERAÇÃO - CÓRREGO DO SÍTIO






Exclusive Mineral Resource

AGA Mineração – Córrego do Sítio		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	3.05	6.32	19.29	0.62
	Indicated	6.10	5.01	30.60	0.98
	Inferred	17.44	5.44	94.90	3.05
	Total	26.60	5.44	144.79	4.66

Mineral Resource below infrastructure

AGA Mineração – Córrego do Sítio		Tonnes	Grade	Contained of	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	0.02	8.16	0.20	0.01
	Indicated	2.06	5.53	11.40	0.37
	Inferred	12.51	5.60	70.04	2.25
	Total	14.59	5.59	81.64	2.62



The Mineral Resource reduced because of mining depletion and methodology. There was a reduction in the oxide ounces due to the use of pit constraints for some of the targets which were not pit constrained in 2016, resulting in their exclusion or partial exclusion from the 2017 declaration. The reduction in sulphide ounces was related mainly to the geological model review, the largest impact being the review of Rosalino orebody, which was partially offset by exploration and Mineral Resource conversions at Carvoaria and Laranjeiras.


















CdS is not sensitive to changes in gold price.







AGA MINERAÇÃO - CÓRREGO DO SÍTIO

Ore Reserve

Ore Reserve

AGA Mineração – Córrego do Sítio		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
CdS I (sulphide) Cachorro Bravo	Proved	0.06	4.06	0.22	0.01
underground	Probable	0.11	4.75	0.50	0.02
	Total	0.16	4.51	0.73	0.02
CdS I (sulphide) Laranjeiras underground	Proved	0.07	4.33	0.29	0.01
	Probable	0.20	5.05	1.02	0.03
	Total	0.27	4.87	1.31	0.04
CdS I (sulphide) Carvoaria underground	Proved	0.11	6.29	0.66	0.02
	Probable	0.42	4.33	1.84	0.06
	Total	0.53	4.72	2.50	0.08
CdS I (sulphide) Rosalino open pit	Proved	8 	100	-	- T-
	Probable	1.21	3.29	3.98	0.13
	Total	1.21	3.29	3.98	0.13
CdS I (oxide) Rosalino open pit	Proved	0.14	1.31	0.18	0.01
	Probable	0.99	1.87	1.85	0.06
	Total	1.13	1.80	2.03	0.07
CdS I (transitional) Rosalino open pit	Proved	0.02	1.79	0.04	0.00
	Probable	0.31	2.26	0.71	0.02
	Total	0.34	2.22	0.75	0.02
CdS II (sulphide) Sangue de Boi	Proved	0.03	5.36	0.18	0.01
underground	Probable	0.43	5.11	2.19	0.07
	Total	0.46	5.12	2.37	0.08
CdS II (sulphide) São Bento Mine	Proved	8 <u>-</u> 1	=	_	-
underground	Probable	0.04	3.93	0.17	0.01
	Total	0.04	3.93	0.17	0.01
CdS II (oxide)	Proved	8_7	12	-	
	Probable	0.28	2.32	0.65	0.02
	Total	0.28	2.32	0.65	0.02
AGA Mineração – Córrego do Sítio	Total	4.42	3.28	14.49	0.47

Estimation

The gold price, projected operational performance and costs as well as metallurgical recoveries are taken into consideration in determining the Ore Reserve. Mining parameters such as the mining method, minimum mining width, MCF, dilution and recovery are all applied in the process.



Ore Reserve modifying factors

AGA Mineração -	SPICE OILE	Cut-off	Stoping		RMF	RMF	MRF	MRF		
Córrego do Sitio	Gold price	grade	width	Dilution	% (based	% (based	% (based	% (based	MCF	MetRF
as at 31 December 2017	BRL/oz	g/t Au	cm	%	on tonnes)	on g/t)	on tonnes)	on g/t)	%	%
CdS I (oxide) Rosalino										
open pit	3,573	0.61	_	-	100.0	100.0	100.0	100.0	100.0	77.1*
CdS I (sulphide)										
Cachorro Bravo	3,573	3.62	374.9	46.4	99.9	98.5	101.7	94.2	90.0	93.8**
CdS I (sulphide)										
Carvoaria	3,573	3.62	228.2	47.3	99.9	98.5	101.7	94.2	90.0	93.8**
CdS I (sulphide)										
Laranjeiras	3,573	3.62	259.6	47.8	99.9	98.5	101.7	94.2	90.0	93.8**
CdS I (sulphide)										
Rosalino open pit	3,573	1.27	-	_	100.0	100.0	100.0	100.0	100.0	91.8*
CdS I (transitional)										
Rosalino open pit	3,573	1.04	-	-	100.0	100.0	100.0	100.0	100.0	67.8*
CdS II (oxides)	3,573	0.76	_	_	100.0	100.0	100.0	100.0	100.0	70.0*
CdS II (sulphide)										
Sangue de Boi	3,573	2.86	275.2	39.4	99.9	98.5	101.7	94.2	90.0	93.8**
CdS II (sulphide)										
São Bento mine	3,573	2.86	264.4	45.7	99.9	98.5	101.7	94.2	90.0	93.8**

^{*} Not considering dilution or mining recovery because Ore Reserve is calculated based on regularised model

The percentage grade dilution and the MCF are already included in the Ore Reserve reported.

As the CdS underground mines have been in operation since 2011, the technical and economic modifying factors derive from historic data and reasonable levels of certainty exist on CdS projections.

For the Ore Reserve estimates, a minimum thickness is applied for stope design. Other factors derive from historic data, such as the dilution, ore loss and the MCF as well as the MetRF applied in the estimates.

Inferred Mineral Resource in business plan

AGA Mineração – Córrego do Sítio	Tonnes	Grade	Contained g	jold
as at 31 December 2017	million	g/t	tonnes	Moz
CdS I (oxide) Rosalino open pit	0.15	1.12	0.17	0.01
CdS I (sulphide) Cachorro Bravo underground	0.04	5.01	0.21	0.01
CdS I (sulphide) Carvoaria underground	0.79	5.21	4.09	0.13
CdS I (sulphide) Laranjeiras underground	0.55	5.51	3.00	0.10
CdS I (sulphide) Rosalino open pit	0.16	3.50	0.55	0.02
CdS I (transitional) Rosalino open pit	0.07	1.51	0.11	0.00
CdS II (oxide)	0.08	2.14	0.18	0.01
CdS II (sulphide) Sangue de Boi underground	0.53	6.21	3.28	0.11
Total	2.36	4.91	11.59	0.37


The Inferred Mineral Resource is located in the mining panels in the lower areas of some sulphide deposits such as Cachorro Bravo, Laranjeiras and Carvoaria underground mines in CdS I and the Sangue de Boi underground mine in CdS II. Rosolino also contains some Inferred Mineral Resource in the business plans. In all cases the Inferred Mineral Resource is removed for both the financial modelling and the reporting of the Ore Reserve.

^{**} The gold reported represents the total Ore Reserve without MetRF however, it was considered in the cut-off grade calculation




AMERICAS CONTINUED

AGA MINERAÇÃO - CÓRREGO DO SÍTIO



Year-on-year increase in the Ore Reserve, driven by the inclusion of transitional and sulphide material in the CdS Rosalino open pit as well as Mineral Resource conversions.



Introduction South Africa Continental Africa Australasia Americas Administrative






Introduction

Property description	An ongoing underground operation wholly owned by AngloGold Ashanti.
Location	The Cuiabá mine is located near Sabara, southeast of the city of Belo Horizonte in the state of Minas Gerais within the mining district referred to as the Iron Quadrangle. This region is the largest producer of iron ore and gold in Brazil.
History	Artisanal miners carried out the first mining in the area in 1749. Saint John Del Rey Mining Company Ltd acquired the mine in 1834. Exploration and development were resumed in 1977, culminating with the reopening of the mine in 1985. In 1996, the company became a wholly owned subsidiary of the Anglo American Group and ir 1999 its ownership was transferred to the holding company AngloGold (now AngloGold Ashanti) where it remains to date.
Legal aspects and tenure	The Cuiabá Mineral Resource and Ore Reserve are fully hosted by a single concession granted by the DNPM the Mine Manifest DNPM title 000.323/1973, held by AGA Mineração, covering a total area of 3,662ha. A new Brazilian mining code is currently under discussion. However, it is not anticipated to change the company's rights, which are already established.
Mining method	Cuiabá mine utilises two mining methods: cut and fill and longhole stoping. To improve the safety and productivity of the operation, in 2011, the mining method was changed from predominately cut and fill to longhole stoping (sub-level stoping and variations). In stopes with lower inclination, Cuiabá has a long hole method that reduces planned dilution to make some narrow veins feasible.
Operational infrastructure	The two plants connected by an aerial ropeway (Cuiabá gold plant and Queiroz plant) and a set of small hydropower plants (Rio de Pexe).
	Cuiabá mine has a shaft system (846m deep) for production and personal transport, the current nominal airflow capacity is 1,035m³/s, at which 320m³/s are refrigerated.
	Tailings deposition is at one of four sites located at Cuiabá, Calcinado, Rapaunha and Cocuruto.
	Rio de Peixe hydroelectric complex is a set of seven small hydropower plants that generate energy from three dams (Ingleses, Miguelo and Codorna), connecting directly to the Queiroz plant.
Mineral processing	Cuiabá and Lamego Mines feed the Cuiabá Gold (flotation) and Queiroz (roaster, carbon circuit and refinery) plants, currently at 1.7Mtpa for a metallurgical recovery of 93.5%. At Cuiabá gold plant, crushing and milling of the ore is followed by flotation and filtration in order to produce a concentrate, which is transported by aerial ropeway to Queiroz for further treatment. Approximately 25% to 30% of gold is recovered through a gravity circuit at the Cuiabá plant. The backfill plant is also located at Cuiabá. The Queiroz plant is located in Nova Lima and comprises two different circuits for refractory ore (from Cuiabá) and non-refractory ore (used for the Raposos mine production in the past) with facilities for pyrometallurgy and hydrometallurgy. The concentrate is roasted, and the calcine proceeds to a carbon circuit for further refining. The sulphide gas is captured for processing through the acid plant. Approximately 230ktpa of sulphuric acid is produced as a by-product.
Risks	No material legal or environmental risks have been identified. Strategic studies are in place to manage the operational risks such as the low level of Ore Reserve and the reliance on Inferred Mineral Resource in the production plan, as well as the rock engineering constraints at depth.



AMERICAS CONTINUED

AGA MINERAÇÃO - CUIABÁ















Competent Persons

AGA Mineração - Cuial	bá	Professional	Membership	Relevant	
Category	Competent Person	organisation	number	experience	Qualification
Mineral Resource	Rodrigo Martins	MAusIMM	311 050	13 years	MSc (Geology), BSc (Geology)
Ore Reserve	Alexandre Marcos Petermann	FAusIMM	300 299	16 years	BSc (Hons) Mining Engineering, MDP

Geology

The area in which Cuiabá is located is known as the Iron Quadrangle and is host to a number of historic and current gold mining operations, as well as a number of open pit limestone and iron ore operations. The geology of the Iron Quadrangle is composed of Proterozoic and Archaean volcano-sedimentary sequences and pre-Cambrian granitic complexes.

Deposit type

Cuiabá is a gold-only Archaean banded iron formation (BIF)-hosted gold deposit. The deposit is located in an intermediate metamafic sequence of the Archaean Greenstone Belt. It is characterised by hydrothermal alteration of the rocks, with the mineralisation occurring mainly in BIF layers, and subordinately in quartz veins or in the host schists. The host to the gold mineralisation is the volcano-sedimentary Nova Lima Group that occurs at the base of the Rio das Velhas Super Group. The upper sequence of the Rio das Velhas Super Group is the meta-sedimentary Maquin Group. The gold mineralisation at Cuiabá has features and characteristics of epigenetic orogenic gold deposit typical of Archaean gold-lode deposits.

Mineralisation style

Cuiabá mine has gold mineralisation associated with sulphides and quartz veins in BIF and volcanic sequences. Structural control and fluid flow are the most important factors for gold mineralisation with a common association between large-scale shear zones and their associated structures. Where BIF is mineralised the ore appears strongly stratiform due to the selective sulphidation of the iron rich layers. Steeply plunging shear zones tend to control the ore shoots, which commonly plunge parallel to intersections between the shears and other structures.

Mineralisation characteristics

Apparent intersections of thrust faults with tight isoclinal folds, in a ductile environment, tend to control the mineralisation structures. The host rocks are primarily BIF and secondarily mafic volcanics (mainly basaltic). Mineralisation is believed to be due to the interaction of low salinity, carbon dioxide-rich gold-bearing fluids with the high-iron BIF, basalts and carbonaceous graphitic schists.

Sulphide mineralisation consists of pyrite and pyrrhotite with subordinate arsenopyrite and chalcopyrite; the latter tends to occur as a late-stage fracture fill and is not associated with gold mineralisation. Wallrock alteration is typically carbonate, potassic and silicic, showing clear zonation in the underground environment. The ore is mainly concentrated in the silicic and sulphidation zones, inside the BIF or in potassic (and sericitic) zones near the basalts. The main orebodies at Cuiabá are as follows:

- normal limb: Fonte Grande Sul and Serrotinho
- overturned limb: Balanco, Galinheiro and Canta Galo


Secondary orebodies occur in hydrothermaly altered schists at the footwall of Galinheiro (Galinheiro footwall orebody) and hydrothermaly altered schists/quartz veins near the footwall of Forte Grande Sul and Serrotinho (quartz vein orebodies).

Exploration

In 2017, 66,000m of drilling was completed with underground drilling comprising almost 60,000m of this total. Underground exploration focused on two processes, Mineral Resource conversion and Mineral Resource addition representing 67% (40,200m) and 33% (19,800m) of the underground drilling respectively. The target for exploration is to have three years production without Inferred Mineral Resource and five years without conceptual material in the mine plan.



3D view of the Cuiabá orebody



For the Mineral Resource conversion, Galinheiro Levels 9, 12 and 15, Balanco Levels 15 to 17, Serrotinho Level 19, Cantagalo Level 14, Galinheiro footwall (footwall of Fonte Grande Sul) on various levels and Fonte Grande Sul Levels 17 to 19 were the main targets converted. The drilling for Fonte Grande Sul continues to be executed from a hangwall drive specifically developed for Mineral Resource conversion drilling and from the Fonte Grande Sul ramp, which is also used to drill Serrotinho. The Mineral Resource addition was focused on Serrotinho conceptual material on Level 19, Galinheiro Levels 15 and 19 to 21 and Galinheiro footwall (footwall of Fonte Grande Sul) orebody on various levels.

During 2017, the exploration deep drilling programme continued to confirm the depth continuity of the Cuiabá orebodies, starting with Serrotinho/Fonte Grande Sul around Level 28 and Balanco/Galinheiro on Level 32. The results show the continuity of Fonte Grande Sul and Serrotinho. Balanco returned high grades associated with intense sulphidation and an increase in thickness. Galinheiro also returned economic grades associated with sulphidation but with similar grade and thickness to the upper levels. The deep drilling is being undertaken using a drill rig that can reach depths of 2,600m (HQ) and 3,300m (NQ), applying wedging and a directional core barrel to direct the drilling and control the natural deviation that affects the trajectory of the drillhole as well as to drill deflections out of the parent holes.

Projects

In the near term, Cuiabá will increase plan confidence by achieving production stability, building flexibility through targeted production interventions and by increasing Ore Reserve and developed stope stocks. Operational effectiveness will be the foundation for the strategic approach. Currently, the mine team is reviewing the mine plan in order to meet the current cash generation needs, looking to opportunities for the inclusion of Galinheiro orebody and to maximise production from the secondary orebodies, both near and within infrastructure.













Over the next five years, Cuiabá plans to optimise the orebody capability by targeting the secondary and satellite veins in conjunction with the main orebodies. Lamego mine will possibly be integrated into Cuiabá's plans as the mine looks to maximise orebody capability by balancing selectivity against bulk mining.

In the long term, Cuiabá plans to maintain sustainable production by continuing to explore and convert the Mineral Resource below infrastructure and bring the full economic endowment to production.





Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

AGA Mineração - Cuiabá			1	ype of drilling			
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured	10 x 20, 20 x 30	√	22 <u></u>	_	V	-	_
Indicated	20 x 40, 40 x 60	√	-	_	√	_	_
Inferred	40 x 60,	√	-	_	-	_	_
	80 x 120						
Grade/ore control	5 x 5	√	-	_	√	_	_

Inclusive Mineral Resource

AGA Mineração – Cuiabá		Tonnes	Grade	Contained g	old
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Narrow veins – Balancão	Measured	0.82	8.39	6.84	0.22
	Indicated	1.66	12.06	20.05	0.64
	Inferred	0.22	8.36	1.83	0.06
	Total	2.70	10.65	28.72	0.92
Narrow veins – Galinheiro	Measured	0.70	7.17	5.01	0.16
	Indicated	1.36	7.22	9.80	0.32
	Inferred	0.76	5.85	4.43	0.14
	Total	2.81	6.84	19.24	0.62
Narrow veins - Canta Galo	Measured	0.40	7.28	2.91	0.09
	Indicated	0.08	10.10	0.85	0.03
	Inferred	0.21	8.40	1.79	0.06
	Total	0.70	7.96	5.55	0.18
Main deposits – Fonte Grande Sul	Measured	0.85	9.13	7.76	0.25
	Indicated	0.80	8.89	7.09	0.23
	Inferred	3.63	13.34	48.45	1.56
	Total	5.28	11.99	63.30	2.04
Main deposits - Serrotinho	Measured	0.65	10.76	6.98	0.22
	Indicated	0.82	10.19	8.32	0.27
	Inferred	0.87	11.59	10.06	0.32
	Total	2.33	10.87	25.35	0.82
Secondary areas – satellite orebodies	Measured	0.78	6.12	4.77	0.15
	Indicated	0.17	6.71	1.15	0.04
	Inferred	0.32	6.08	1.92	0.06
	Total	1.27	6.19	7.84	0.25
Secondary areas – Galinheiro footwall	Measured	82	_	_	_
	Indicated	0.42	6.25	2.65	0.09
	Inferred	0.51	5.92	3.01	0.10
	Total	0.93	6.07	5.66	0.18
Secondary areas – sill pillars	Measured	2.13	9.57	20.43	0.66
	Indicated	0.51	9.36	4.74	0.15
	Inferred	0.67	12.40	8.34	0.27
	Total	3.31	10.11	33.51	1.08













Inclusive Mineral Resource continued


AGA Mineração – Cuiabá		Tonnes	Grade	Contained g	old
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Secondary areas – quartz vein	Measured	n=	_	-	_
	Indicated	0.12	6.71	0.77	0.02
	Inferred	0.17	7.45	1.23	0.04
	Total	0.28	7.15	2.01	0.06
AGA Mineração – Cuiabá	Total	19.61	9.75	191.17	6.15

Inclusive Mineral Resource by-product: sulphur (S)

AGA Mineração - Cuiabá		Tonnes	Grade	Contained sulphur		
as at 31 December 2017	Category	million	%S	tonnes million	pounds million	
	Measured	6.33	6.6	0.42	917	
	Indicated	5.94	7.1	0.42	928	
	Inferred	7.35	6.0	0.44	971	
	Total	19.61	6.5	1.28	2,816	

Estimation

The Cuiabá dataset consists of channel samples and drillhole samples. The 3D modelling and estimation is performed using two estimation domains, namely the broad mineralisation, consisting of Fonte Grande Sul and Serrotinho, and the narrow-vein domain consisting of Balanco, Galinheiro and Canta Galo. All channel and drillhole samples are used in the creation of 3D geological models and for identifying rock types in order to incorporate lithological proportions for the grade estimates. Conditional simulation is applied to estimate the uncertainty in the block models and classify the Mineral Resource into Measured, Indicated and Inferred Mineral Resource, following a standard internal AngloGold Ashanti methodology.



Exclusive Mineral Resource


AGA Mineração – Cuiabá		Tonnes	Grade	Contained	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes 43.65 13.18 81.05	Moz	
	Measured	4.64	9.40	43.65	1.40	
	Indicated	1.18	11.18	13.18	0.42	
	Inferred	7.35	11.03	81.05	2.61	
	Total	13.17	10.47	4.43	137.88	




The exclusive Mineral Resource consists primarily of the Inferred Mineral Resource that is in the process of being upgraded via infill drilling. The exclusive Mineral Resource is located below infrastructure, starting on Level 18 (at Fonte Grande Sul and Serrotinho), Level 15 (at Galinheiro), between Level 10 and corresponding sub-levels to Level 14 as well as below Level 16 (at Galinheiro footwall), between Levels 15-16 as well as below Level 17 (at Balanço and Canta Galo), and below Level 21 (Fonte Grande Sul Deeps and Serrotinho Deeps). In addition, secondary areas consisting of old stoping panels, quartz vein orebody and satellite deposits, as well as sill pillars for all orebodies are included.

Mineral Resource below infrastructure

AGA Mineração – Cuiabá		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	Contained g tonnes 0.00 30.28 79.06	Moz
	Measured	0.00	6.71	0.00	0.00
	Indicated	3.00	10.09	30.28	0.97
	Inferred	6.55	12.07	79.06	2.54
	Total	9.55	11.45	109.34	3.52



The Mineral Resource has increased around 6% from 5.8Moz in 2016 to 6.1Moz. Total tonnes have increased 11.98% whereas Au grade (g/t) has reduced 4.9%. Exploration additions added 1.11Moz, with the deep drilling targeting Fonte Grande Sul around Level 30 being the main contribution to that gain. This was partially offset by mining depletion and changes in modelling.



Cuiabá is not sensitive to changes in gold price.













Ore Reserve

Ore Reserve

AGA Mineração – Cuiabá		Tonnes	Grade	Contained g	old
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Narrow veins – Balancão	Proved	0.52	5.92	3.08	0.10
	Probable	2.48	6.09	15.13	0.49
	Total	3.00	6.06	18.20	0.59
Narrow veins - Galinheiro	Proved	0.28	5.81	1.63	0.05
	Probable	1.23	4.89	6.02	0.19
	Total	1.51	5.06	7.66	0.25
Narrow veins – Canta Galo	Proved	0.17	5.79	0.99	0.03
	Probable	0.11	6.31	0.67	0.02
	Total	0.28	5.99	1.66	0.05
Main deposits - Fonte Grande Sul	Proved	0.38	5.39	2.04	0.07
	Probable	0.65	6.42	4.17	0.13
	Total	1.03	6.04	6.21	0.20
Main deposits - Serrotinho	Proved	0.30	7.23	2.18	0.07
	Probable	0.86	7.32	6.32	0.20
	Total	1.17	7.29	8.50	0.27
Secondary areas - Galinheiro footwall	Proved	-	-	-	-
	Probable	0.21	5.49	1.13	0.04
	Total	0.21	5.49	1.13	0.04
Secondary areas – quartz vein	Proved		-	_	-
	Probable	0.10	3.57	0.37	0.01
	Total	0.10	3.57	0.37	0.01
AGA Mineração – Cuiabá	Total	7.29	5.99	43.73	1.41

Ore Reserve by-product: sulphur (S)

AGA Mineração		Tonnes million	Grade	Contained sulphur		
as at 31 December 2017	Category		%S	tonnes million	pounds million	
	Proved	1.65	4.7	0.08	171	
	Probable	5.64	4.5	0.25	561	
	Total	7.29	4.6	0.33	731	

Estimation

The gold price, projected operational performance and costs as well as metallurgical recoveries are taken into consideration in estimating the Ore Reserve. Mining parameters such as the mining method, minimum mining width, MCF, dilution and recovery are all applied in the process.



Ore Reserve modifying factors

Cuiabá as at 31 December 2017	Gold price BRL/oz	Cut-off grade g/t Au	Stoping width cm	Dilution %	MCF %	MetRF %
Main deposits – Fonte Grande Sul	3,573	3.02; 3.63*	600.0	58.0	94.1	93.5
Main deposits - Serrotinho	3,573	3.02; 3.63*	600.0	33.0	94.1	93.5
Narrow veins - Balancão	3,573	3.02; 3.63*	200.0	49.0	94.1	93.5
Narrow veins - Canta Galo	3,573	3.02; 3.63*	200.0	43.0	94.1	93.5
Narrow veins - Galinheiro	3,573	3.02; 3.63*	200.0	35.0	94.1	93.5
Secondary areas - Galinheiro footwall	3,573	3.02; 3.63*	200.0	28.0	94.1	93.5
Secondary areas – quartz vein	3,573	3.02; 3.63*	200.0	35.0	94.1	93.5

^{*} Cut-off grade = 3.02g/t in areas where Ore Reserve development is already done; cut-off grade = 3.63g/t in Ore Reserve not accessed

Two cut-off grades are calculated and applied in the Ore Reserve estimation process. The higher cut-off grade is applied to the Mineral Resource which are still to be accessed by primary development, bearing such costs and additional projected capital expenses (full cut-off grade). The lower cut-off grade is applied upon the Mineral Resource where primary development already exists, which bear all the downstream costs, except for capital development (cut-off grade without development). Dilution is considered in two stages; planned dilution, inherent to the mining area, which is incorporated as a function of operational needs related to the size of the equipment involved; operational dilution, which is a result of drilling and blasting processes, ore mucking in the stopes, and its transfer to the loading station. Unplanned dilution is 12% for longhole mining method.

Inferred Mineral Resource in business plan

AGA Mineração – Cuiabá	Tonnes	Grade	Contained gold		
as at 31 December 2017	million	g/t	tonnes	Moz	
Main depostis – Fonte Grande Sul	4.81	6.68	32.14	1.03	
Main depostis - Serrotinho	0.90	7.77	7.02	0.23	
Narrow veins – Balancão	0.27	3.93	1.05	0.03	
Narrow veins – Galinheiro	0.48	3.97	1.93	0.06	
Narrow veins - Canta Galo	0.23	4.36	1.00	0.03	
Secondary areas - Galinheiro footwall	0.22	4.71	1.02	0.03	
Secondary areas - Quartz vein	0.13	4.61	0.58	0.02	
Total	7.04	6.35	44.75	1.44	

Ore Reserve below infrastructure

AGA Mineração – Cuiabá		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Proved	-	7.83	0.02	-
	Probable	2.69	6.00	16.14	0.52
	Total	2.69	6.00	16.16	0.52
















Year-on-year the Ore Reserve has increased. The increase is due to exploration additions, specifically on the Balancão orebody below Level 12.






Introduction

Introduction	
Property description	An ongoing underground operation, wholly owned by AngloGold Ashanti, with an estimated production rate of 450ktpa until 2017, downsizing to 350ktpa thereafter.
Location	Lamego is located in the north-west of the Iron Quadrangle, close to the Cuiabá gold mine. The mine is located to the east of Belo Horizonte, the capital of Minas Gerais State, in the southeast of Brazil.
History	Exploration began in the area in 1985 with a drilling campaign along a 5.7km strike length of iron formation and the opening of 2.5km of development of the Arco da Velha, Queimada and Cabea de Pedra orebodies. After the successful completion of the FS, project approval was given and implementation began in 2010 with first gold poured soon afterwards.
Legal aspects and tenure	The Lamego mining operation is hosted by three geographically contiguous DNPM concessions granted to AGA Mineração:
	 The DNPM Mining Concession 830.720/1981 with 577.14ha in area
	 The DNPM Mining Concession 831.554/1983 with 462.09ha in area
	 The DNPM Mining Concession 832.238/2003 with 583.45ha in area
	A new Brazilian mining code is currently under discussion. However, it is not anticipated to change the company's rights, which are already established.
Mining method	Three mining methods were considered for Lamego during the PFS, cut and fill, stope and pillar and sublevel open stoping. Based on rock engineering and productivity considerations the mine ultimately settled on blind hole open stope method. This is supported by a detailed infill drilling programme. Cut and fill is also used when the orebodies exceed 20m spans. While this method allows for selectivity, it has constraints in terms of productivity.
Operational infrastructure	Lamego operates as a satellite mine to Cuiabá mine. Ore is transported to surface via ramps where it is crushed, stockpiled and transported daily to Cuiabá plant, and its ore is blended with Cuiabá ROM.
	Metallurgical processing is done by two plants connected via an aerial ropeway (Cuiabá gold plant and Queiroz plant) and a set of small hydropower plants (Rio de Peixe).
	Electricity is provided by Rio de Peixe hydroelectric complex, which is a set of seven small hydropower plants that generate energy from three dams (Ingleses, Miguelo and Codorna), connecting directly to the Queiroz plant.
	Lamego has a natural water supply system and a plant for water and sewage treatment.
Mineral processing	Cuiabá and Lamego feed the Cuiabá gold (flotation) and Queiroz (roaster, carbon circuit and refinery) plants, currently at 1.7Mtpa for a metallurgical recovery of 93.5%. At Cuiabá gold plant, crushing and milling of the ore is followed by flotation and filtration in order to produce a concentrate, which is transported by aerial ropeway to Queiroz for further treatment. Approximately 25% to 30% of gold is recovered through a gravity circuit at the Cuiabá plant. The backfill plant is also located at Cuiabá. The Queiroz plant is located in Nova Lima and comprises two different circuits for refractory ore (from Cuiabá) and non-refractory ore (used for the Raposos mine production in the past) with facilities for pyrometallurgy and hydrometallurgy. The concentrate is roasted and the calcine proceeds to a carbon circuit for further refining. The sulphide gas is captured for processing through the acid plant. Approximately 230ktpa of sulphuric acid is produced as a by-product.
Risks	There are no major or significant risks. However, as a low grade operation, the accurate prediction of grade and the management of its variability is critical to ensure a successful operation.
	Strategic studies in place are managing some possible risks such as low level of Ore Reserve and the reliance on Inferred Mineral Resource in the production plan and rock engineering constraints at depth.









Competent Persons

AGA Mineração - Lamego		Professional	Membership	Relevant	
Category	Competent Person	organisation	number	experience	Qualification
Mineral Resource	Rodrigo Martins	MAusIMM	311 050	13 years	MSc (Geology), BSc (Geology)
Ore Reserve	Alexandre Marcos Petermann	FAusIMM	300 299	16 years	BSc (Hons) Mining Engineering, MDP

Geology

Deposit type

The area in which Lamego is located is known as the Iron Quadrangle and is host to a number of historic and current gold mining operations, as well as a number of open pit limestone and iron ore operations. The geology of the Iron Quadrangle is composed of Proterozoic and Archaean volcano-sedimentary sequences and pre-Cambrian granitic complexes.

The Arco da Velha deposit is located on the eastern side of a large fold and extends for 250m along the strike. In the northeastern portion, the mineralisation is concentrated in the meta-chert (MCH) while, in the southwestern portion, it is concentrated in the BIF. Carbonaceous phyllite and chlorite-sericite schists occur on the hangingwall contact while hydrothermally altered meta-andesite occurs in the footwall.

Queimada is located in the normal limb of Lamego and is divided into north and south portions. The north portion is narrower on strike when compared to the south and the mineralisation is associated with arsenopyrite. The south orebody has more continuity on strike but lower grades and is associated with pyrite.

The Cabea de Pedra deposit is located in the hinge region of the large Lamego structure. The area which has shown the best economic potential contains BIF and MCH (80% of the area consists of BIF and the remaining 20% is MCH). The presence of faulting and dykes makes the stratigraphy complex in some areas. The carbonaceous phillite and clorite/sericite schists normally occur in the hangingwall and meta-andesites in the footwall.

Carruagem is the main deposit and it is located close to the junction of two fold limbs in the northeast portion of the major structure. It is a boudinaged body with two large disruptions in the structure (pinch and swell), followed by an eastward displacement. The gold mineralisation is mainly associated with hydrothermal zones within the BIF and quartz veins. The BIF mineralisation continuity was tested during 2017 and show potential to increase the Mineral Resource towards the west.

3D view of the Lamego orebody

















Mineralisation style

The gold mineralisation at Lamego is characterised by orebodies associated with two horizons of chemical sedimentary rocks: BIF and MCH, also with shear zones containing abundant quartz veinlets. The proportions of these lithotypes vary substantially from one deposit to another. In the BIF, sulphide mineralisation is associated with gold while, in the MCH and quartz veins, the gold occurs either as native gold or in sulphides. Lamego shows similar rock assemblage but with higher structural complexity than Cuiabá. The BIF, which contains the mineralisation, is more structurally deformed and contain more silica than Cuiabá, which reacted less with the hydrothermal fluid.

Mineralisation characteristics

The mineralisation is characterised by sulphidation in the form of disseminated sulphide bands or as fracture filling and, more rarely, as massive sulphide hosted in BIF/MCH. Sulphide bands are rare in MCH, which is concentrated on the hinges of the Lamego structure and has free gold as the main mineralisation with less percentage associated with sulphides. The plunge of the mineralised zones coincides with both the fold axis of the first two structural events and the mineral stretching.

Exploration

In 2017, 10,500m of underground drilling was completed with Carruagem, Cabea de Pedra and Carruagem SW being tested. The Carruagem orebody was drilled from a dedicated hangingwall drive. Drilling along strike of Carruagem orebody tested BIF on both limbs and smoky quartz on the hinge, resulting in Mineral Resource addition.

At Carruagem SW exploration drilling was aimed at Mineral Resource addition and conversion. A FS to put the orebody into production should be completed during 2018.

At Cabea de Pedra the second fold was confirmed by the drilling campaign but it had a lower grade tenure than expected. On the first fold the inverse limb showed some potential to extend the main orebody.

Exploration work is in progress to identify new opportunities close to the current mine infrastructure.





Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

AGA Mineração - Lan	Mineração - Lamego		Type of drilling				
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured	20 x 10	√	10 To	-	√	-	-
Indicated	60 x 40	√	e-	-	-	_	_
Inferred	120 x 60	√	87	_	-	_	_
Grade/ore control	3 x 3	_	10.00	_	√	_	_

Inclusive Mineral Resource

AGA Mineração – Lamego		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Main deposits - Arco da Velha	Measured	0.54	4.22	2.28	0.07
	Indicated	0.40	3.48	1.41	0.05
	Inferred	0.66	2.89	1.92	0.06
	Total	1.61	3.49	5.60	0.18
Main deposits - Cabeça de Pedra	Measured	0.35	0.40 3.48 1.41 0.66 2.89 1.92 1.61 3.49 5.60	0.04	
	Indicated	0.64	3.26	tonnes 2.28 1.41 1.92 5.60 1.32 2.09 3.97 7.38 15.21 6.17 6.48 27.86 0.47 2.16 4.58 7.21 2.44 2.44	0.07
	Inferred	1.26	3.14	3.97	0.13
	Total	2.25	3.28	3.97 7.38 15.21 6.17 6.48	0.24
Main deposits - Carruagem	Measured	2.64	5.75	5 15.21 6.17	0.49
	Indicated	1.02	6.03	6.17	0.20
	Inferred	1.35	4.81	6.48	0.21
	Total	5.01	5.56	5.60 1.32 2.09 3.97 7.38 15.21 6.17 6.48 27.86 0.47 2.16 4.58 7.21	0.90
Secondary areas - Queimada	Measured	0.08	6.14	0.47	0.02
	Indicated	0.34	6.31	2.16	0.07
	Inferred	0.80	5.69	4.58	0.15
	Total	1.22	5.89	7.21	0.23
Secondary areas - Arco NE	Measured	-	·-	_	_
	Indicated	52 <u></u>	-	_	_
	Inferred	0.76	3.23	2.44	0.08
	Total	0.76	3.23	2.44	0.08
AGA Mineração – Lamego	Total	10.85	4.65	50.49	1.62














Inclusive Mineral Resource by-product: sulphur (S)

AGA Mineração – Lamego		Tonnes	Grade	Contained sulphur		
as at 31 December 2017	Category	million	%S	tonnes million	pounds million	
	Measured	3.61	4.0	0.14	317	
	Indicated	2.41	4.6	0.11	244	
	Inferred	4.83	5.4	0.26	580	
	Total	10.85	4.8	0.52	1,141	

Estimation

The geological model is used to sub-divide the sampling information into domains for estimation. The estimation method applied at Lamego is ordinary kriging and classification of the Mineral Resource is based on conditional simulation.



Exclusive Mineral Resource


AGA Mineração – Lamego		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	17.59 7.65 19.39	Moz
	Measured	3.09	5.69	17.59	0.57
	Indicated	1.26	6.05	7.65	0.25
	Inferred	4.83	4.01	19.39	0.62
	Total	9.19	4.86	44.63	1.43

The exclusive Mineral Resource is made up of ore not included in the Ore Reserve, due to economic considerations and confidence plus the ore contained in the sill pillars and stope pillars. Those pillars have been designed in the Ore Reserve estimation process according to geomechanical parameters.




Mineral Resource below infrastructure

AGA Mineração – Lamego		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	/t tonnes 7 0.08	Moz
	Measured	0.02	3.77	0.08	0.00
	Indicated	1.36	4.86	6.59	0.21
	Inferred	3.21	3.78	12.12	0.39
	Total	4.58	4.10	18.79	0.60



The total Mineral Resource has increased around 12% from 1.44Moz as declared in 31 December 2016 to 1.62Moz as declared in 31 December 2017. Total tonnes has increased 12.4% whereas Au grade (g/t) has remained fairly constant. The main contributors to the increase was from Carruagem and Queimada orebodies that increased 165koz and 45koz respectively due to the new drilling and modelling.



As a low grade underground operation, Lamego is fairly sensitive to changes in gold price.













Ore Reserve

Ore Reserve

AGA Mineração – Lamego		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Main deposits - Arco da Velha	Proved	0.20	3.59	0.71	0.02
	Probable	0.04	3.63	0.15	0.00
	Total	0.24	3.60	0.86	0.03
Main deposits - Cabeça de Pedra	Proved	0.01	2.75	0.04	0.00
	Probable	0.06	2.75	0.16	0.01
	Total	0.07	2.75	0.20	0.01
Main deposits - Carruagem	Proved	0.30	3.05	0.93	0.03
	Probable	0.70	3.50	2.47	0.08
	Total	1.01	3.37	59 0.71 63 0.15 60 0.86 75 0.04 75 0.16 75 0.20 05 0.93 50 2.47 37 3.40 69 0.01 08 1.40 08 1.41	0.11
Secondary areas - Queimada	Proved	0.00	3.69	0.01	0.00
	Probable	0.34	4.08	1.40	0.05
	Total	0.35	4.08	1.41	0.05
AGA Mineração – Lamego	Total	1.67	3.52	5.87	0.19

The Ore Reserve for Lamego comes mainly from the Carruagem and Arco da Velha orebodies.

Ore Reserve by-product: sulphur (S)

AGA Mineração – Lamego		Tonnes	Grade	Contained sulphur		
as at 31 December 2017	Category	million	%S	tonnes million	pounds million	
	Proved	0.52	2.9	0.02	34	
	Probable	1.15	2.0	0.02	50	
	Total	1.67	2.3	0.04	84	

Estimation

The gold price, projected operational performance and costs as well as metallurgical recoveries are taken into consideration in determining the Ore Reserve. Mining parameters such as the mining method, minimum mining width, MCF, dilution and recovery are all applied in the process.

Ore Reserve modifying factors

		Cut-off	Stoping				
AGA Mineração – Lamego	Gold price	grade	width	Dilution	Dilution	MCF	MetRF
as at 31 December 2017	BRL/oz	g/t Au	cm	%	g/t	%	%
Main deposits - Arco da Velha	3,573	2.20; 2.88*	350.0	15.0	2.3	94.5	93.5
Main deposits - Cabeça de Pedra	3,573	2.20; 2.88*	350.0	16.0	1.8	94.5	93.5
Main deposits - Carruagem	3,573	2.20; 2.88*	2,000.0	13.0	2.1	94.5	93.5
Secondary areas - Queimada	3,573	2.20; 2.88*	350.0	14.0	2.9	94.5	93.5

^{*} Cut-off grade = 2.20g/t in areas where ORD already done; cut-off grade = 2.88g/t in Ore Reserve not accessed

Two cut-off grades are calculated and applied in the Ore Reserve estimation process. The higher cut-off grade is applied to the Mineral Resource which are still to be accessed by primary development, bearing such costs and additional projected capital expenses (full cut-off grade). The lower cut-off grade is applied upon the Mineral Resource where primary development already exists, which bear all the downstream costs, except for capital development (cut-off grade without development). Dilution is considered in two stages; planned dilution, inherent to the mining area, which is incorporated as a function of operational needs related to the size of the equipment involved; operational dilution, which is a result of drilling and blasting processes, ore mucking in the stopes, and its transfer to the loading station. Unplanned dillution is 12% for longhole mining method.



ANERICAS CONTINUED

AGA MINERAÇÃO - LAMEGO

Inferred Mineral Resource in business plan

AGA Mineração – Lamego	Tonnes	Grade	Contained gold	
as at 31 December 2017	million	g/t	tonnes	Moz
Main deposits – Cabeça de Pedra	0.06	3.31	0.21	0.01
Main deposits - Carruagem	0.05	4.26	0.22	0.01
Secondary areas - Queimada	0.27	3.79	1.01	0.03
Total	0.38	3.77	1.43	0.05

No Inferred Mineral Resource is included in the business plan or Ore Reserve.

Ore Reserve below infrastructure

AGA Mineração – Lamego		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Proved	0.00	3.69	0.01	0.00
	Probable	0.83	3.64	3.03	0.10
	Total	0.84	3.64	3.04	0.10



Year-on-year there was a slight increase in the Ore Reserve, driven mainly be exploration success coming from the Carruagem and Queimada orebodies, which offset the mining depletion.







AGA MINERAÇÃO - NOVA LIMA SUL

Introduction

Property description	Nova Lima Sul comprises the underground mine of Raposos. The project is currently in care and maintenance pending a decision around its future. No Ore Reserve is reported for Nova Lima Sul.
Location	The Nova Lima Sul project is located in the western portion of the Rio das Velhas greenstone belt and all the exploration targets are within a 16km radius of the Queiroz metallurgical plant. The project area consists of an area of 7,000km², close to the cities of Nova Lima, Raposos and Rio Acima.
History	The first formal mining company to start operations in the area was São João Del Rey Mining Company Ltd in 1834. It was acquired by Mineração Morro Velho in the early 1900s.
	The Raposos mine reported 1.08Moz production from 1929 to 1999, after which it was put in care and maintenance.
Legal aspects and tenure	Nova Lima Sul is an exploration project wholly owned by AngloGold Ashanti and is made up of a number of DNPM Mining Concession including;
	 Mining Concession No. 308-II 02/03/1936, DNPM 322/1973, covering an area of 2,826.33ha
	 Mining Concession No. 308-VI 02/03/1936, DNPM 326/1973, covering an area of 7,465.22ha
	 Mining Concession No. 308 V 02/03/1936, DNPM 325/1973, covering an area of 1,014.53ha
	All three mining concessions are in good standing and as they do not host active production operations at the moment having been formally been put on a temporary mining suspension status according to the requirements of the current Brazilian mining code. Should AngloGold Ashanti decide to resume underground operations at these concessions, new mining plans will need to be submitted to the DNPM. In 2017 the Mineral Resource of Morro da Glória was written-off due to urban growth and environmental restrictions that resulted from the creation of a preservation area, called Serra do Gandarela National Park and which prevents the issuance of mining permits and environmental licences.
Mining method	Raposos mine operated with a cut and fill method.
Operational infrastructure	Raposos mine has significant amount of underground development, a shaft and a cableway to take the ore to Queiroz plant. Morro da Glria has some underground drifts developed.
Mineral processing	Raposos mine circuit was a standard direct 1,000tpd gold-leaching circuit suitable for non-refractory material.
Risks	The project has been on care and in maintenance for a number of years.

Competent Persons

AGA Mineração - Nova Lima Sul		Professional	Membership	Relevant	
Category	Competent Person	organisation	number	experience	Qualification
Mineral Resource	Rodrigo Martins	MAusIMM	311 050	13 years	MSc (Geology), BSc (Geology)

Geology

Deposit type

The Nova Lima Sul targets are situated in the south-western portion of the Iron Quadrangle in the state of Minas Gerais in Brazil. The area is located in the volcanic sedimentary sequence of the Nova Lima Group (Rio das Velhas Supergroup) within the Rio das Velhas greenstone belt.

The Raposos sequence is interpreted as a ductile thrust that occurred during the first deformation event of the structural history. The main mineralisation is associated with an anticline of the same age. The stratigraphic sequence, which is repeated by folds, has ultramafics at the base, overlain by komatiitic basalts and andesites with layers of BIF. Pelites and meta-volcaniclastic at the top of the sequence. The BIF belongs to the oxide facies (magnetite and quartz) and occurs with carbonatisation in the mineralised areas.

The macro structure at Raposos is an anticline and the mineralisation is associated with these folds and shear zones, surrounded by concentric hydrothermal alteration zones consisting of sericitisation, carbonisation and chloritisation. The gold is associated with sulphides and quartz veins in the BIF as well as with altered schists.



AGA MINERAÇÃO - NOVA LIMA SUL

Mineralisation style

The mineralisation in the Rio das Velhas greenstone belt are structurally controlled and are associated with hydrothermal alteration along regional D2 thrust shear zones. The mineralisation is epigenetic and at Nova Lima Sul either of massive, banded or disseminated sulphides hosted in BIF and lapa seca (albitised hydrothermal rocks).

Mineralisation characteristics

Mapped deposit dimensions vary in thickness from around 0.5m to 20m and can be more than 5,000m in length (down plunge). The plunge is defined by the stretching lineation and it is parallel to the fold axis of the first two regional deformation events. The mineralisation is primarily located in the BIF and surrounded by concentric hydrothermal alteration zones consisting of sericitisation, carbonatisation and chloritisation.

Exploration

In 2017 no exploration was completed in the Nova Lima Sul region. Nova Lima Sul exploration targets comprise the Raposos underground mine, the Mina Grande, Morro da Glria, Bicalho, Faria, Bela Fama mines, as well as the old prospects (Luzia da Mota, Limoeiro) and several old surface workings (Saboeiro Rasgo, Urubu and Mina Grande).

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification


AGA Mineração – Nova Lima Sul		Type of drilling					
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured	30 x 30	√	2-	-	\checkmark	√	-
Indicated	60 x 60	√	<u> </u>	-	-	√	-
Inferred	100 x 100	√	-	-	√	√	-
Grade/ore control	3 x 3	√	<u> </u>	<u>(1.8</u>)	√	V	8 <u></u>

Inclusive Mineral Resource

AGA Mineração - Nova Lima Sul		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	1.29 2.80 14.50	Moz
Raposos	Measured	0.18	7.01	1.29	0.04
	Indicated	0.41	6.85	2.80	0.09
	Inferred	2.25	6.44	14.50	0.47
AGA Mineração - Nova Lima Sul	Total	2.84	6.53	18.59	0.60

Estimation

Raposos mine was estimated by the geostatistical UC technique.
















Exclusive Mineral Resource

The Nova Lima Sul project currently does not have any declared Ore Reserve and the exclusive and inclusive Mineral Resource numbers are therefore identical.


Mineral Resource below infrastructure

AGA Mineração – Nova Lima Sul		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	8 	· —	-	-
	Indicated	0.41	6.85	2.80	0.09
	Inferred	2.25	6.44	14.50	0.47
	Total	2.66	6.50	17.30	0.56

All the Mineral Resource below Level 36 of Raposos mine is considered to be below infrastructure.



The total inclusive Mineral Resource reduced 30% due to the write-off of the Morro da Glória Mineral Resource. In 2017 the Mineral Resource of Morro da Glória was written-off due to urban growth and environmental restrictions that resulted from the creation of a preservation area, Serra do Gandarela National Park, and which prevents the issueing of mining permits and environmental licences.



Nova Lima Sul is not sensitive to changes in gold price.




Introduction

Introduction	
Property description	Mineração Serra Grande (MSG or Serra Grande) is 100% owned by AngloGold Ashanti and is located in the north-western area of the Goias State, central Brazil. It operates three underground and two open pit mines.
Location	Serra Grande is located 5km south of the town of Crixas, 420km from the Brazilian capital, Brasilia and about 350km from the state capital of Goias, Goiania. Employing 1,120 persons in this largely rural area means that the mine represents the principal economic activity in the region.
History	Exploration works begun in 1973 with a phase of detailed mapping and DD, which continued until 1976. The mining operation started up in 1986 in Mina III and the metallurgical plant start up was in 1989.
	Serra Grande production peaked at 210kozpa supported by high grades. In 2009, the metallurgical plant was expanded to 1.3Mtpa to compensate for a declining grade-profile and, in 2012 AngloGold Ashanti acquired the 50% stake that belonged to the Kinross Group.
Legal aspects and tenure	The Serra Grande has interest or agreements over 61,500ha in the Crixas Greenstone belt through a series of DNPM mining leases and exploration permits. The mining concessions include:
	 002.286/1935, covering an area of 4,206.88ha
	 960.658/1987, covering an area of 1,946.89ha
	 860.746/2005, covering an area of 88.28ha
	 862.103/1994, covering an area of 125.41ha
	 804.366/1975, covering an area of 196.05ha
	Brazilian mining concessions remain valid up to the depletion of the Ore Reserve and Mineral Resource. A new Brazilian mining code is currently under discussion. However, it is not anticipated to change the company's rights, which are already established.
Mining method	The Serra Grande operation comprises three underground mines, namely Mina III (including Orebody IV, V and Ing), Mina Nova (ncluding Pequizo Orebody) and Mina Palmeiras. The open pits are the outcrop of Mina III Inferior and Structure IV zones. Three mining methods are being used underground: sub-level stoping (bottom-up and top-down), cut and fill, and room and pillar.
Operational infrastructure	Serra Grande power supply comes from the government's local state concessionaire. It operates a single tailings dam, which will support the LOM production with government environmental licensing already available. The water used in metallurgical processing comes from underground mines. The state road GO-337 passes alorgside operation providing logistical facility to its supply chain.
Mineral processing	The metallurgical plant has the capacity of 1.4Mtpa, combining CIL and gravimetric circuits. The ore is blended to feed the crushing circuit with 3,800tpd. There are two mills in operation, and 20 leaching tanks with capacity of 4,800m³ divided on pre-liming and cyanidation stages. About 58% free gold is captured in the parallel gravity circuit. The rest of the gold is recovered by the CIL process to form the bullion that is sent to Nova Lima refining process.
Risks	There is no material risk in the Mineral Resource and Ore Reserve statement at Serra Grande.









Competent Persons

Serra Grande		Professional	Membership	Relevant		
Category	Competent Person	organisation	number	experience	Qualification	
Mineral Resource	Diogo Afonso Costa	MAusIMM	311 574	15 years	BSc (Geology)	
Ore Reserve	Rodrigo Fideles	MAusIMM	326 102	7 years	BSc (Mining Engineering)	

Geology

The Serra Grande gold deposits are hosted in a typical greenstone belt sequence. Two main deformational events have been identified in the region. The first event is a thrusting event (D1 from west to east) developed with irregular thrust ramp geometry. This event was responsible for stacking and inverting the stratigraphic sequences. The second event (D2) was the thrusting of the Santa Terezinha sequence over the Crixs greenstone belt, folding the rocks (F2) and generating the structural controls of the gold mineralisation, generally parallel to the fold axis.

Deposit type

The deposit is an orogenic mesothermal gold deposit associated with the development of shear zones and the host rocks belong to the Upper Archaean Crixas Group. Gold mineralisation is associated with meta-sediments and meta-volcanics rocks from the Ribeiro das Antas and Rio Vermelho formations respectively. The Crixas Greenstone Belt is surrounded by granitic gneiss terrains from the Anta and Caiamar complexes and meta-sedimentary rocks of the Santa Terezinha Group, which is part of the Goias magmatic arc.

Mineralisation style

The mine is located in the Crixas Greenstone Belt sequence, in the central portion of Brazil, and the main host rocks are the meta-sedimentary sequences with association with meta-volcanic meta-basic rocks. The mineralisation at MSG is associated with quartz veins and massive to disseminated sulphides in meta-sedimentary, meta-volcaniclastic and meta-basalt rocks, with differing degrees of hydrothermal alteration developed over orogenical stacked thrust layers (duplexes). Two main deformation events are responsible by mineralisation style. The first event is the principal thrust event (east over west, called D1) and develops an irregular thrust ramp geometry which stacked and inverted the stratigraphic sequence. The second event (D2) was the Santa Terezinha sequence (Magmatic Arc) thrusting over Crixas Greenstone Belt, folding the rocks (F2) and generating the structures that control the gold mineralisation, generally parallel to the fold axis.

Mineralisation characteristics

The geometry of the mineralised deposits are typically complex and pinch and swell in addition to being folded and boudinaged. They dip from 10° to 25° and with greatest continuity along north-west-plunging structures (azimuth 290°).

The mineralised zones have been separated into four main domains called Structures II, III, IV and Palmeiras. In Structure II the mineralisation is arsenopyrite associated with quartz as veinlets in carbonaceous metapelite. In the Structure III the mineralisation is located in quartz veins that are hosted in graphitic schists. This structure is also associated with massive and disseminated sulphides (mainly pyrrhotite and arsenopyrite) that occur in a sequence of hydrothermally altered schists. The mineralisation of Structure IV comprises quartz veinlets and disseminated sulphide (pyrrhotite) hosted in graphitic schists. The mineralised zones of the Structure Palmeiras are hosted in sericite and chlorite schists with massive and disseminated sulphide concentrated in folded zones.




















3D view of the Serra Grande orebody



Exploration

The Serra Grande exploration programme has added 1.7Moz of Mineral Resource to its portfolio over the past five years with an average grade of 5.03g/t. The strategy has been to target zones dose to high-grade Mineral Resource, such as Mangaba and Orebody IV down plunge.

As part of the overall strategy, 38,499m of DD for Mineral Resource addition purposes were completed in 2017 over the principal exploration targets of Orebody IV down plunge and Mangaba. An additional 68,110m of Mineral Resource conversion and grade control drilling were done in Mina Nova, Mina III, open pits and Inga.

New regional targets are being generated through drilling. In 2017, the principal drilling was focused on new Mineral Resource additions at Mangaba and Orebody IV down plunge. Deep drilling below the Mina III has identified a new target named Caja and below Orebody V has identified another target named Limoeiro. Both discoveries confirm the depth potential of the Crixas greenstone belt and additional drilling is planned for 2018.

Projects

In recent years, the yield of the Serra Grande plant was increased by about 20%, mainly due to the activated carbon project, which is looking to replace the filter circuit with a CIL. This new filter circuit added about 80ktpa.

The metallurgical plant has the capacity to treat 1,500ktpa.

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

Serra Grande		Type of drilling					
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured	10 x 10, 10 x 20	√	√	√	√	√	-
Indicated	25 x 25, 40 x 20,	√	√	√	√	-	-
	50 x 20						
Inferred	50 x 100,	√	(1 	-	-	-	-
	100 x 50						
Grade/ore control	2 x 2, 10 x 10	√	-	√	√	-	-














Inclusive Mineral Resource


Serra Grande		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Mina Nova	Measured	2.64	3.38	8.94	0.29
	Indicated	1.10	3.23	3.55	0.11
	Inferred	2.07	3.42	7.08	0.23
	Total	5.81	3.37	19.56	0.63
Mangaba	Measured	82	-	200	
	Indicated	(2	_	-	-
	Inferred	1.00	4.87	4.87	0.16
	Total	1.00	4.87	4.87	0.16
Mina III	Measured	1.61	4.87	7.82	0.25
	Indicated	1.73	4.87	8.40	0.27
	Inferred	2.61	4.60	12.00	0.39
	Total	5.94	4.75	28.23	0.91
Palmeiras	Measured	0.16	7.14	1.12	0.04
	Indicated	0.34	5.60	**************************************	0.06
	Inferred	0.94	4.44	4.15	0.13
	Total	1.44	5.01	7.20	0.23
Palmeiras Sul	Measured		_	-	-
	Indicated	0.06	6.62	0.42	0.01
	Inferred	0.12	6.78	0.78	0.03
	Total	0.18	6.72	1.20	0.04
Pequizao	Measured	1.31	4.35	5.71	0.18
	Indicated	1.59	3.57	5.66	0.18
	Inferred	3.78	3.74	14.15	0.45
	Total	6.68	3.82	8.94 3.55 7.08 19.56 - 4.87 4.87 7.82 8.40 12.00 28.23 1.12 1.93 4.15 7.20 - 0.42 0.78 1.20 5.71 5.66 14.15 25.52 - 3.66 3.66 0.05 4.00 12.87 16.92 2.73 1.92 2.05 6.70 0.04	0.82
Cajueiro	Measured	6 — (_	_	_
	Indicated	5.70	10 70	-	_
	Inferred	1.22	3.01	3.66	0.12
	Total	1.22	3.01	3.66	0.12
MSG Inga	Measured	0.00	10.62	0.05	0.00
	Indicated	0.63	6.33	4.00	0.13
	Inferred	2.17	5.93	12.87	0.41
	Total	2.81	6.03	16.92	0.54
Serra Grande open pit	Measured	0.77	3.56	2.73	0.09
	Indicated	0.64	3.01	1.92	0.06
	Inferred	0.71	2.87	2.05	0.07
	Total	2.12	3.16	6.70	0.22
Serra Grande total stockpiles	Measured	0.02	1.70	0.04	0.00
	Indicated	2-1	-	-	_
	Inferred	a-	-	-	-
	Total	0.02	1.70	0.04	0.00
Serra Grande	Total	27.21	4.19	113.90	3.66



Estimation

The grades estimation is performed by ordinary kriging using DD, RC and channel samples from the Serra Grande database. All search distance are based on variographic studies for each orebody/structure. Classification is done through a combination of conditional simulation and sample spacing studies.





Exclusive Mineral Resource

Serra Grande		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	2.90	3.82	11.08	0.36
	Indicated	2.73	4.36	11.92	0.38
	Inferred	14.37	4.21	60.54	1.95
	Total	20.00	4.18	83.55	2.69

The exclusive Mineral Resource can be divided into three categories as well as the following (the Cajueiro deposit, which is located 10km from the Serra Grande site):

- Inferred Mineral Resource within the operating mines, partially upgraded through infill drilling based on the production plan
- that portion of the Mineral Resource that is not currently economically feasible
- that portion of the Mineral Resource that requires economic studies


Mineral Resource below infrastructure

Serra Grande		Tonnes million Measured 0.02 Indicated 0.81 Inferred 8.96 Total 9.79	Grade	Contained gold	
as at 31 December 2017	Category		g/t	tonnes	Moz
	Measured	0.02	8.70	0.14	0.00
	Indicated	0.81	6.38	5.17	0.17
	Inferred	8.96	4.53	40.57	1.30
	Total	9.79	4.69	45.88	1.47

The total Inferred Mineral Resource is considered below infrastructure. In addition, some Indicated and Measured Mineral Resource from certain of the orebodies, such as Inga, are also considered below infrastructure.








Overall an increase in Mineral Resource with the depletion more than offset by additions due to successful exploration outcomes in Inga and Mina III as well as minor model changes.







The Mineral Resource at Serra Grande is relatively insensitive to changes in gold price. The change in Mineral Resource ounces between the US\$1,200/oz and US\$1,400/oz is within 5% of the 2017 Mineral Resource.

Ore Reserve

Ore Reserve

Serra Grande		Tonnes	Grade	Contained g	old
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Mina Nova	Proved	0.36	2.42	0.86	0.03
	Probable	0.36	2.34	0.84	0.03
	Total	0.71	2.38	1.70	0.05
Mina III	Proved	0.56	2.73	1.52	0.05
	Probable	0.36	3.63	1.32	0.04
	Total	0.92	3.08	2.85	0.09
Palmeiras	Proved	0.06	3.30	0.19	0.01
	Probable	0.03	2.93	0.10	0.00
	Total	0.09	3.16	0.29	0.01
Pequizao	Proved	0.26	3.00	0.77	0.02
	Probable	0.39	2.44	0.96	0.03
	Total	0.65	2.66	1.74	0.06
MSG Inga	Proved	_	-	-	-
	Probable	0.33	4.87	1.63	0.05
	Total	0.33	4.87	0.86 0.84 1.70 1.52 1.32 2.85 0.19 0.10 0.29 0.77 0.96 1.74	0.05
Open pit	Proved	0.43	2.98	1.29	0.04
	Probable	0.29	2.59	0.75	0.02
	Total	0.72	2.82	2.04	0.07
Total stockpiles	Proved	0.02	1.70	0.04	0.00
	Probable	S	-	-	-
	Total	0.02	1.70	0.04	0.00
Serra Grande	Total	3.46	2.97	10.28	0.33

Estimation

Serra Grande Ore Reserve is estimated using the Mineral Resource and the application of modifying factors based on historic performance. The gold price, projected operational performance and costs, as well as metallurgical recoveries, are taken into consideration in determining the Ore Reserve. Mining parameters such as the mining method, minimum mining width, MCF, dilution and recovery are all applied in the process.













Ore Reserve modifying factors

		Cut-off	Stoping			MRF		
Serra Grande	Gold price	grade	width	Dilution	Dilution	% (based	MCF	MetRF
as at 31 December 2017	BRL/oz	g/t Au	cm	%	g/t	on tonnes)	%	%
Mina Nova	3,573	1.80	180.0	15.0	0.03	86.0	95.0	90.3
Mina III	3,573	1.80	180.0	15.0	0.03	86.0	95.0	92.5
Palmeiras	3,573	1.80	180.0	15.0	0.03	86.0	95.0	92.7
Palmeiras Sul	3,573	1.80	180.0	15.0	0.03	86.0	95.0	0.0
Pequizao	3,573	1.80	180.0	15.0	0.03	86.0	95.0	91.4
Inga	3,573	1.80	180.0	15.0	0.03	86.0	95.0	95.3
Open pit	3,573	1.12	180.0	10.0	0.03	90.0	95.0	91.9
Total stockpiles	3,573	0.66	_		-	3 70 3	-	86.5

Mining recovery and dilution are expressed as the average each mine method value. Plant recovery depends upon a fixed tailing grade of 0.23g/t

The main modifying factors can be divided into economic and operational.

Economic modifying factors are the gold price, exchange rate (BRL/US\$) and the cost matrix of the operation that is based on the previous years production performance. These are then used to define the cut-off grades that are listed in the economic evaluation of each mineable block.

Operational factors are based in historical data and usually defined by performance in the previous year. Among the most important factors are minimum mining width, operational dilution, MRF, MCF and MetRF. Operational factors are used to design Ore Reserve solids or applied directly in the solid evaluation to estimate the Ore Reserve of each stope.


MRF and operational dilution used in the determining of the Ore Reserve are mining method specific.

Inferred Mineral Resource in business plan

No Inferred Mineral Resource was included in the Ore Reserve.

Ore Reserve below infrastructure

Serra Grande		Tonnes million	Grade	Contained gold	
as at 31 December 2017	Category		g/t	tonnes	Moz
	Proved	0.24	2.81	0.68	0.02
	Probable	0.96	3.70	3.56	0.11
	Total	1.20	3.52	4.24	0.14



Year-on-year there is a decrease in the Ore Reserve. The main changes were due to the update of economic parameters (exchange rate and unit costs) and depletion.





COLOMBIA



Inclusive Mineral Resource

Colombia		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	-	-	=	-
	Indicated	1,021.66	0.84	854.32	27.47
	Inferred	753.32	0.40	298.46	9.60
	Total	1,774.98	0.65	1,152.78	37.06

Colombia		Tonnes	Grade	Contained copper	
as at 31 December 2016	Category	million	%Cu	tonnes million	pounds million
	Measured	9-	-	_	-
	Indicated	105.25	1.08	1.14	2,508
	Inferred	471.60	0.53	2.49	5,492
	Total	576.85	0.63	3.63	8,000

Exclusive Mineral Resource

Colombia		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	-	-		_
	Indicated	958.02	0.83	799.69	25.71
	Inferred	753.32	0.40	298.46	9.60
	Total	1,711.35	0.64	1,098.15	35.31

Ore Reserve

Colombia		Tonnes	Grade g/t	Contained gold	
as at 31 December 2017	Category	million		tonnes	Moz
	Proved	:	-	-	-
	Probable	63.71	0.86	54.67	1.76
	Total	63.71	0.86	54.67	1.76





















Introduction

Property description	The Gramalote project, located in Colombia, is a JV project between AngloGold Ashanti and B2Gold, holding respectively 51% and 49%.
Location	The Gramalote property is located near the town of Providencia and San Jose del Nus within the municipality of San Roque, north-west of the Department of Antioquia, Colombia. It is approximately 230km north-west of the Colombian capital of Bogota and 124km north-east of Medellin which is the regional capital of Antioquia Department.
History	There is a long history of small scale gold mining in the area with mining within the Gramalote property likely dating back to before the 16th century and continuing today.
	Gramalote itself has had small scale artisanal mining for several decades prior to exploration work and mineral discovery by AngloGold Ashanti. Drilling commenced in 2006. In 2010, AngloGold Ashanti became the operator with a 51% share. Sufficient work has been completed to enable a PFS to be generated in late 2013. Based upon continued growth of the Mineral Resource, significant processing opportunities generated by the project team, and ongoing capital and operating cost optimisations, an update of the original PFS was completed in 2017.
Legal aspects and tenure	The project area consists of six contiguous claim blocks totalling 27,595ha. The claims presently include five registered concession contracts totalling 25,303ha and one exploration licences of 2,292ha. Three applications of 11,845ha have been requested and are being reviewed by the mining authorities.
	The concession contracts 14292, 6195, 6194, 6386B, 6189, and the exploration licence 4894 are registered under the name of Gramalote Colombia Ltd in the National Mining Registry.
	By Resolution No. 040497 of 2 May 2012, the Governors Office of Antioquia approved the combined works plan and the integration of the mining titles (6194B, 2042, 14292, 6263, 6185B, 6054, 6032, ICQ\u20100800631X, 7153, 5917 and IFC\u201008021) with all of them grouped in the Sole Mining Concession Agreement (Licence No. 14292). As a result, the company developing the exploration and exploitation project in a single mining title that covers all the areas previously covered by the aforementioned titles.
	In 2016, the project has received its environmental impact assessment and construction/permits to operate for the principal mining title (14292). In accordance with the exploration Licence 4894, the mining authority has already authorised such concession agreement through Resolution 2016060072784 dated 11 August 2016. To date, the mining authority is preparing the draft concession agreement for signing and finalisation through registration in the National Mining Registry once signed by the grantor and concession holder.
	Colombian mining law concerning duration of tenure states that the exploration phase begins as soon as the concession contract is registered in the National Mining Registry. The total period for the concession contract (exploration, installation and construction, and exploitation) is 30 years, which may be renewed for an additional 20-year period. Under Colombian mining law, producing mines are subject to a federal royalty of 4% of the gross value of gold and silver production.
Mining method	Gramalote is a semi-massive, surface low-grade gold deposit including three main deposits (Gramalote Central, Monjas West and Trinidad).
	The PFS concluded that the project is suitable to be operated as a conventional open pit methods, employing 520t class shovels and 228t trucks, with a strip ratio of 2.51 and an average mining rate of 47Mtpa (max 60Mtpa). The LOM is estimated at 14 years (plus one year of pre-stripping).
Operational infrastructure	Currently the project has only field infrastructure that supports exploration and PFS studies. Key infrastructure planned include, TSF, waste rock facility, site water management, including a major creek diversion, roads and bridges, the central workshop, offices and camp, as well as the metallurgical plant.

ntroduction South Africa Continental Africa Australasia Americas Administral







Mineral processing

The project studies continue but the following metallurgical plan was the result of the PFS: processing will be by two parallel grinding lines, one treating 11.3Mtpa of sulphide ore and the other 4.1Mtpa of oxide ore, switching to sulphide once the oxide is exhausted.

Gold recovery process: semi-autogenous milling circuit/flotation/leaching of concentrate in two separate circuit for sulphide and oxide treatment.

Conventional tailings deposition with a sand dam.

Risks

The low grade Inferred Mineral Resource is by definition a low confidence, high risk part of the Mineral Resource due to the broad drill spacing. As a risk mitigation action, during the FS, grade control test blocks will be drilled to confirm short scale continuity, mineralisation geometry and geological contacts.

Poor digitising practices of the 11 original licences that make up the main mining licence concession (14292), have created slithers of open ground that cross the Gramalote deposit, these have been claimed by a third party (Zonte Metals). While AngloGold Ashanti believe that Zonte does not have a valid claim, Zonte is proceeding with legal action against the Secretaria de Minas (Secretary of Mines) for the Department of Antioquia, Colombia, for not titling an exploration application for the open ground.

A number of Ore Reserve risks have been recognised, all of which have detailed risk mitigation strategies around them, including the management of the 605 artisanal miners who have been identified within the project footprint and the successful physical resettlement of 136 houses and 127 agricultural units.

An independent external Mineral Resource and Ore Reserve audit was undertaken in 2017 and found no fatal flaws in process or output.





GRAMALOTE















Competent Persons

Gramalote		Professional	Membership	Relevant	
Category	Competent Person	organisation	number	experience	Qualification
Mineral Resource	Claudio Devaux	MAusIMM	315 689	31 years	BSc Hons (Geology)
Ore Reserve	Marcelo Roldan	MAusIMM	324 958	21 years	BSc (Hons) Mining Engineering

Geology

Deposit type

Gramalote is a pluton-related, mesothermal gold deposit genetically related to the host intrusion. The alteration and mineralisation is structurally controlled, restricted to small haloes along veins, sheeted veins and stockworks arrays. The sulphides content is less than 5%. Some evidence indicates that the host rock is directly related to fluids evolved from the cooling pluton, including pegmatite, aplite and K-feldspar alteration.

Mineralisation style

The alteration occurs as both broad zones and narrow selvedges around veins. Vein selvedges range from a few millimetres up to 10cm. The intensity of the alteration is directly related to both the density of veins and veinlets, and their size. The wider the vein, the wider the alteration selvage, ranging from a few millimetres around isolated veinlets to tens of centimetres around thick veins. In zones of stockwork or where several veins are close enough to merge their selvages, the alteration halo is wider. The potassic alteration event is associated with Type I and Type II veins. It is characterised by a selvage of K-feldspar with disseminated pyrite. It is common to find quartz veinlet stockworks with pervasive K-feldspar which correspond with the alteration selvage of wider quartz veins. This selvage can reach several centimetres from the quartz vein and its Au grade is in general low (<200 ppm Au). The white-mica event is characterised by a less pervasive distribution than the potassic event. It is restricted to selvages of few centimetres wide around the type III veins (Quartz-calcite - white mica pyrite chalcopyrite) veinlets, is not associated with wide veins, and it does not carry high grades of Au. It is observed at outcrop scale as white coloured areas retaining original texture of the granitic rock. Mineralogical changes in the host rock associated to this event vary from plagioclase and K-feldspar alteration to very fine white mica.

Mineralisation is closely linked to alteration and, like alteration, is structurally controlled. The mineralisation is vein hosted, either in sheeted veins or in local stockworks. Three stages are identified and associated with vein and alteration types:

- · Quartz-calcite-pyrite is an assemblage of fine grained quartz and calcite with very fine grained pyrite. This vein type generally does
- Quartz-pyrite-chalcopyrite-gold is the most important gold host typically associated with K-feldspar (potassic) selvedge, (the gold occurs in fractures in pyrite along with chalcopyrite)
- Quartz-calcite-white mica is commonly barren but can show moderate gold grades (up to 20g/t) and the veins are typically identified through the selvedge of white mica

Mineralisation characteristics


Gramalote is considered to be an intrusive-hosted structurally controlled stockwork gold and silver deposit. Mineralisation is controlled by north-east/south-west trending shear zones and north-northwest to south-southeast trending shear extensional zones affecting the tonalites and granodiorites of the Antioquia Batholith. Gold mineralisation is associated with three overprinting texture destructive alteration assemblages including potassic, quartz-sericite and sericite carbonate. Within these alteration zones, anomalous gold mineralisation is associated with three specific types of stockwork quartz veining. These include quartz veinlets with fine-grained pyrite, quartz-carbonate veinlets and quartz veinlets with granular pyrite.

The saprolite (oxide) and saprock (transition) portions of the deposit represent a small percentage of the mineralisation. Saprolite thickness is variable from 5m to 30m with an average thickness of 15m.

Petrographic work indicates the gold occurs as five to 20 micron sized particles associated with fractures and inclusions within pyrite and cavities associated with sulphosalts (aikinite PbCuBiS₃, matildite AgBiS₂) and tellurides (hessite (Ag₂Te). The silver to gold ratio is approximately 1:1.



NW-SE Geological cross-section through Gramalote Central pit



Exploration

Exploration by AngloGold Ashanti between 2003 and 2007 comprised both regional exploration programmes as well as DD in the main Gramalote Central area. Surface mapping, rock and soil sampling identified an exploration target extending over an area of more than 1km² centered about Gramalote Ridge. Mineralisation is contained within numerous tens-of-metre sized, structurally-related corridors which commonly contain mineralisation exceeding 1g/t gold.

In 2008, the focus of B2Golds exploration programme was the DD campaign in the main Gramalote Central area. Additional regional exploration programmes involving infill soil geochemistry and surface trenching, and mapping and sampling, were carried out on several targets adjacent to Gramalote ridge.

In the second half of 2010, technical study and exploration work recommenced at the Gramalote project with exploration, infill drilling and metallurgical test sample drilling and preliminary engineering investigations. Highlights from the 2011 and 2012 technical study and exploration work to date on the Gramalote property include positive metallurgical test results showing in excess of 90% recovery and encouraging drill results from Gramalote Central and outside targets indicating the potential for a larger Mineral Resource. A total of 104,129m of DD have been completed in 529 holes since AngloGold Ashanti became operator in October 2010.

Exploration drilling has been carried out on six drill targets located within 4km of the current Gramalote Central Mineral Resource including Monjas West, Trinidad, Topacio, Monjas East, La Maria and Limn with the aim to add new Inferred Mineral Resource. All of these targets have similar geological, alteration and mineralisation characteristics to Gramalote Central. A total of 45,118m in 132 drillholes have been completed on the six satellite targets since October 2010. Results to date clearly indicate the upside potential for more gold mineralisation on the large Gramalote property.

Positive gold intersections have been returned in Monjas West and Trinidad, located 2km west southwest along strike and 3km north-north-west respectively of Gramalote Central Mineral Resource, becoming two additional economical deposits.

In La Maria, located approximately 2.5km to the east of Gramalote Central, a Mineral Resource of about 260k ounces gold was drilled but as it is part of the co-existence model, it is not included in the Gramalote Project Mineral Resource estimation. The co-existence programme aims to define a small underground Mineral Resource option for the artisanal miners who must be relocated outside the Gramalote project area of influence before the mining activities commence.





A total of 3,489m of drilling in 211 drillholes have been completed in the saprolite (oxide ore) profile at Gramalote Central in 2015-2016. The objective of this drilling programme was to improve the definition of the low grade saprolite Mineral Resource. As a result, the grade of the saprolite ore has been confirmed and the risk associated to the low core recovery was reduced.

Over 2012 and 2013, 15 drillholes totalling 3,954m for metallurgical testing and 13 geotechnical drillholes (5,125m) were drilled around the three deposits that comprise the Gramalote project.

A total of 11,380m of sterilisation drilling have been carried out from 2012 to 2017 with the intention of confirming the absence of potential mineralisation in areas where key infrastructure is located. Key locations sterilised are the tailing dam, waste dumps and La Maria and San Antonio Plant site locations. No significant mineralisation was identified in these areas.

In addition to this, an extensive RC drilling campaign was conducted to validate the UC estimation technique. About 5,650m of RC drilling were done on the Gramalote hill (75 holes drilled at an average depth of ~70m). The drilling was done in two special platforms of about 100m x 100m each, on a drilling pattern of 12.5m x 12.5m (spacing simulates a grade control block that might be used during the mine operation). The results proved there is no issue with ore grade continuity in the high grade domain.

Projects

A successful PFS was completed in 2017, which has supported the reporting of a maiden Ore Reserve. A SAMREC Table 1 has been compiled and can be found on the company website.

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

Gramalote		Type of drilling					
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured			-	-	-	-	-
Indicated	50 x 50	√	18 <u>11</u>	_	-	_	_
Inferred	100 x 100	√	s 	_	_	_	_
Grade/ore control	13 x 13	_	√	_	_	_	_

The classification of the Mineral Resource was done by the 15% error with 90% confidence rule using conditional simulation.





Inclusive Mineral Resource

Gramalote		Tonnes	Grade	Contained g	jold
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Gramalote Central (oxide)	Measured	: -	-	-	-
	Indicated	3.49	0.60	2.10	0.07
	Inferred	6.61	0.55	3.62	0.12
	Total	10.09	0.57	5.71	0.18
Trinidad (oxide)	Measured	9 	-	-	
	Indicated	=	-	_	_
	Inferred	9.17	0.55	5.01	0.16
	Total	9.17	0.55	5.01	0.16
Monjas West (oxide)	Measured	82	7_	222	
	Indicated	1-	-	-	-
	Inferred	2.73	0.51	1.39	0.04
	Total	2.73	0.51	1.39	0.04
Gramalote Central (sulphide)	Measured	82	7_	-	_
	Indicated	79.43	0.76	60.27	1.94
	Inferred	16.17	0.58	9.31	0.30
	Total	95.60	0.73	69.58	2.24
Trinidad (sulphide)	Measured	8 <u>-</u> 5	=		-
	Indicated	-	_	_	_
	Inferred	17.91	0.41	7.42	0.24
	Total	17.91	0.41	7.42	0.24
Monjas West (sulphide)	Measured	_	_	_	_
	Indicated	_	_	-	_
	Inferred	11.24	0.57	6.45	0.21
	Total	11.24	0.57	6.45	0.21
Gramalote	Total	146.75	0.65	95.56	3.07

Estimation

At Gramalote, results from about 145,000m of drilling (87,900m at Gramalote Central and 11,250m at the Trinidad area and 17,850m at Monjas West area) were used to support the estimation of the Mineral Resource. Mineral Resource modelling was performed using a geological model based on alteration, vein abundance and gold grade. Assay gold grades composited to 2m down-hole intervals and outliers are capped based on the distribution observations using probability plots by each estimation domains. A geostatistical technique, LUC was used to estimate block grades and quantify the effect of selective mining.

















Exclusive Mineral Resource


Gramalote		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	£-	-	i - -	-
	Indicated	19.28	0.40	7.73	0.25
	Inferred	63.84	0.52	33.20	1.07
	Total	83.12	0.49	40.93	1.32



Year-on-year the Mineral Resource has decreased due to:

- the cut-off: cut-off grade changing from 0.10g/t to 0.17g/t for sulphides and to 0.13g/t for oxides
- a number of changes to the geological model including a re-interpretation of the wireframes, specifically for the saprolite





As a low grade deposit Gramalote is sensitive to changes in gold price.

Ore Reserve

Ore Reserve

Gramalote		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
Gramalote Central (oxide)	Proved	72	_		_
	Probable	2.96	0.68	2.00	0.06
	Total	2.96	0.68	2.00	0.06
Gramalote Central (sulphide)	Proved	-	-	-	-
	Probable	60.74	0.87	52.67	1.69
	Total	60.74	0.87	52.67	1.69
Gramalote	Total	63.71	0.86	54.67	1.76

Only Gramalote Central is being considered for the Ore Reserve Statement.

Estimation

The Gramalote pit was designed based on a Whittle optimisation this included all haul roads, waste dumps and pit. The design was scheduled and financial modelled to obtain the Ore Reserve. These have been a part of the PFS.

Ore Reserve Modifying Factors

		Cut-off	RMF	RMF	MRF	MRF		
Gramalote as at 31 December 2017	Gold price US\$/oz	grade g/t Au	% (based on tonnes)	% (based on g/t)	% (based on tonnes)	% (based on g/t)	MCF %	MetRF
Central (oxide)	1,100	0.16	100.0	100.0	100.00	100.0	100.0	83.9
Central (sulphide)	1,100	0.22	100.0	100.0	100.00	100.0	100.0	95.0

Dilution is built into Mineral Resource models for Gramalote. The only modifying factor used is processing recovery for oxides (83.9%) and fresh ores (95%).














Inferred Mineral Resource in Business Plan

Gramalote	Tonnes	Grade	Contained gold	
as at 31 December 2017	million	g/t	tonnes	Moz
Gramalote (oxide)	3.79	0.63	2.39	0.08
Gramalote (sulphide)	5.58	0.62	3.47	0.11
Total	9.37	0.63	5.86	0.19

A small portion of Inferred Mineral Resource are within the business plan but are not considered material. The financial estimation for the Ore Reserve excluded this material.




As a first time declaration of an Ore Reserve there are no previous number to compare.






Introduction

IIIIIOuuciioii					
Property description	The exploration project is wholly owned by AngloGold Ashanti. It is currently on hold and force majeure has been declared.				
Location	The project is located 150km west of Colombia's capital city, Bogota, and 30km west of the major town of Ibague, which is the capital of the Tolima department and the location of local government entities monitoring the project.				
History	Mineralisation at La Colosa was discovered by AngloGold Ashanti's Colombian greenfields exploration team in 2006. Drilling commenced in 2007 and a conceptual study was completed in 2008. Economic studies continue.				
Legal aspects and tenure	La Colosa's exploration permits were consolidated during the year, with La Colosa now comprising of only one exploration permits namely EIG-163 comprising 9,210.11ha, which is in the first year of exploration (integration of EIG-163, EIG-166, EIG-167, GLN-09261X, HEB-169 and GGF-151).				
Mining method	The project is still under development and a number of options were being investigated before <i>force majeure</i> was declared.				
Operational infrastructure	Currently the project has a field infrastructure that supports access to the Mineral Resource with roads, accommodation, office and surface infrastructure for pre-logging and organisation of the drilling core, complementary to that there is a core shed facility in the city of Ibague where geological and geometallurgical logging are performed. However, all work has stopped.				
Mineral processing	The project is currently at an early stage and the flotation of the sulphide ore is being considered.				
Risks	The La Colosa project is currently at an early stage and has identified a number of possible technical options all of which are capital intensive. The political risks associated with the mining industry in Colombia specifically in the Tolima department must also be considered. The delineation of the Los Nevados Paramo by Resolution 1987 is considered a risk to the Mineral Resource and is currently being contested. 13.99Moz of Mineral Resource is potentially at risk. The granting of environmental permits for site operations hampered progress. This is the reason that <i>force majeure</i> was accepted by the government.				









Competent Persons

La Colosa		Professional	Membership	Relevant	
Category	Competent Person	organisation	number	experience	Qualification
Mineral Resource	Rudolf Jahoda	MAusIMM	990 544	26 years	MSc (Mining Geology)
					PhD (Geology)

Geology

Deposit type

Preliminary studies on the mineralogy, fluid inclusion assemblages and geochemistry indicate that a younger hydrothermal event overprints the previous porphyry-style mineralisation event. These younger veinlets consist of quartz (colloform-crustiform texture) together with adularia and gold with narrow alteration halos of illite, sericite and carbonates. A distinct temperature-salinity environment marks this high grade ore zone (>2g/t gold average), which is spatially and genetically controlled by a north-trending corridor of tension gashes, crossing the magmatic complex and extending towards the metamorphic rocks in the northern areas.

Mineralisation style

The La Colosa project is centered on a late Miocene (8.1Ma) multiphase diorite porphyry gold complex intruded into reduced Paleozoic meta-sedimentary rocks. Although the porphyry system is generally copper-poor, a 0.1% to 0.2% Cu anomaly associated with Mo>150ppm occurs laterally and at depth. The highest grade gold mineralisation is closely associated with a suite of early porphyry intrusions/breccias with potassic and sodic-calcic alteration, high intensity of gold-sulphide veinlets and sulphur values generally exceeding 2.5%. The multiphase diorite porphyry gold complex can be divided into three phases (early, intermineral and late) and is elliptical in shape with a known maximum north-south axis of at least 1,200m. The complex strikes N10W with a dip of 75 east-north-east, the contacts are mostly structurally bound. Intermineral and late dacitic dykes extend both north and south into the foliated schistose hornfels.



Previous extension drilling has better defined the porphyry contacts and high-grade mineralisation along structural corridors. Additional upside for mineralisation occurs to the north-west of the porphyry (sub) epithermal targets and at depth.


San Antonio is a separate much smaller porphyry centre 1.2km scuth of La Colosa and characterised by hydrothermal and intrusion breccias associated with intermineral diorites and a late dacite stock.

Mineralisation characteristics

Three types of porphyry-style hydrothermal alteration are associated with magmatic activity:

- Potassic alteration (mainly secondary biotite), which occurs as pervasive replacement of ferromagnesian minerals and matrix in the early and intermineral phase rocks
- Sodic-calcic alteration (albite, actinolite and epidote), which is confined to cm-scale patches in the early and intermineral stage rocks
- Propylitic alteration (chlorite, epidote, albite and carbonates) within the late magmatic stage. Multiphase silicification occurs within
 the schistose metamorphic rocks. Six major types of veinlets have been identified at the La Colosa project area. The veinlets
 occur in the magmatic rocks as well as in the metamorphic rocks. The veinlet sequence is (from oldest to youngest): EB-type,
 A-type, M-type, S-type, D-type, and CC-type

W-E Geological cross-section through La Colosa







Exploration

A total of 148,062m has been drilled to date with the year-on-year increase related to mineralisation found in the north-west extension of high-grade mineralisation. Three additional compliance drillholes (800m) and one geotechnical-hydrogeology drillhole was completed in 2017 before activities were suspending in early 2017.

Geometallurgical studies related to comminution modelling focused on obtaining hardness parameters are advancing. Additional metallurgical comminution tests have been carried out for poorly represented areas. This metallurgical data has been correlated with multi-element assay and spectral mineralogical data to obtain proxies for metallurgical parameters. 43,529.05m (153 holes) have been scanned using a sisuMobi system equipped with a RGB camera and a shortwave infrared camera.

Projects

All project work has been stopped and the company applied for *force majeure* which was granted by the government on the basis that environmental permits were unduly delayed as was permission to work in the area around the La Linea tunnel.

Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

La Colosa			1	Type of drilling			
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured			-	-	-	-	-
Indicated	75 x 75	√	-	_	-	_	_
Inferred	100 x 100	√	::-	-	-	_	_
Grade/ore control		- :	_	_	_	_	_

The average drill spacing of 100m x 100m has been reviewed for Mineral Resource classification. Conversion to Indicated Mineral Resource has been allowed for sectors with a drill spacing of 75m x 75m.

Inclusive Mineral Resource


La Colosa		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
La Colosa open pit	Measured	-	=		<u>~</u>
	Indicated	833.49	0.87	726.31	23.35
	Inferred	217.89	0.71	154.86	4.98
La Colosa	Total	1 051.38	0.84	881.17	28.33

Estimation

Main change respect 2016 model is a new interpretation of the oxide transition model using hyperspectral data interpretation.


At La Colosa, some 148,062m of drilling supported the estimation of an Indicated Mineral Resource. Gold grades were estimated using ordinary kriging, which was performed into a block size of 50m x 50m x 10m using lithological domains (wireframes) in a grade-based mineralisation envelope and also for the waste surrounding the mineralisation. All available geological drillholes, surface sampling and mapping information was validated for use in the modelling process. The La Colosa Mineral Resource is reported at a cut-off grade of 0.35g/t. The mineralisation has been classified on the basis of kriging variance related to drill spacing.






Exclusive Mineral Resource

The La Colosa project currently does not have any declared Ore Reserve and the exclusive and inclusive Mineral Resource numbers are therefore identical.



Year-on-year there was a minor change due to remodelling of the transitional boundary.



La Colosa is a high volume, low grade mineral occurrence. The Mineral Resource is insensitive to gold price.






Introduction

Introduction	
Property description	Quebradona is a project having completed a conceptual study and starting a PFS. It is a JV between AngloGold Ashani (93.505%) and B2Gold (6.495%). Five main targets have been identified, namely Nuevo Chaquiro, Aurora, Tenedor, Isabela and La Sola. Nuevo Chaquiro is the most advanced of the targets.
	Nuevo Chaquiro, a significant copper-gold porphyry-style mineralised system, is one of five known porphyry centres on the property and has been the focus of exploration activities since the beginning of 2011.
Location	The Quebradona project is situated in the Middle Cuca region of Colombia, in the Department of Antioquia, 60km south-west of Medellin.
History	Exploration was carried out from 2004 by AngloGold Ashantl and then from 2006 to 2009 by B2Gold. In 2010 AngloGold Ashanti took management control and focused its exploration effort on Nuevo Chaquiro. In 2014 a maiden Mineral Resource was published for Nuevo Chaquiro and a conceptual study was initiated. The conceptual study was successfully completed on 30 September 2016 and the project is currently in PFS, targeting 2019 for completion.
Legal aspects and tenure	Quebradona comprises one tenement (5881). It is the result of integration of the five original tenements (5869, 6318, 6359, 7579 and 5881). Integrated tenement 5881 was issued on the 9 December 2016 and totals 7,593ha.
Mining method	No current mining activities. Several mining configuration options were studied during the conceptual study. Mining methods preferred are sublevel or/and block caving with ore access being by tunnel. Mining rate will be between 5Mtpa to 6Mtpa ore.
Operational infrastructure	The conceptual study indicates that the overall project layout and configuration will have nearly all activity in the lower areas of the project off the mountain. Included here will be the primary mine access tunnel (which will serve as ore conveyance as well), processing plant, tailings dam and associated facilities. The upper area includes the orebody and will maintain only auxiliary access, ventilation, and minor support structure for the mine.
Mineral processing	Metallurgical test work is in progress. From the conceptual study, plant operations will utilise standard copper-gold flotation and recovery via filtration of a concentrate. Plant throughput will be 5Mtpa of ore generating approximately 204ktpa of concentrate. Concentrate will be transported by a combination of truck and rail to a seaport where concentrate will be bulk loaded for transportation to a smelter facility. Concentrate quality will be good and present no unusual commercial challenges for sales.
Risks	No significant risks identified. Geological risk is considered low, with the PFS under consideration having approximately 78% of the Mineral Resource classified as Indicated Mineral Resource and the variability in copper grade being low, with high continuity. Security risk is considered low. Nuevo Chaquiro has a moderate seismic risk.

Competent Persons

Quebradona		Professional	Membership	Relevant	
Category	Competent Person	organisation	number	experience	Qualification
Mineral Resource	Pablo Noriega	MAusIMM	315 688	18 years	BSc Hons (Geology)





Geology

The geology of Nuevo Chaquiro consists of a volcanoclastic sequence of Miocene age (ash, tuffs, agglomerates and andesites) intruded by small dykes of diorite and quartz diorite, also of Miocene age. This host rocks are intruded by different pulses of diorites and main proportion by quartz diorites of fine – medium grained, the most part of these rocks don't come out to surface. These intrusive rocks are categorised in pre-mineral, early, intra-mineral and late, according to cut relations, temporality and copper-gold values. The alteration develops a well zoned porphyry system type with alteration of different temperatures from propylitic, sericitic, chloritic, potassic and calcic-potassic assemblages. Higher grade cooper gold mineralisation (>0.6% Cu) is associated with a well-developed quartz vein stockwork in the cupola zone of early quartz diorite, persisting over a vertical interval of 500m.

Deposit type

Nuevo Chaquiro is a typical porphyry copper deposit with large tonnes and low grade with gold, molybdenum and silver by-products.

The structural setting facilitated the rise of intrusive bodies through the volcaniclastic sequence of the Combia formation. The intrusives did not reach surface and remain as a blind deposit despite erosion acting for a significant period.

Mineralisation style

The Nuevo Chaquiro deposit consists of Miocene-aged diorite, quartz diorite dykes and thin vertical stocks intruding a thick succession of andesitic tuffs and volcaniclastic rocks of the Miocene-aged (6-10Ma) belonging to Combia formation, which fills a large pull-apart basin within the prospective middle Cauca belt of central Colombia. Depth to mineralisation from the surface is around 150 to 400m from NE to SW. Typical copper porphyry alteration zonation is evident with a high temperature, potassium silicate central zone (biotite, magnetite, chalcopyrite, and molybdenite), which trends into an overlying sericitic alteration zone (muscovite, chlorite, quartz, pyrite,+-tourmaline) surrounded by more distal propylitic alteration (chlorite, epidote, illite, carbonate). There is also an inner core of calcic-potassic alteration featuring biotite, actinolite, epidote, and anhydrite with lesser copper, gold and molybdenum values.















Mineralisation characteristics

The intrusive complex can be categorised as premineral, early, intramineral and late, according to cross-cutting relationships, locality relations, temporality and copper-gold values. The early dyke is located in the eastern part of the deposit and is the main supplier of heat and hydrothermal fluids that caused the mineralisation event, in the central area abundant intra-mineral diorite and quartz diorites are found, of which a classic ore shell of lower-grade mineralisation (>0.3%Cu) appears draped over the intrusions. Higher grade copper-gold mineralisation (>1.4% Cu) is associated with a well-developed quartz vein stock-work in the cupola zone of early quartz diorite, persisting over a vertical interval of 500m. The majority of the intrusive rocks do not outcrop.


The mineralised zone is characterised by fine stock works, disseminations and veinlets of quartz, magnetite, pyrite, chalcopyrite and molybdenite.

Traces of bornite and cubanite have been locally observed but in amounts not exceeding 0.1% volume. Other sulphides include pyrite and amounts of pyrrhotite in specific area. Gold and silver correlate well with copper and many but, by no means, all gold grains occur on the margins of sulphide grains within the chalcopyrite. This was confirmed in the metallurgical test programme that finished in 2016.





SW-NE Geological cross-section through Neuvo Chaquiro



Exploration

During 2017 the project was focused on collecting metallurgical, hydrogeology and geotechnical data for the PFS. This work was completed in May 2017 with Piezometer installation, Lugeon tests and seven Gauging stations (transducers) installations being the most significant activities.

From an exploration perspective the geological and estimation models were not updated due to the fact that no new holes were drilled and sampled. However an update of the structural model was completed, focusing on the infrastructure location sites and limited ground reconnaissance and mapping took place.

Projects

A successful conceptual study was completed on 30 September 2016 and the project is currently in PFS, targeting 2019 for completion.















Mineral Resource

Details of average drillhole spacing and type in relation to Mineral Resource classification

Quebradona			1	Type of drilling			
Category	Spacing m (-x-)	Diamond	RC	Blasthole	Channel	Other	Comments
Measured	30 x 30	3	=	_	-	-	-
Indicated	60 x 60	√	7-	_	-	_	_
Inferred	120 x 120	√	=	_	-	_	_
Grade/ore contro	ol	-:	-	_	_	_	_

Drillhole spacing over the project is variable, influenced by environmental and social considerations. Where possible multiple drillholes are conducted from the same drill pad to minimise impact on the environment. Drilling at Quebradona varies from 50m x 50m grid in the central part and 100m x 100m to 120m x 120m in the adjacent low grade Inferred Mineral Resource areas. Due to having some multihole platforms, the drilling spacing in the first 300m is tighter than in the deeper portions.

Inclusive Mineral Resource: copper

Quebradona		Tonnes	Grade %Cu	Contained copper	
as at 31 December 2017	Category	million		tonnes million	pounds million
	Measured	1-	-	-	-
	Indicated	105.25	1.08	1.14	2,508
	Inferred	471.60	0.53	2.49	5,492
	Total	576.85	0.63	3.63	8,000

Quebradona is likely to be a copper mine with gold and silver as by-products. This will be confirmed and developed during PFS.

Inclusive Mineral Resource: gold

Quebradona		Tonnes	Grade	Contained gold	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	i=	-	-	
	Indicated	105.25	0.62	65.65	2.11
	Inferred	471.60	0.23	110.40	3.55
	Total	576.85	0.31	176.05	5.66

Inclusive Mineral Resource by-product: silver

Quebradona		Tonnes	Grade	Contained silver	
as at 31 December 2017	Category	million	g/t	tonnes	Moz
	Measured	-	=	-	=
	Indicated	105.25	6.38	672	21.60
	Inferred	471.60	3.80	1,791	57.57
	Total	576.85	4.27	2,462	79.16

Inclusive Mineral Resource by-product: molybdenum

Quebradona	Category	Tonnes	Grade ppm	Contained molybdenum	
as at 31 December 2017		million		kilotonnes	pounds million
	Measured	S	-	-	-
	Indicated	105.25	137	14.39	32
	Inferred	471.60	126	59.58	131
	Total	576.85	128	73.96	163




Estimation

Copper, gold, silver, molybdenum, arsenic and sulphur grades were estimated using ordinary kriging into a 40m x 40m x 20m block model. Grades were estimated within grade-based 3D wireframe boundaries for copper and gold grades with separate domains for molybdenum and sulphur.

Drillhole data was composited to 6m down-hole lengths prior to estimation and extreme values were capped. Estimation was into homogeneous geological domains using ordinary kriging. Classification was guided by conditional simulation.

The Mineral Resource was tested for and found to have reasonable and realistic prospects for eventual economical extraction. It represents a realistic inventory of mineralisation within a conceptual underground mine design, based on two lifts using a combination of block caving and panel caving. The development levels at 1,000mRL and 1,400mRL were assumed to be potentially available to mine at some point in the future. All of the Inferred Mineral Resource above the 1,000mRL within the mine design is included in the estimate and since non-selective methods are used, no cut-off can be applied. Additional potentially mineralised material is included in the mine design but is not included as part of the reported Mineral Resource due to lower confidence in the grade estimate as a result of limited drillhole data in those portions of the deposit.




Exclusive Mineral Resource

The Quebradona project currently does not have any declared Ore Reserve and the exclusive and inclusive Mineral Resource numbers are therefore identical.

Mineral Resource below infrastructure

All of the Mineral Resource is below infrastructure.



















During 2017 no new Mineral Resource was added so no changes were made to the geological and estimation models. The attributable percentage increased from 92.72% to 93.505%.



No changes at higher price (\$1,600/oz) as the existing mining designs were used to constrain the Mineral Resource. At lower price (\$1,200/oz) a step of 0.1g/t Au from the grade tonne curve was used to proportionately represent the variations in price.













SECTION 6

ADMINISTRATIVE INFORMATION



7	
Definitions	263
Glossary of terms	265
Abbreviations	269
Administrative information for professional organisations	270
Forward-looking statement	IBC



Introduction South Africa Continental Africa Australasia Americas Administrative



This section provides information on our definition of Mineral Resource and Ore Reserve as well as a glossary of terms and abbreviations.

MINERAL RESOURCE

The SAMREC Code, 2016 edition, definition of a Mineral Resource is as follows:

"A Mineral Resource is a concentration or occurrence of solid material of economic interest in or on the Earth's crust in such form, grade or quality and quantity that there are reasonable prospects for eventual economic extraction. The location, quantity, grade, continuity and other geological characteristics of a Mineral Resource are known, estimated or interpreted from specific geological evidence and knowledge, including sampling. Mineral Resources are subdivided, and must be so reported, in order of increasing confidence in respect of geoscientific evidence, into Inferred, Indicated or Measured categories."

All reports of Mineral Resource must satisfy the requirement that there are reasonable prospects for eventual economic extraction (more likely than not), regardless of the classification of the Mineral Resource. Portions of a deposit that do not have reasonable prospects for eventual economic extraction are not included in a Mineral Resource.

The Mineral Resource is estimated using all drilling and sampling information along with a detailed geological model.

The geological models are based on various combinations-of-core and/or chip logging, mapping, geophysics, geochemistry and geological understanding that have been developed for each deposit. Most of the AngloGold Ashanti deposits have been the subject of research by world experts in the relevant class of gold deposits.

The grade estimation for each deposit has been developed over the life of the mine, and is constantly reviewed in terms of grade control information and reconciliation with the metallurgical plant. In general, the deep South African mines utilise a process of Compound Log normal macro co-kriging for the estimation of the Mineral Resource while the open pits and shallow underground mines generally use recoverable Mineral Resource models, estimated using UC or LUC.

In order to comply with the economic requirement of the definition of Mineral Resource, all AngloGold Ashanti Mineral Resource are constrained at an upside gold price, with all other parameters being kept the same as used for estimation of the Ore Reserve. In the underground gold mines, scoping studies are conducted on all coherent blocks of ground that lie above the calculated Mineral Resource cut-off. These studies include all cost and capital requirements to access the block. In the case of open pit operations, pit optimisations are conducted at the Mineral Resource gold price and all material outside these shells is excluded from the Mineral Resource unless it is potentially mineable from underground.

It is the opinion of AngloGold Ashanti that the Mineral Resource represents a realistic view of an upside potential to the Ore Reserve. In interpreting the Mineral Resource it is critical to factor in the following:

- That there is a reasonable expectation of eventual economic extraction
- The Mineral Resource is quoted in situ and has not been corrected for dilution, mining losses or recovery
- Many of the areas lying in the exclusive Mineral Resource are currently being actively drilled and are the subject of economic and technical studies. It can, however, not be assumed at this stage that the company has intent to mine these areas

Mineral Resource classification is based on the '15% Rule'. A Measured Mineral Resource should be expected to be within 15% of the quarterly metal estimate at least 90% of the time while, for an Indicated Mineral Resource estimate, the annual metal estimate should be within 15% of the metal estimated at least 90% of the time. For an Inferred Mineral Resource, the annual error may, for 90% of the time, be greater than 15%.

The process and methodology of classification are at the discretion of the Competent Person and involves expressing the '15% Rule', as a required level of information, in tangible terms the spacing of the drillhole or tunnel spacing in a particular deposit. Techniques such as conditional simulation or even an empirical reconciliation-based approach are employed. However, all operations are responsible for demonstrating, through reconciliation, that their classification system conforms to the 15% rule set out above.

Final Mineral Resource classification also considers relative confidence in sampling and drilling QA QC as well as other variables that may impact on confidence in tonnage and grade.



The Inferred Mineral Resource category is intended to cover situations in which a mineral concentration or occurrence has been identified and limited measurements and sampling have been completed but in which the data are insufficient to allow the geological or grade continuity to be interpreted with confidence. While it would be reasonable to expect that the majority of Inferred Mineral Resources would upgrade to Indicated Mineral Resources with continued exploration, due to the uncertainty of Inferred Mineral Resources, it should not be assumed that such upgrading will always occur.

AngloGold Ashanti quotes its Mineral Resource as inclusive of the Ore Reserve. However, in this document, the exclusive Mineral Resource is also quoted. The exclusive Mineral Resource is defined as the Inclusive Mineral Resource less the Ore Reserve before dilution and other factors are applied.

The exclusive Mineral Resource consists of the following components:

- · Inferred Mineral Resource, including that within the Ore Reserve design or stope shape
- Mineral Resource that sits above the Mineral Resource cut-off but below the Ore Reserve cut-off and which resides within the defined Ore Reserve volume
- Mineral Resource that lies between the LOM pit shell/mine design and the Mineral Resource pit shell/mine design (this material will become economic if the gold price increases)
- Mineral Resource where the technical studies to engineer an Ore Reserve have not yet been completed

All grade tonnage graphs represent in-situ grade and tonnes within the Mineral Resource. Caution should be exercised when interpreting the grade tonnage graphs presented. The ability to selectively mine the deposits may be precluded by the deposit geometry, mining method and the need for practical development of the orebody.

ORE RESERVE

The SAMREC Code, 2016 edition, definition of an Ore Reserve is as follows:

"A Mineral Reserve is the economically mineable part of a Measured and/or Indicated Mineral Resource. It includes diluting materials and allowances for losses, which may occur when the material is mined or extracted and is defined by studies at prefeasibility or feasibility level as appropriate that include application of modifying factors. Such studies demonstrate that, at the time of reporting, extraction could reasonably be justified. The reference point at which Mineral Reserves are defined, usually the point where the ore is delivered to the processing plant, must be stated. It is important that, in all situations where the reference point is different, such as for a saleable product, a clarifying statement is included to ensure that the reader is fully informed as to what is being reported."

Although the term Ore Reserve is used throughout this document, it is recognised that the term Mineral Reserve is used in the SAMREC code. For the purposes of reporting under the SAMREC Code, these terms are considered to be synonymous.

Ore Reserve is subdivided in order of increasing confidence into Probable Ore Reserve and Proved Ore Reserve.

In the underground operations, the Ore Reserve is based on a full mine design and, in the case of open pits, on a pit optimisation followed by a final pit design. The Ore Reserve is reported according to tonnage, mean grade(s) and contained metal inclusive of mining dilution, mining ore-losses and mine call factors. These modifying factors are based on measurements rather than estimates. Tonnage and grade estimates for surface stockpile materials that meet Ore Reserve criteria are itemised separately.

Only the Ore Reserve included for treatment in the business plan production schedule is considered in the Ore Reserve statement. Inferred Mineral Resource is not included in the Ore Reserve statement.

For all new projects, an audited PFS (as a minimum requirement) must have been completed that demonstrates the viability of the project and meets the company's investment requirements. This study must be signed off at the appropriate executive level in order to demonstrate an intent on the part of the company to proceed to FS and ultimately to implement the project.

Introduction South Africa Continental Africa Australasia Americas Administrative



GLOSSARY OF TERMS

Banded Iron formation (BIF)	A chemically formed iron-rich sedimentary rock.
By-products	Any potentially economic or saleable products that emanate from the core process of producing gold, including silver, uranium, molybdenum and sulphuric acid.
Calc-silicate rock	A metamorphic rock consisting mainly of calcium-bearing silicates such as diopside and wollastonite, often formed by metamorphism of impure limestone or dolomite.
Capital expenditure	Total capital expenditure on tangible assets which includes stay-in-business and project capital.
Carbon-in-leach (CIL)	Gold is leached from a slurry of ore with cyanide in agitated tanks and adsorbed on to activated carbon granules at the same time (when cyanide is introduced in the leach tank, there is already activated carbon in the tank and there is no distinction between leach and adsorption stages). The carbon granules are separated from the slurry and treated in an elution circuit to remove the gold.
Carbon-in-pulp (CIP)	Gold is leached conventionally from a slurry of ore with cyanide in agitated tanks. The leached slurry then passes into the CIP circuit where activated carbon granules are mixed with the slurry and gold is adsorbed on to the activated carbon. The gold-loaded carbon is separated from the slurry and treated in an elution circuit to remove the gold.
Comminution	The crushing and grinding of ore to make gold available for physical or chemical separation (see also Milling).
Contained gold	The total gold content (tonnes multiplied by grade) of the material being described.
Cut-off grade	The minimum grade at which a unit of ore will be mined to achieve the desired economic outcome.
Depletion	The decrease in quantity of ore in a deposit or property resulting from extraction or production.
Development	The process of accessing a deposit through shafts and/or tunnelling in underground mining operations.
Electro-winning	A process of recovering gold from solution by means of electrolytic chemical reaction into a form that can be smelted easily into gold bars.
Elution	Recovery of the gold from the activated carbon into solution before zinc precipitation or electrowinning.
Feasibility study (FS)	A comprehensive technical and economic study of the selected development option for a mineral project that includes appropriately detailed assessments of applicable modifying factors together with any other relevant operational factors and detailed financial analysis necessary to demonstrate, at the time of reporting, that extraction is reasonably justified (economically mineable). The results of the study may reasonably serve as the basis for a final decision by a proponent or financial institution to proceed with, or finance, the development of the project. The confidence level of the study will be higher than that of a PFS (SAMREC 2016).
Flotation	Concentration of gold and gold-hosting minerals into a small mass by various techniques (for example collectors, frothers, agitation and air flow) that collectively enhance the buoyancy of the target minerals, relative to unwanted gangue, for recovery into an overflowing froth phase.
Full grade ore (FGO)	Ore material with sufficient grade to carry the full operating cost. FGO cut-off is the break-even grade where cost is representative of all costs to carry the full operation excluding direct mining cost.
Gold produced	Refined gold in a saleable form derived from the mining process.
Grade	The quantity of ore contained within a unit weight of mineralised material generally expressed in grams per metric tonne (g/t) or ounces per short ton of ore (oz/t) for gold-bearing material.
Indicated Mineral Resource	That part of a Mineral Resource for which quantity, grade or quality, densities, shape and physical characteristics are estimated with sufficient confidence to allow the application of modifying factors in sufficient detail to support mine planning and evaluation of the economic viability of the deposit. Geological evidence is derived from adequately detailed and reliable exploration, sampling and testing and is sufficient to assume geological and grade or quality continuity between points of observation (SAMREC 2016).



Inferred Mineral Resource	That part of a Mineral Resource for which quantity and grade or quality are estimated on the basis of limited geological evidence and sampling. Geological evidence is sufficient to imply but not verify geological and grade or quality continuity. An Inferred Mineral Resource has a lower level of confidence than that applying to an Indicated Mineral Resource and must not be converted to a Mineral Reserve. It is reasonably expected that the majority of Inferred Mineral Resources could be upgraded to Indicated Mineral Resources with continued exploration (SAMREC 2016).
Leaching	Dissolution of gold from crushed or milled material, including reclaimed slime, prior to adsorption on to activated carbon or direct zinc precipitation.
Life of mine (LOM)	Number of years that the operation is planning to mine and treat ore as taken from the current mine plan.
Marginal ore (MO)	Ore material with grade below the FGO cut-off that can be economically treated at the end of mine life when overhead and mining costs are reduced. MO cut-off is the break-even grade where cost is representative of the reduced cost that will be experienced after mining has ended
Measured Mineral Resource	That part of a Mineral Resource for which quantity, grade or quality, densities, shape and physical characteristics are estimated with confidence sufficient to allow the application of modifying factors to support detailed mine planning and final evaluation of the economic viability of the deposit. Geological evidence is derived from detailed and reliable exploration, sampling and testing and is sufficient to confirm geological and grade or quality continuity between points of observation. A Measured Mineral Resource has a higher level of confidence than that applying to either an Indicated Mineral Resource or an Inferred Mineral Resource. It may be converted to a Proved Mineral Reserve or to a Probable Mineral Reserve (SAMREC 2016).
Metallurgical plant	A processing plant designed to treat ore and extract gold (and, in some cases, often valuable by-products).
Milling	A process of reducing broken ore to a size at which concentrating can be undertaken (see also Comminution).
Mine call factor (MCF)	The ratio, expressed as a percentage, of the total quantity of recovered and unrecovered mineral product after processing with the amount estimated in the ore based on sampling. The ratio of contained gold delivered to the metallurgical plant divided by the estimated contained gold of ore mined based on sampling.
Metallurgical recovery factor (MetRF)	A measure of the efficiency in extracting gold from the ore.
Mineral deposit	A mineral deposit is a concentration (or occurrence) of material of possible economic interest in or on the Earth's crust.
Mining recovery factor (MRF)	This factor reflects a mining efficiency factor relating the recovery of material during the mining process and is the variance between the tonnes called for in the mining design and what the plant receives. It is expressed in both a grade and tonnage number.
Modifying factors	Considerations used to convert Mineral Resource to Ore Reserve. These include, but are not restricted to, mining, processing, metallurgical, infrastructure, economic, marketing, legal, environmental, social and governmental factors.
Net present value (NPV)	The difference between the present value of cash inflows and the present value of cash outflows
Ore Reserve	The term Ore Reserve is preferred under the JORC Code but Mineral Reserve is in common use in other countries and reporting codes (SAMREC) and are generally accepted and regarded as synonymous.





















Ounce (oz)	Imperial measure of mass specifically used for precious metals and still the standard measure of mass in the gold industry. A kilogram is equal to 32.1507 troy ounces. A troy ounce is equal to 31.1035 grams.
Páramo	Apline tundra ecosystem/alpine moorland.
Pay limit	The grade of a unit of ore at which the revenue from the recovered mineral content of the ore is equal to the total cash cost including Ore Reserve development and stay-in-business capital. This grade is expressed as an <i>in situ</i> value in grams per tonne or ounces per short ton (before dilution and mineral losses).
Precipitate	The solid product formed when a change in solution chemical conditions results in conversion of some pre-dissolved ions into solid state.
Prefeasibility study (PFS)	A comprehensive study of a range of options for the technical and economic viability of a mineral project that has advanced to a stage where a preferred mining method, in the case of underground mining, or the pit configuration, in the case of an open pit, is established and an effective method of mineral processing is determined. It includes a financial analysis based on reasonable assumptions on the modifying factors and the evaluation of any other relevant factors which are sufficient for a Competent Person, acting reasonably, to determine if all or part of the Mineral Resource may be converted to a Mineral Reserve at the time of reporting. A PFS is at a lower confidence level than a FS (SAMREC 2016).
Probable Ore Reserve	The economically mineable part of an Indicated, and in some circumstances, a Measured Mineral Resource. The confidence in the modifying factors applying to a Probable Mineral Reserve is lower than that applying to a Proved Mineral Reserve (SAMREC 2016).
Proved Ore Reserve	The economically mineable part of a Measured Mineral Resource. A Proved Mineral Reserve implies a high degree of confidence in the modifying factors. (SAMREC 2016).
Reclamation	In the South African context, reclamation describes the process of reclaiming slimes (tailings) dumps using high-pressure water cannons to form a slurry which is pumped back to the metallurgical plants for processing.
Recovered grade	The recovered mineral content per unit of ore treated.
Reef	A gold-bearing horizon, sometimes a conglomerate band, that may contain economic levels of gold. Reef can also be any significant or thick gold bearing quartz vein.
Refining	The final purification process of a metal or mineral to a saleable form.
Region	Defines the operational management divisions within AngloGold Ashanti, namely South Africa, Continental Africa (DRC, Ghana, Guinea, Mali and Tanzania), Australasia (Australia) and the Americas (Argentina, Brazil and Colombia).
Rehabilitation	The process of returning disturbed land to a stable, productive or self-sustaining condition requiring no ongoing maintenance to meet the post-mining land use objectives and taking into account beneficial uses of the site and surrounding land. Rehabilitation objectives are generally defined in environmental permits but are typically amended during the operational phase of projects through stakeholder engagement processes to ensure post mining land uses are congruent with surrounding and regional land use plans. Rehabilitation methods can vary by location owing to the extent of disturbance and geo-climatic factors and include, among others, the processes of remediation, revegetation and restoration, to address issues such as soil, ground and surface water, contamination, soil erosion and revegetation.
Resource modification factor (RMF)	This factor is applied when there is an historic reconciliation discrepancy in the Mineral Resource model. For example, between the Mineral Resource model tonnage and the Grade Control model tonnage. It is expressed in both a grade and tonnage number.



Seismic event	A sudden inelastic deformation within a given volume of rock that radiates detectable seismic energy.
Shaft	A vertical or subvertical excavation used for accessing an underground mine for transporting personnel, equipment and supplies; for hoisting ore and waste; for ventilation and utilities; and/or as an auxiliary exit.
Smelting	A pyro-metallurgical operation in which gold precipitate from electro-winning or zinc precipitation is further separated from impurities.
Selective mining unit (SMU)	The smallest unit that can be mined at a particular operation with the equipment available at that site, reflecting the intended or proposed mining selectively.
Stay-in-business capital	Capital expenditure to maintain existing production assets, including replacement of vehicles, plant and machinery, Ore Reserve development and capital expenditure related to safety, health and the environment.
Stope	Underground excavation where the mineralised deposit is extracted.
Stoping	The process of excavating ore underground.
Stripping ratio	The ratio of waste tonnes to ore tonnes mined calculated as total tonnes mined less ore tonnes mined divided by ore tonnes mined.
Tailings	Finely ground rock of low residual value from which valuable minerals have been extracted.
Tailings storage facilities (TSF)	Dam facilities designed to store discarded tailings.
Tonne (t)	Used in metric statistics. Equal to 1,000 kilograms, the International System Units (SI) mass unit.
Tonnage	Quantity of material measured in tonnes.
Waste	Material that contains insufficient mineralisation for consideration for future treatment and, as such, is discarded.



ABBREVIATIONS

o	Degrees
S	United States dollars
3D	Three-dimensional space
2D	Two-dimensional space
AC	Aircore drilling
ADU	Ammonium diuranate or yellow cake
Ag	Silver
AGA Mineração	AngloGold Ashanti Córrego do Sítio Mineração operations
AGAG	AngloGold Ashanti (Ghana) Ltd
ARS	Argentine peso
ASX	Australian Securities Exchange
Au	Gold
AUD	Australian dollars
Avg/Ave	Average
BIOX	Bacterial oxidation
BMD	Below mine datum
BRL	Brazilian real
ca.	Circa (approximately)
capex	Capital expenditure
CdS	Córrego do Sítio
CLR	Carbon Leader Reef
cm	Centimetres
cm.g/t	Centimetre grams per tonne
CR	Crystalkop Reef
Cu	Copper
DD	Diamond drilling
DNPM	The Brazilian National Department for Mineral Production
DRC	Democratic Republic of the Congo
ESIA	Environmental and social impact assessment
g	Grams
GGB	Geita Greenstone Belt
GGM	Geita Gold mine
g/t	Grams per tonne
ha	Hectare
JORC	Australasian Code for Reporting Exploration Results, Mineral Resources and Ore Reserves
JSE	Johannesburg Stock Exchange Ltd
JV	Joint venture
KCD	Karagba, Chauffeur and Durba
kg	Kilograms
koz	Thousand ounces
kozpa	Thousand ounces per annum
kt	Thousand tonnes
kg/t	Kilograms per tonne
km	Kilometres
km²	Square kilometre
KMS	Kwezi Mensah Shaft
ktpa	Kilo tonnes per annum
lb	Pounds
LIB	Long inclined borehole
LUC	Localised uniform conditioning
LUU	Localised drillotti cortationing

M or m	Metre or million, depending on the context
m²	Square metre
m³	Cubic metre
Ма	Mega-annum
MCH	Meta-chert
MetRF	Metallurgical Recovery Factor
MIb	Million pounds
mm	Millimetres
Мо	Molybdenum
Moz	Million ounces
MPRTO	Mineral and Petroleum Resources Titles Office
mRL	Metres relative level
MSG	Mineração Serra Grande
MSO	Mineable shape optimiser
Mt	Million tonnes
Mtpa	Million tonnes per annum
MW	Mega watt
MWS	Mine Waste Solutions
Nufcor	Nuclear Fuels Corporation of South Africa (Pty) Ltd
POX	Pressure oxidation
pXRF	Portable x-ray fluorescence
QA/QC	Quality Assurance/Quality Control
RCubed	Mineral Resource and Ore Reserve Reporting System
R or ZAR	South African rand
Randgold	Randgold Resources Limited
RC	Reverse circulation drilling
ROM	Run-of-mine
RRSC	Mineral Resource and Ore Reserve Steering Committee
S	Sulphur
SAG	Société Ashanti Goldfields de Guinea
SAG mills	Semi-autogeneous grinding mills
SAMREC	The South African Code for the Reporting of Exploration Results, Mineral Resource and Mineral Reserve
SEMOS	Société d'Exploration des Mines d'Or de Sadiola SA
SEC	United States Securities and Exchange Commission
SFZ	Sadiola Fracture Zone
SOKIMO	Société Minièrede Kilo-Moto
sox	Sarbanes-Oxley Act of 2002
SSP	Sadiola Sulphide project
tpd	Tonnes per day
TSF	Tailings storage facilities
U ₃ O ₈	Uranium oxide
UC	Uniform conditioning
VCR	Ventersdorp Contact Reef
VR	Vaal Reef
WUDLs	Western Ultra-deep Levels
	•



ADMINISTRATIVE INFORMATION FOR PROFESSIONAL ORGANISATIONS

AusIMM The Australasian Institute of Mining and Metallurgy

PO Box 660, Carlton South, Vic 3053, Australia

Telephone: +61 (3) 9658 6100 Facsimile: +61 (3) 9662 3662 www.ausimm.com.au

SAGC The South African Geomatics Council

P O Box 83018, South Hills 2136, Gauteng, South Africa

Telephone: +27 (11) 626 1040/1080 Facsimile: +27 (11) 626 2007 www.sagc.org.za

5--5-

SACNASP South African Council for Natural Scientific Professions

Private Bag X540, Silverton 0127, Gauteng, South Africa

Telephone: +27 (12) 841 1075 Facsimile: +27 (12) 841 1057 www.sacnasp.org.za

SAIMM The Southern African Institute of Mining and Metallurgy

PO Box 61127, Marshalltown 2107, Gauteng, South Africa

Telephone: +27 (11) 834 1273/7 Facsimile: +27 (11) 838 5923/8156

www.saimm.co.za

SME The Society for Mining, Metallurgy & Exploration Inc

12999 E Adam Aircraft Circle, Englewood, CO 80112, United States

Telephone Toll Free: 1-800-763-3132 Main number: +1 303-948-4200 Facsimile: +1 303-973-3845

www.smenet.org

Introduction South Africa Continental Africa Australasia Americas Administration



Certain statements contained in this document, other than statements of historic fact, including, without limitation, those concerning the economic outlook for the gold mining industry, expectations regarding gold prices, production, total cash costs, all-in sustaining costs, all-in costs, cost savings and other operating results, productivity improvements, growth prospects and outlook of AngloGold Ashanti's operations, individually or in the aggregate, including the achievement of project milestones, commencement and completion of commercial operations of certain of AngloGold Ashanti's exploration and production projects and the completion of acquisitions, dispositions or joint venture transactions, AngloGold Ashanti's liquidity and capital resources and capital expenditures and the outcome and consequence of any potential or pending litigation or regulatory proceedings or environmental health and safety issues, are forward-looking statements regarding AngloGold Ashanti's operations, economic performance and financial condition. These forward-looking statements or forecasts involve known and unknown risks, uncertainties and other factors that may cause AngloGold Ashanti's actual results, performance or achievements to differ materially from the anticipated results, performance or achievements expressed or implied in these forward-looking statements. Although AngloGold Ashanti believes that the expectations reflected in such forward-looking statements are reasonable, no assurance can be given that such expectations will prove to have been correct. Accordingly, results could differ materially from those set out in the forward-looking statements as a result of, among other factors, changes in economic, social and political and market conditions, the success of business and operating initiatives, changes in the regulatory environment and other government actions, including environmental approvals, fluctuations in gold prices and exchange rates, the outcome of pending or future litigation proceedings, and business and operational risk management. For a discussion of such risk factors, refer to AngloGold Ashanti's annual reports on Form 20-F filed with the United States Securities and Exchange Commission. These factors are not necessarily all of the important factors that could cause AngloGold Ashanti's actual results to differ materially from those expressed in any forward-looking statements. Other unknown or unpredictable factors could also have material adverse effects on future results. Consequently, readers are cautioned not to place undue reliance on forward-looking statements. AngloGold Ashanti undertakes no obligation to update publicly or release any revisions to these forward-looking statements to reflect events or circumstances after the date hereof or to reflect the occurrence of unanticipated events, except to the extent required by applicable law. All subsequent written or oral forward-looking statements attributable to AngloGold Ashanti or any person acting on its behalf are qualified by the cautionary statements herein.

Non-GAAP financial measures

This communication may contain certain "Non-GAAP" financial measures. AngloGold Ashanti utilises certain Non-GAAP performance measures and ratios in managing its business. Non-GAAP financial measures should be viewed in addition to, and not as an alternative for, the reported operating results or cash flow from operations or any other measures of performance prepared in accordance with IFRS. In addition, the presentation of these measures may not be comparable to similarly titled measures other companies may use. AngloGold Ashanti posts information that is important to investors on the main page of its website at www. anglogoldashanti.com and under the "Investors" tab on the main page. This information is updated regularly. Investors should visit this website to obtain important information about AngloGold Ashanti.



SIGNATURES

Pursuant to the requirements of the Securities Exchange Act of 1934, the registrant has duly caused this report to be signed on its behalf by the undersigned, thereunto duly authorized.

AngloGold Ashanti Limited

Date: March 29, 2018

By: /s/ M E SANZ PEREZ

Name: M E Sanz Perez

Title: EVP: Group Legal, Commercial & Governance