



03038457

**FORM SE**  
**FORM FOR SUBMISSION OF PAPER FORMAT EXHIBITS**  
**BY ELECTRONIC FILERS**

Ameritrust Mortgage Securities Inc.

0001102913

Exact Name of Registrant as Specified in Charter

Registrant CIK Number

Form 8-K, November 20, 2003, Series 2003-IA1

333-105982

\_\_\_\_\_  
Name of Person Filing the Document  
(If Other than the Registrant)

**PROCESSED**

/ NOV 21 2003

THOMSON  
FINANCIAL

NOV 21 2003

SIGNATURE

Pursuant to the requirements of the Securities Exchange Act of 1934, the registrant has duly caused this report to be signed on its behalf by the undersigned hereunto duly authorized.

AMERIQUEST MORTGAGE SECURITIES INC.

By: \_\_\_\_\_

Name:

Title:

  
Julie J. Keen  
EVP

Dated: November 20, 2003

**IN ACCORDANCE WITH RULE 202 OF REGULATION S-T, THIS EXHIBIT IS BEING FILED IN PAPER PURSUANT TO A CONTINUING HARDSHIP EXEMPTION.**

**EXHIBIT INDEX**

<u>Exhibit No.</u>	<u>Description</u>	<u>Format</u>
4.1	Mortgage Loan Schedule	P*

---

\* The Mortgage Loan Schedules have been filed on paper pursuant to a continuing hardship exemption from certain electronic requirements.



ALONDO PROPTY LNTYPE GRADE

PREPAY CALCRETE LTV

QTY

ORIGRATRATE

FPDATE

MTDATE

ORIGPRN NODATE

ORIGINAL

SCHEDULE PURPOSE

OWNCC

INDEX

INDOC

INDOC

INDOC

INDOC

INDOC

INDOC

INDOC

SALES

BLNCC

BLNCC

BLNCC

BLNCC

BLNCC

BLNCC

BLNCC

BLNCC

PREPAY

PREPAY

PREPAY

PREPAY

PREPAY

PREPAY

PREPAY

PREPAY

PREPAY

APPROVAL

APPROVAL

APPROVAL

APPROVAL

APPROVAL

APPROVAL

APPROVAL

APPROVAL

APPROVAL

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

GROUP

GROUP

GROUP

GROUP

GROUP

GROUP

GROUP

GROUP

GROUP

PHI

PHI

PHI

PHI

PHI

PHI

PHI

PHI

PHI

STANDARD

STANDARD

STANDARD

STANDARD

STANDARD

STANDARD

STANDARD

STANDARD

STANDARD

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N

1N









ALONDI PROPTYP LNTYPE GRADE PREPAY CALCRTE LTV ORIGINRATRATE FPOATE MTDATE ORIGPAN NDODATE ORIGINAL SCHEMBA PURPOSE OWNOC INDEX NRADATI IPADATI MARI MINRA MAJORI DDC ORIGINATI APPVAL SALES BLMCCD PREPAYC GROUP PMI ATENI OTEBEM FRACMTRFENYK RFREZ MIPREMIUM

Table with columns: ALONDI PROPTYP, LNTYPE, GRADE, PREPAY, CALCRTE, LTV, ORIGINRATRATE, FPOATE, MTDATE, ORIGPAN, NDODATE, ORIGINAL SCHEMBA PURPOSE, OWNOC INDEX, NRADATI, IPADATI, MARI, MINRA, MAJORI, DDC, ORIGINATI, APPVAL, SALES, BLMCCD, PREPAYC, GROUP, PMI, ATENI, OTEBEM, FRACMTRFENYK, RFREZ, MIPREMIUM. The table contains multiple rows of data for various property types and grades.







ALAMO PROPTYP UNTYPE GRADE PREPATT CALCRTE LTV CTV ORIGRATRATRTE FPDATR MIDDATE ORIGRAN MIDDATE ORIGINAL SCHEDRZA PURPOSE OWNERS C MDDR NDRDJA NDRDPT MARI MNPRA MAAXRD OCC ORIGDATI APRVAL SALES BLKWOCD PREPANC GROUPE PMI ATERMIOTERM FRACA PERM REFREC MIPREMIUM

Table with columns: ALAMO, PROPTYP, UNTYPE, GRADE, PREPATT, CALCRTE, LTV, CTV, ORIGRATRATRTE, FPDATR, MIDDATE, ORIGRAN, MIDDATE, ORIGINAL, SCHEDRZA, PURPOSE, OWNERS, C, MDDR, NDRDJA, NDRDPT, MARI, MNPRA, MAAXRD, OCC, ORIGDATI, APRVAL, SALES, BLKWOCD, PREPANC, GROUPE, PMI, ATERMIOTERM, FRACA, PERM, REFREC, MIPREMIUM. The table contains multiple rows of data, including property details, dates, and financial values.



ALMADNO PROPTYPNTYPE GRADE PREPAYT CLTY ORIGRATIRATE FDATE MTDATE ORIGPAN NDDATE ORIGINAL SCHEDEBA PURPOSE OWNOC INDCB NFRADAT MARI MINRA MAOR JOCC ORIGDATI APVAL SALES BUJOC REPAYC GROUP FPMI A TERM OTERM FRACAL PERINT REFREP MIPREMIUM

Table with columns: ALMADNO, PROPTYP, NTTYPE, GRADE, PREPAYT, CLTY, ORIGRATIRATE, FDATE, MTDATE, ORIGPAN, NDDATE, ORIGINAL, SCHEDEBA, PURPOSE, OWNOC, INDCB, NFRADAT, MARI, MINRA, MAOR, JOCC, ORIGDATI, APVAL, SALES, BUJOC, REPAYC, GROUP, FPMI, A TERM, OTERM, FRACAL, PERINT, REFREP, MIPREMIUM. The table contains multiple rows of data for various property types and grades.

ALMADNO PROPTYPNTYPE GRADE PREPAYT CLTY ORIGRATIRATE FDATE MTDATE ORIGPAN NDDATE ORIGINAL SCHEDEBA PURPOSE OWNOC INDCB NFRADAT MARI MINRA MAOR JOCC ORIGDATI APVAL SALES BUJOC REPAYC GROUP FPMI A TERM OTERM FRACAL PERINT REFREP MIPREMIUM

Table with columns: ALMADNO, PROPTYP, NTTYPE, GRADE, PREPAYT, CLTY, ORIGRATIRATE, FDATE, MTDATE, ORIGPAN, NDDATE, ORIGINAL, SCHEDEBA, PURPOSE, OWNOC, INDCB, NFRADAT, MARI, MINRA, MAOR, JOCC, ORIGDATI, APVAL, SALES, BUJOC, REPAYC, GROUP, FPMI, A TERM, OTERM, FRACAL, PERINT, REFREP, MIPREMIUM. This is a continuation of the table from the previous block.









ALOMARD PROPTYP LINTYPE GRADE PREPAY CALCRATE LTY

Table with columns: ALOMARD PROPTYP, LINTYPE, GRADE, PREPAY, CALCRATE, LTY, ORIGRATRATE, FPDATE, MIDATE, ORIGDATE, ORIGINAL SCHEDULE PURPOSE, OWNER OCC, INCES, USAGAT, IMPACT, MAR, MIN, MAX, SALES, BUNCO, DREP, PAYC, GROUP, PM, ATERM, OTRM, FRAC, AI, PERIK, REFR, IMPREMIUM. Rows contain property details and financial data.

ATERM OTRM FRAC AI PERIK REFR IMPREMIUM

Table with columns: ATERM, OTRM, FRAC, AI, PERIK, REFR, IMPREMIUM. Rows contain financial data for each property.









ALOMNO PROPTI UNITE GRADE PREPAY CALORTE LTV ORIGINTRATE FPDTE MTDATE ORIGIN MDATE ORIGINAL SCHEDULE PURPOSE OWNCC INDEB ORIGINAL SCHEDULE PURPOSE OWNCC INDEB

Table with multiple columns containing numerical and alphanumeric data, including loan identifiers, dates, and interest rates.

ATERN OTERUFACAL PERIM REFECALPREMIUM

Table with multiple columns containing numerical and alphanumeric data, including loan identifiers and interest rates.



ALMOANO PROPTYP INTYPE GRADE

PREPAYT CALCRATE LTY

CLTY

ORIGRATIRATE

FPDATE MTDATE

ORIGVAL SCHEDBA PURPOSE OWNNOCC INDEB

HRADAT NIPADAT MARI MINRA MAXRO DCC

ORIGDATI APVAL

SALES BLOCOS PREPANC GROUP FMI

ATMOTERM FRACAP PERAP REFREC IMPREMIUM

Main data table with columns for property type, grade, prepayment, rate, date, value, sales, and terms. Includes a large handwritten '8' at the top right.

8







ALAMO PROPTYP LNTYPE GRADE PREPAYT CALCRITE LTV QTY ORIGRATRATE FROATE MTDATE ORIGIAN NIDDATE SCHEDULE PURPOSE OWNOC INDEX MRADAT IPADAT MARI MINRA MAJRA DCC ORIGDATI APPVAL SALES BLUCCD PREPAYT GROUP PMI ATENM OTENM FRACAL PERFIN REFREC IMPREMIUM

Table with multiple columns containing numerical and categorical data for various property entries, including lot numbers, dates, rates, and various codes.



ALOMID PROPERTY: LTY: TYPE GRADE PREPAY CALC RATE CLTY

Table with columns: ALOMID PROPERTY, LTY: TYPE GRADE, PREPAY, CALC RATE, CLTY, ORIGIN: RATE, FRONTE, MTDATE, ORIGIN: INDATE, ORIGINAL, SCHEDULE, PURPOSE, CHANGES, MISED, INSURANT, HOLDAT, MARK, MINIMUM, MAXIMUM, DDC, ORIGINAL, APPROVAL, SALES, BANCORP, PAYC, GROUP, PM, ATRM, OTHER, FRA, CFA, FEIN, REF, REF, MPREMIUM. The table contains multiple rows of data for various property types and grades.

ALOMID PROPERTY: LTY: TYPE GRADE PREPAY CALC RATE CLTY

Table with columns: ALOMID PROPERTY, LTY: TYPE GRADE, PREPAY, CALC RATE, CLTY, ORIGIN: RATE, FRONTE, MTDATE, ORIGIN: INDATE, ORIGINAL, SCHEDULE, PURPOSE, CHANGES, MISED, INSURANT, HOLDAT, MARK, MINIMUM, MAXIMUM, DDC, ORIGINAL, APPROVAL, SALES, BANCORP, PAYC, GROUP, PM, ATRM, OTHER, FRA, CFA, FEIN, REF, REF, MPREMIUM. This is a continuation of the table above, showing more property entries.

ALOMDIO PROPTYP LNTYPE GRADE PREPAY CALCRETE LTV

Table with columns: ALOMIDIO PROPTYP LNTYPE GRADE, PREPAY, CALCRETE, LTV, ORIGGRATRTE, FPDATE, INTDATE, ORIGSPAN, NODATE, ORIGINAL, SCHEMID, PURPOSE, OWNERS, INDED, NRSALAT, INPLAST, MAR, MIN, MAX, D, COC, ORIGINAT, APPROVAL, SALES, BLNCO, PREPAY, C, GROUP, PMI, ATERM, OTHER, FRAC, A/P, PERIN, REPEL, MIPREMIUM.

ALOMDIO PROPTYP LNTYPE GRADE PREPAY CALCRETE LTV

Table with columns: ALOMIDIO PROPTYP LNTYPE GRADE, PREPAY, CALCRETE, LTV, ORIGGRATRTE, FPDATE, INTDATE, ORIGSPAN, NODATE, ORIGINAL, SCHEMID, PURPOSE, OWNERS, INDED, NRSALAT, INPLAST, MAR, MIN, MAX, D, COC, ORIGINAT, APPROVAL, SALES, BLNCO, PREPAY, C, GROUP, PMI, ATERM, OTHER, FRAC, A/P, PERIN, REPEL, MIPREMIUM.

ALOMDIO PROPTYP LNTYPE GRADE PREPAY CALCRETE LTV

Table with columns: ALOMIDIO PROPTYP LNTYPE GRADE, PREPAY, CALCRETE, LTV, ORIGGRATRTE, FPDATE, INTDATE, ORIGSPAN, NODATE, ORIGINAL, SCHEMID, PURPOSE, OWNERS, INDED, NRSALAT, INPLAST, MAR, MIN, MAX, D, COC, ORIGINAT, APPROVAL, SALES, BLNCO, PREPAY, C, GROUP, PMI, ATERM, OTHER, FRAC, A/P, PERIN, REPEL, MIPREMIUM.

ALOMDIO PROPTYP LNTYPE GRADE PREPAY CALCRETE LTV

Table with columns: ALOMIDIO PROPTYP LNTYPE GRADE, PREPAY, CALCRETE, LTV, ORIGGRATRTE, FPDATE, INTDATE, ORIGSPAN, NODATE, ORIGINAL, SCHEMID, PURPOSE, OWNERS, INDED, NRSALAT, INPLAST, MAR, MIN, MAX, D, COC, ORIGINAT, APPROVAL, SALES, BLNCO, PREPAY, C, GROUP, PMI, ATERM, OTHER, FRAC, A/P, PERIN, REPEL, MIPREMIUM.

ALOMDIO PROPTYP LNTYPE GRADE PREPAY CALCRETE LTV

Table with columns: ALOMIDIO PROPTYP LNTYPE GRADE, PREPAY, CALCRETE, LTV, ORIGGRATRTE, FPDATE, INTDATE, ORIGSPAN, NODATE, ORIGINAL, SCHEMID, PURPOSE, OWNERS, INDED, NRSALAT, INPLAST, MAR, MIN, MAX, D, COC, ORIGINAT, APPROVAL, SALES, BLNCO, PREPAY, C, GROUP, PMI, ATERM, OTHER, FRAC, A/P, PERIN, REPEL, MIPREMIUM.

ALOMDIO PROPTYP LNTYPE GRADE PREPAY CALCRETE LTV

Table with columns: ALOMIDIO PROPTYP LNTYPE GRADE, PREPAY, CALCRETE, LTV, ORIGGRATRTE, FPDATE, INTDATE, ORIGSPAN, NODATE, ORIGINAL, SCHEMID, PURPOSE, OWNERS, INDED, NRSALAT, INPLAST, MAR, MIN, MAX, D, COC, ORIGINAT, APPROVAL, SALES, BLNCO, PREPAY, C, GROUP, PMI, ATERM, OTHER, FRAC, A/P, PERIN, REPEL, MIPREMIUM.

ALOMDIO PROPTYP LNTYPE GRADE PREPAY CALCRETE LTV

Table with columns: ALOMIDIO PROPTYP LNTYPE GRADE, PREPAY, CALCRETE, LTV, ORIGGRATRTE, FPDATE, INTDATE, ORIGSPAN, NODATE, ORIGINAL, SCHEMID, PURPOSE, OWNERS, INDED, NRSALAT, INPLAST, MAR, MIN, MAX, D, COC, ORIGINAT, APPROVAL, SALES, BLNCO, PREPAY, C, GROUP, PMI, ATERM, OTHER, FRAC, A/P, PERIN, REPEL, MIPREMIUM.

ALAMOIN PROPRTY LMTYPE GRADE

Table with columns: ALAMOIN PROPRTY, LMTYPE, GRADE, PREPACT, CALCRITE LTV, CITY, ORIGIN:RTRATE, FPOATE, MIDDATE, ORIGIN:MDATE, ORIGINAL SCHEMBA, PURPOSE, OWNER, CMC, HSD, DAI, NSD, DAT, MARK, MIN, SA, MA, MK, DO, CC, SALES, BLK, C, CC, PREPACT, GROUP, PMI, ATERM, TERM, FRA, C, PERM, REF, REC, MIP, PREMIUM. The table contains a large number of rows, each representing a property record with various attributes and values.

ATEM:TERM,FRA,C PERM, REF, REC, MIP, PREMIUM

Table with columns: ATERM, TERM, FRA, C, PERM, REF, REC, MIP, PREMIUM. This table provides a summary or continuation of the data from the main table, focusing on the final columns.



ALGANO PROPTY LNTYPE GRADE

PREPAY CALCITE LTV

ORIGIARTRATE

FPDATE

MTDATE

ORIGIPAN NDDATE

ORIGBAL

SCHEDUA PURPOSE

Table with columns: ALGANO PROPTY, LNTYPE, GRADE, PREPAY CALCITE LTV, ORIGIARTRATE, FPDATE, MTDATE, ORIGIPAN NDDATE, ORIGBAL, SCHEDUA PURPOSE, OWNOC, INDEX, HRADAT, INPADAT, MAKI, MINIK, MALIK, MAJUK, DOC, ORIGINAT, APPVAL, SALES, BLMCC, BRES, PNC, GROUP, FIRM, ATR, TEL, OTR, FR, CAI, PERIK, REPR, MIPREMIUM.

OWNOC

INDEX

HRADAT

INPADAT

MAKI

MINIK

MALIK

MAJUK

DOC

ORIGINAT

APPVAL

SALES

BLMCC

BRES

PNC

GROUP

FIRM

ATR

TEL

OTR

FR

CAI

PERIK

REPR

MIPREMIUM



ALOWARD PROPERTY LTY GRADE PREPACT CALCITE LTY

ORIGPRATE

CLTY

FPDATE

MTDATE

ORIGPAN NODATE

ORIGINAL

SCHEMORA PURPOSE

Table with columns: ALOWARD PROPERTY LTY GRADE, PREPACT CALCITE LTY, ORIGPRATE, CLTY, FPDATE, MTDATE, ORIGPAN NODATE, ORIGINAL, SCHEMORA PURPOSE, OWNSVCC INDEX, NPADAT, MARI, MINJ, MAJOR, DOC, ORIGDAT, APVAL, SALES, BLMCC, GREPAC, GROUP, FIN, ATENU, OTEN, FRAC, AI, PERK, REFE, IMPREMIUM.

ALOMD PROPTYP INTYPE GRADE

PREPAYT CALCRTE LTV

CITY

ORIGINATION RATE

PRDAYS

MTDAYS

ORGAN WDATE

ORIGINAL

SCHEDULE PURPOSE OWNCC INDE3

Table with columns: ALOMID, PROPTYP, INTYPE, GRADE, PREPAYT, CALCRTE, LTV, CITY, ORIGINATION RATE, PRDAYS, MTDAYS, ORGAN WDATE, ORIGINAL, SCHEDULE PURPOSE OWNCC INDE3, HEADST, MPADST, MAR, MIN, MA, MAX, DO, ORIG DATE, APPROVAL, SALES, BLNCC, PREPAYT, GRP, PMI, ATERM, OTERM, FRA, CA, PERIN, RF, REF, REP, IMP, PREMIUM.





ALMOND PROP TY TYPE GRADE

PREPVT CALGRTE LTV

ORIGPRATE

FDATE

MTDATE

ORIGPRN

MOQATE

ORIGBAL

SCHEDBA

PURPOSE

OWNNOCC

INDEX

NRADA

TRPADA

MARI

MINRA

Main data table with columns: ALMOND PROP TY TYPE GRADE, PREPVT CALGRTE LTV, ORIGPRATE, FDATE, MTDATE, ORIGPRN, MOQATE, ORIGBAL, SCHEDBA, PURPOSE, OWNNOCC, INDEX, NRADA, TRPADA, MARI, MINRA, MAJOR, DOCC, ORIGDATE, APVAL, SALES, BLNCC, PREPAY, GROUP, PAI, ATRM, OTERM, FRACA, PENN, REF, REC, IMP, PREM, IUM

Table with columns: ATRM, OTERM, FRACA, PENN, REF, REC, IMP, PREM, IUM

ALOMID PROPTYP LNTYPE GRADE PREPAY CALCRATE

Table with columns: ALOMID PROPTYP, LNTYPE, GRADE, PREPAY, CALCRATE, CTV, ORIGGRATRTE, FDATE, MIDATE, ORIGDATE, ORIGINAL SCHEDULE, PURPOSE, OWNER, OCC, INSDAT, MARK, MIN, MAX, DOCC, ORIGINATI, APPVAL, SALES, BLNCCO, PREPAYC, GROUP, PMI, ATERM, OTERM, FRACAI, FERIN, RFRFX, IMPREMIUM.

ATERN OTERM FRACAI FERIN RFRFX IMPREMIUM

Table with columns: ATERM, OTERM, FRACAI, FERIN, RFRFX, IMPREMIUM.

ALOWND PROPPT LNTYPE GRADE PREPAY CALCRTE LTV CITY ORIGINRTRATE FPDATE MTDATE ORIGINR INDCODE ORIGINAL SCHEDBS PURPOSE OWNACC INDE: USASOT INPATY TASHI MINIRA MAXD: DOC. ORIGINAT APPVAL SALES BLUNCO PREPAYC GROUP PMI ATERM OTERM FRACA PERIN RFRE MIPREMIUM

Table with columns: ALOWND PROPPT LNTYPE GRADE, PREPAY CALCRTE LTV, CITY, ORIGINRTRATE, FPDATE, MTDATE, ORIGINR INDCODE, ORIGINAL SCHEDBS PURPOSE OWNACC INDE, USASOT INPATY TASHI MINIRA MAXD, DOC, ORIGINAT APPVAL, SALES BLUNCO, PREPAYC GROUP PMI, ATERM OTERM FRACA PERIN RFRE MIPREMIUM. The table contains multiple rows of data, each representing a different property or transaction.



ALMAD PROPTY UNTPY GRAD

PREPAY CALCRTE IVY

ORIGINATION RATE

FRONT MTRATE

ORIGINAL SCHEDULE PURCHASE OWNERS INDEB

NETDQAT MARI MINHA MANEJ DOC

SALES BLUCCO PREPAYC GROUPE PMI

ORIGINATION RATE

ATERN OTRM FRACA PERM RFREFI MPREMIUM

Table with columns: ALMAD PROPTY UNTPY GRAD, PREPAY CALCRTE IVY, ORIGINATION RATE, FRONT MTRATE, ORIGINA SCHEDULE PURCHASE OWNERS INDEB, NETDQAT MARI MINHA MANEJ DOC, SALES BLUCCO PREPAYC GROUPE PMI, ORIGINATION RATE, ATERN OTRM FRACA PERM RFREFI MPREMIUM. Contains multiple rows of numerical and categorical data.







ALOMNO PROPTYPE LTYTYPE GRADE

PREPACT CALCRATE LTY CLTY

ORIGRATRATE

FPDATE

MTDATE

ORIGIPAN

INDATE

ORIGSHEB

PURPOSE

OWNR

INDOC

INPADAT

MARI

MINPRA

MAKRO

DOC

ORIGDAT

APPRVAL

SALAS

BUCDOC

PREPACT

GROUP

PMI

ATERRA

OTEMR

FRACAL

PERINT

PRFEE

IMPRESUM

Table with columns: ALOMNO, PROPTYPE, LTYTYPE, GRADE, PREPACT, CALCRATE, LTY, CLTY, ORIGRATRTE, FPDATE, MTDATE, ORIGIPAN, INDATE, ORIGSHEB, PURPOSE, OWNR, INDOC, INPADAT, MARI, MINPRA, MAKRO, DOC, ORIGDAT, APPRVAL, SALAS, BUCDOC, PREPACT, GROUP, PMI, ATERRA, OTEMR, FRACAL, PERINT, PRFEE, IMPRESUM.

