



EDGAR® N-MFP3

XML Technical Specification

Version 2.1

March 2025

TABLE OF CONTENTS

1	INTRODUCTION	1-1
	Purpose	1-1
	Summary of Changes	1-2
2	EDGAR SCHEMA FILES	2-1
	Schema Table Column Definitions	2-1
3	XML SCHEMAS.....	3-1
	Schema Table Column Definitions	3-1
	Data Type Constraints	3-1
	Applicability of Schema Elements	3-2
	Mapping of N-MFP3 Submission Schemas to Submission Types.....	3-3
4	N-MFP3 SCHEMA Data Value Constraints	4-1
	SUBMISSION_TYPE.....	4-1
	MARKET_FUND_CATEGORY_TYPE	4-1
	INVESTMENT_CATEGORY_TYPE.....	4-1
	COLLATERAL_INVESTMENT_CATEGORY_TYPE	4-2
	BENEFICIAL_RECORD_OWNER_CATEGORY_TYPE.....	4-3
	LIQUIDITY_FEE_TYPE_CATEGORY.....	4-4
5	BASIC SUBMISSION CONSTRUCTION	5-4
	General Formatting of XML Files.....	5-4
	XML Submission File Rules	5-5
6	ERROR REPORTING	6-1
7	EXAMPLE N-MFP3 SUBMISSION FILES	7-1
	Appendix A. State/Country CODES.....	A-1
	Appendix B. ACRONYMS	B-1

LIST OF TABLES

Table 1-1: N-MFP3 Submission Types	1-1
Table 2-1: N-MFP3 Schema Files	2-1
Table 2-2: Schema Language.....	2-2
Table 3-1: Column Definitions for the Tables in Section 3-4	3-1
Table 6-1: Submission Errors and Severity	6-1
Table 7-1: Sample Submission/Document Files	7-1

1 INTRODUCTION

Purpose

This document details the valid structure and content of the N-MFP3 Electronic Data Gathering, Analysis, and Retrieval (EDGAR) Extensible Markup Language (XML) submission types. The following table lists the submission types for N-MFP3.

Table 1-1: N-MFP3 Submission Types

SUBMISSION TYPE	DESCRIPTION
N-MFP3	Monthly Schedule of Portfolio Holdings of Money Market Funds.
N-MFP3/A	Amendment of a previous N-MFP3 filing.

This specification provides the basis for creating the aforementioned submission types for N-MFP3 XML submissions. Filers must use this technical specification to generate an N-MFP3 XML submission that can be successfully parsed by the EDGAR system.

The N-MFP3 submission file must conform to the EDGAR N-MFP3 Submission Taxonomy. This taxonomy is comprised of a collection of XML Schema Definition (.xsd) files that define the structures of EDGAR N-MFP3 submissions.

The N-MFP3 XML submissions can be transmitted to the SEC via the EDGAR Filing (<https://www.edgarfiling.sec.gov>) or the “Transmit XML Submission” option from the EDGAR OnlineForms/XML website (<https://www.onlineforms.edgarfiling.sec.gov>).

To access the EDGAR Filing and EDGAR OnlineForms websites, you must have a Central Index Key (CIK) and a current EDGAR password and CIK confirmation code (CCC).

If you do not have a CIK, password and/or CCC, please consult How Do I Understand and Utilize EDGAR CIKs, Passphrases and Access Codes on SEC.gov.

For further information about EDGAR Filing and EDGAR OnlineForms, specifically with respect to the transmission of filer-constructed submissions, refer to the “Filer Constructed XML Submission” section of the EDGAR Filer Manual, Volume II (EDGAR Filing).

Summary of Changes

On February 5th, 2024, EDGAR Release 24.0.2 introduced the following changes:

- Updated maxOccurs value to 1 for dispositionOfPortfolioSecurities XML element in N-MFP3 and N-MFP3/A.

2 EDGAR SCHEMA FILES

Table 2-1: N-MFP3 Schema Files **Table 2-1: N-MFP3 Schema Files** describes the schema files that the EDGAR system uses to validate N-MFP3 submissions. These schemas are considered part of this specification and are distributed with this document.

Table 2-1: N-MFP3 Schema Files

XML Schema File	Scope of File
eis_NMFP3_Filer.xsd	Defines the elements for an N-MFP3 submission.
eis_NMFP3_common.xsd	Defines the common elements for all EDGAR N-MFP3 submissions.
eis_Common.xsd	Defines the submission fields that are common in all EDGAR submissions.
eis_stateCodes.xsd	Defines the state codes for all EDGAR N-MFP3 submissions.

The schema files define the valid data elements for an N-MFP3 submission, the hierarchy and sequencing of these elements, data types, valid values, maximum lengths, and number of occurrences, etc.

It is recommended that you download these files and use them for your own validation prior to filing a submission. This will greatly reduce the likelihood of receiving an EDGAR Suspend error. These schema files contain several annotations that describe the nature of the content of some of the elements.

EDGAR performs several validation checks that are not related to the schema files, so it is possible for a submission to meet all the schema constraints and still be SUSPENDED or BLOCKED. For instance, EDGAR verifies that each CIK/CCC pair is valid.

Schema Table Column Definitions

We assume the filer is familiar with the basics of the XML language, Namespaces, and the XML Schema Definition language. If not, you can find numerous references on the World Wide Web. One recommended website that provides several useful tutorials and examples is <http://www.w3schools.com/>.

The table below highlights the schema language features used most heavily in the EDGAR N-MFP3 submission schema files. These are:

Table 2-2: Schema Language

Indicator	Purpose
<sequence>	Specifies that child elements must appear in a specific order. This indicator is used with each element hierarchy. Elements must always appear in the order shown in Section 3.4.
<choice>	Specifies that only one of the child elements can be present within the containing element.
<minOccurs>	Specifies the minimum number of times that an element can occur.
<maxOccurs>	Specifies the maximum number of times that an element can occur.

The default value for the <minOccurs> and <maxOccurs> indicator is 1. An optional field will have a <minOccurs> value of zero.

This excerpt is from the eis_NMFP3_Filer.xsd schema file and includes some of these indicators:

```

<xs:sequence>
    <xs:element name="securitiesActFileNumber"
    type="ns1:FILE_NUMBER_TYPE" minOccurs="0"/>
        <xs:element name="adviser" type="ADVISER_TYPE"
    minOccurs="1" maxOccurs="10"/>
            <xs:element name="subAdviser" type="ADVISER_TYPE"
    minOccurs="0" maxOccurs="10"/>
                <xs:element name="indpPubAccountant"
    type="INDP_PUB_ACCOUNTANT_TYPE" minOccurs="1"/>
                    <xs:element name="administrator"
    type="ADMINISTRATOR_TYPE" minOccurs="0" maxOccurs="10"/>
                        <xs:element name="transferAgent"
    type="TRANSFER_AGENT_TYPE" minOccurs="1" maxOccurs="10"/>
                            <xs:element name="feederFundFlag"
    type="ns1:YES_NO_TYPE" minOccurs="1"/>
                                <xs:element name="masterFeederFund"
    type="FEEDER_FUND_INFO_TYPE" minOccurs="0"/>
                                    <xs:element name="masterFundFlag"
    type="ns1:YES_NO_TYPE" minOccurs="1"/>
                                <xs:element name="feederFund"
    type="FEEDER_FUND_INFO_TYPE" minOccurs="0" maxOccurs="20"/>
                                    <xs:element name="seriesFundInsuCmpnySepAcntFlag"
    type="ns1:YES_NO_TYPE" minOccurs="1"/>
                                <xs:element name="moneyMarketFundCategory"
    type="MARKET_FUND_CATEGORY_TYPE" minOccurs="1" maxOccurs="6"/>

```

This is a sample of XML that conforms to the schema definition above:

```

<securitiesActFileNumber>002-99985</securitiesActFileNumber>
    <adviser>
        <adviserName>a</adviserName>
        <adviserFileNumber>801-99932</adviserFileNumber>

```

```

    </adviser>
<adviser>
    <adviserName>a</adviserName>
    <adviserFileNumber>801-99932</adviserFileNumber>
</adviser>
<subAdviser>
    <adviserName>aaa</adviserName>
    <adviserFileNumber>801-99932</adviserFileNumber>
</subAdviser>
<subAdviser>
    <adviserName>bbb</adviserName>
    <adviserFileNumber>801-99932</adviserFileNumber>
</subAdviser>
<indpPubAccountant>
    <name>a</name>
    <city>a</city>
    <stateCountry>VA</stateCountry>
</indpPubAccountant>
<administrator>
    <administratorName>a</administratorName>
</administrator>
<administrator>
    <administratorName>a</administratorName>
</administrator>
<transferAgent>
    <name>a</name>
    <cik>0000350001</cik>
    <fileNumber>084-55609</fileNumber>
</transferAgent>
<feederFundFlag>Y</feederFundFlag>
<masterFeederFund>
    <cik>0000350001</cik>
    <name>aaa</name>
    <fileNumber>002-99985</fileNumber>
    <seriesId>S000002112</seriesId>
</masterFeederFund>
<masterFundFlag>Y</masterFundFlag>
<feederFund>
    <cik>0000350001</cik>
    <name>a</name>
    <fileNumber>002-99985</fileNumber>
    <seriesId>S000002112</seriesId>
</feederFund>
<seriesFundInsuCmpnySepAccntFlag>Y</seriesFundInsuCmpnySepAccntFlag>
<moneyMarketFundCategory>Exempt Government</moneyMarketFundCategory>
<moneyMarketFundCategory>Treasury</moneyMarketFundCategory>

```

3 XML SCHEMAS

This section summarizes the restrictions and constraints imposed on the content of the N-MFP3 submission types. These rules are enforced by the schema files and by EDGAR submission processing applications.

Schema Table Column Definitions

The following table defines the columns in the two schema summation tables provided in Sections 3.4:

Table 3-1: Column Definitions for the Tables in Section 3-4

Column Name	Description
Level	Depth of element in the XML node hierarchy.
Order	Order in which elements must appear.
Data Type	See Table in Section 3.2 for a detailed description.
Element Name	Name of the XML element. This is case-sensitive.
Max Length	Maximum length for elements. EDGAR database stores up to this number of characters. “Unlimited” means no maximum length constraint for the element value.
Data Value Constraint	The paragraph that describes the data value constraint for the element. The values specified are case sensitive.
Max Occur	Maximum times a set of elements may be repeated. The maximum occurrence is 1, if not specified.
Applicability of Element	Indicates applicability of the element. m = Mandatory o = Optional NA = Does not apply. EDGAR uses this element for server-side processing. Do not provide a value for this element.

Data Type Constraints

Each entry in the “Data Type” column of these tables will be one of these values:

Data Type	Constraints
Boolean	Indicate a “true” value with the word “true”. Indicate a “false” value with the word “false”. A Boolean element may not have a null or blank value. This is a schema violation and will cause a SUSPENSE error.
date	Must be of the format YYYY-MM-DD. A date element may not have a null or blank value. This is a schema violation and will cause a SUSPENSE error. Do not include a date element at all if your goal is to not provide an optional date.
integer	Only valid characters are 0-9. Cannot contain commas, a minus sign, a dollar sign, or parentheses. An integer element may not have a null or blank value. This is a schema violation and will cause a SUSPENSE error.
string	Should be no longer than the length shown in the tables in Section 3.4. EDGAR stores values in the <signatureName>, and <contactEmailAddress> elements exactly as provided. All other values are stored in the database as uppercase. You must use special escape sequences to represent these four characters: For the < character use the escape sequence “<” or “#60;”. For the > character use the escape sequence “>” or “#62;”. For the & character use the escape sequence “&” or “#38;”. For the “ character use the escape sequence “"” or “#34;”.

Data Type	Constraints
decimal	Valid characters are 0-9, and the minus sign. Cannot contain commas, dollar sign, or parentheses. May contain period and decimal places.
NV	These fields cannot have a value. They are parent element nodes that contain other XML elements. These elements need to be present for proper validation.
attr	Attribute property for an XML element.

Applicability of Schema Elements

Each entry in the submission/document type column in Section 3.4 will have one of these values:

Value	Description
m	Mandatory
m#	Conditional Mandatory. The element is mandatory if its parent element is included. The element cannot be included if its parent is not included.
m#1	Conditional Mandatory. The element is mandatory if specific values are provided for other elements.
m#2	This element is required for correct processing of the submission type.
o	Optional
o#	Optional in the Schema. The value will be populated by EDGAR. Any value provided will be overwritten and a WARNING generated.
NA	Does not apply to submission type. EDGAR uses this field for server-side processing. Do not provide a value for this element.
blank	Does not apply to submission type.

Mapping of N-MFP3 Submission Schemas to Submission Types

Mapping of N-MFP3 and Variants Submission Schema to Submission Type

Level	Order	Data Type	Element/Attribute Name	Max Length	Choice List	Max Occur	N-MFP3	N-MFP3/A
1	1	NV	edgarSubmission			1	m	m
2	1	String	schemaVersion	5		1	o	o
2	2	NV	headerData			1	m	m
3	1	String	submissionType		SUBMISSION TYPE	1	m	m
3	2	NV	filerInfo			1	m	m
4	1	NV	filer			1	m	m
5	1	NV	filerCredentials			1	m	m
6	1	String	cik	10		1	m	m
6	2	String	ccc	8		1	m	m
4	2	String	liveTestFlag		"LIVE" or "TEST"	1	m	m
4	3	NV	contact			1	o	o
5	1	String	contactName	30		1	o	o
5	2	String	contactPhoneNumber	20		1	o	o
4	4	NV	notifications			1	o	o
5	1	String	notificationEmailAddress	80		30	o	o
4	5	Boolean	confirmingCopyFlag		"Y" or "N"	1	m	m
2	3	NV	formData			1	m	m
3	1	NV	generallInfo			1	m	m
4	1	Date	reportDate		DATE	1	m	m
4	2	String	registrantFullName	150		1	m	m
4	3	String	cik	10		1	m	m
4	4	String	registrantLEId	20		1	m	m
4	5	String	nameOfSeries	150		1	m	m
4	6	String	leiOfSeries	20		1	m	m
4	7	String	seriesId	10		1	m	m
4	8	Integer	totalShareClassesInSeries	3		1	m	m
4	9	Boolean	finalFilingFlag		"Y" or "N"	1	m	m
4	10	Boolean	fundLiquidatingFlag		"Y" or "N"	1	m#1	m#1
4	11	Boolean	fundMrgOrAcqrdByOthrFlag		"Y" or "N"	1	m#1	m#1
4	12	NV	successorFund			10	o	o
5	1	String	cik	10		1	m#1	m#1
5	2	String	fileNumber	17		1	o	o
5	3	String	seriesId	10		1	m#1	m#1
4	13	Boolean	fundAcqrdOrMrgdWthAnthrFlag		"Y" or "N"	1	m	m
4	14	NV	acquiredMergedFund			10	o	o
5	1	String	cik	10		1	m#1	m#1
5	2	String	fileNumber	17		1	o	o

Level	Order	Data Type	Element/Attribute Name	Max Length	Choice List	Max Occur	N-MFP3	N-MFP3/A
5	3	String	seriesId	10		1	m# 1	m#1
4	15	NV	contact2			1	m	m
5	1	String	contactName	30		1	m	m
5	2	String	contactPhoneNumber	20		1	m	m
5	3	String	contactEmailAddress	80		1	m	m
3	2	NV	seriesLevelInfo			1	m	m
4	1	String	securitiesActFileNumber	17		1	o	o
4	2	NV	adviser			10	m	m
5	1	String	adviserName	150		1	m	m
5	2	String	adviserFileNumber	17		1	m	m
4	3	NV	subAdviser			10	o	o
5	1	String	adviserName	150		1	o	o
5	2	String	adviserFileNumber	17		1	m# 1	m#1
4	4	NV	indpPubAccountant			1	m	m
5	1	String	name	150		1	m	m
5	2	String	city	30		1	m	m
5	3	String	stateCountry	2	STATE/COUNTRY CODES	1	m	m
4	5	NV	administrator			10	o	o
5	1	String	administratorName	150		1	o	o
4	6	NV	transferAgent			10	m	m
5	1	String	name	150		1	m#	m#
5	2	String	cik	10		1	m#	m#
5	3	String	fileNumber	17		1	m# 1	m#1
4	7	String	feederFundFlag	1	"Y" or "N"	1	m	m
4	8	NV	masterFeederFund			1	m# 1	m#1
5	1	String	cik	10		1	m# 1	m#1
5	2	String	name	150		1	m# 1	m#1
5	3	String	fileNumber	17		1	o	o
5	4	String	seriesId	10		1	m# 1	m#1
4	9	Boolean	masterFundFlag		"Y" or "N"	1	m	m
4	10	NV	feederFund			20	m# 1	m#1
5	1	String	cik	10		1	m# 1	m#1
5	2	String	name	150		1	m# 1	m#1
5	3	String	fileNumber	17		1	o	o
5	4	String	seriesId	10		1	m# 1	m#1
4	11	Boolean	seriesFundInsuCmpnySepAcctFlag		"Y" or "N"	1	m	m
4	12	String	moneyMarketFundCategory		MARKET_FUND_CATEGORY_TYPE	1	m	m
4	13	Boolean	fundRetailMoneyMarketFlag		"Y" or "N"	1	m	m
4	14	Boolean	govMoneyMrktFundFlag		"Y" or "N"	1	m# 1	m#1

Level	Order	Data Type	Element/Attribute Name	Max Length	Choice List	Max Occur	N-MFP3	N-MFP3/A
4	15	Integer	averagePortfolioMaturity	2		1	m	m
4	16	Integer	averageLifeMaturity	3		1	m	m
4	17	NV	liquidAssetsDetails			31	m	m
5	1	Decimal	totalValueDailyLiquidAssets	14		1	o	o
5	2	Decimal	totalValueWeeklyLiquidAssets	14		1	m	m
5	3	Decimal	percentageDailyLiquidAssets	5		1	o	o
5	4	Decimal	percentageWeeklyLiquidAssets	5		1	m	m
5	5	Date	totalLiquidAssetsNearPercentDate		DATE	1	m	m
4	18	Decimal	cash	14		1	m	m
4	19	Decimal	totalValuePortfolioSecurities	14		1	m	m
4	20	Decimal	amortizedCostPortfolioSecurities	14		1	m	m
4	21	Decimal	totalValueOtherAssets	14		1	m	m
4	22	Decimal	totalValueLiabilities	14		1	m	m
4	23	Decimal	netAssetOfSeries	14		1	m	m
4	24	Decimal	numberOfSharesOutstanding	16		1	m	m
4	25	Boolean	seekStablePricePerShare	1	"Y" or "N"	1	m	m
4	26	Decimal	stablePricePerShare	8		1	m#1	m#1
4	27	NV	sevenDayGrossYield			31	m	m
5	1	Decimal	sevenDayGrossYieldValue	5		1	m	m
5	2	Date	sevenDayGrossYieldDate		DATE	1	m	m
4	28	NV	dailyNetAssetValuePerShareSeries			31	m	m
5	1	Decimal	dailyNetAssetValuePerShareSeries	8		1	m	m
5	2	Date	dailyNetAssetValuePerShareDateSeries		DATE	1	m	m
4	29	Boolean	cashMgmtVehicleAffiliatedFundFlag	1	"Y" or "N"	1	m	m
4	30	Boolean	liquidityFeeFundApplyFlag	1	"Y" or "N"	1	m	m
4	31	NV	liquidityFeeReportingPeriod			31	m#1	m#1
5	1	Date	liquidityFeeApplyDate		DATE	1	m#1	m#1
5	2	String	liquidityFeeTypeForReportingPeriod		LIQUIDITY_FEE_TYPE_CATEGORY	1	m#1	m#1
5	3	Decimal	liquidityFeeAmountApplyToRedemption	14		1	m#1	m#1
5	4	Decimal	liquidityFeePercentSharesRedeemed	5		1	m#1	m#1
3	3	NV	classLevelInfo			50	m	m
4	1	String	classFullName	150		1	m	m
4	2	String	classesId	10		1	m	m
4	3	Decimal	minInitialInvestment	14		1	m	m
4	4	Decimal	netAssetsOfClass	14		1	m	m
4	5	Decimal	numberOfSharesOutstanding	16		1	m	m
4	6	NV	dailyNetAssetValuePerShareClass			31	m	m
5	1	Decimal	dailyNetAssetValuePerShareClass	8		1	m	m
5	2	Date	dailyNetAssetValuePerShareDateClass		DATE	1	m	m

Level	Order	Data Type	Element/Attribute Name	Max Length	Choice List	Max Occur	N-MFP3	N-MFP3/A
4	7	NV	dailyShareholderFlowDate			31	m	m
5	1	Decimal	dailyGrossSubscriptions	14		1	m	m
5	2	Decimal	dailyGrossRedemptions	14		1	m	m
5	3	Date	dailyShareHolderFlowDate		DATE	1	m	m
4	8	NV	monthlyShareholderFlowReported			1	m	m
5	1	Decimal	totalGrossSubscriptions	14		1	m	m
5	2	Decimal	totalGrossRedemptions	14		1	m	m
4	9	NV	sevenDayNetYield			31	m	m
5	1	Decimal	sevenDayNetYieldValue	5		1	m	m
5	2	Date	sevenDayNetYieldDate		DATE	1	m	m
4	10	Boolean	personPayForFundFlag	1	"Y" or "N"	1	m	m
4	11	Decimal	nameOfPersonDescExpensePay	14		1	m# 1	m#1
			beneficialRecordOwnerCategory			25	o	o
5	1	String	beneficialRecordOwnerCategoryType		<u>BENEFICIAL RECORD OWNER CATEGOR Y TYPE</u>	1	m# 1	m#1
5	2	String	otherInvestorCategory	250		1	m# 1	m#1
5	3	Decimal	percentOutstandingSharesRecord	5		1	m# 1	m#1
5	4	Decimal	percentOutstandingSharesBeneficial	5		1	m# 1	m#1
4	13	Decimal	percentShareHolderCompNonFinancialCorp	5		1	m# 1	m#1
4	14	Decimal	percentShareHolderCompPensionPlan	5		1	m# 1	m#1
4	15	Decimal	percentShareHolderCompNonProfit	5		1	m# 1	m#1
4	16	Decimal	percentShareHolderCompMunicipal	5		1	m# 1	m#1
4	17	Decimal	percentShareHolderCompRegInvestment	5		1	m# 1	m#1
4	18	Decimal	percentShareHolderCompPrivateFunds	5		1	m# 1	m#1
4	19	Decimal	percentShareHolderCompDepositoryInst	5		1	m# 1	m#1
4	20	Decimal	percentShareHolderSovereignFund	5		1	m# 1	m#1
4	21	Decimal	percentShareHolderCompBrokerDealer	5		1	m# 1	m#1
4	22	Decimal	percentShareHolderCompInsurance	5		1	m# 1	m#1
4	23	Decimal	percentShareHolderCompOther	5		1	o	o
4	24	String	otherInvestorTypeDescription	250		1	m# 1	m#1
4	25	Boolean	shareCancellationReportingPeriod	1	"Y" or "N"	1	m	m
4	26	NV	cancelledSharesPerBusinessDay			31	m# 1	m#1
5	1	Decimal	cancelledShareDollarValue	14		1	m# 1	m#1
5	2	Decimal	cancelledShareNumber	16		1	m# 1	m#1
5	3	Date	cancelledShareDate		DATE	1	m# 1	m#1
3	4	NV	scheduleOfPortfolioSecuritiesInfo			99999	m	m
4	1	String	nameOfIssuer	150		1	m	m

Level	Order	Data Type	Element/Attribute Name	Max Length	Choice List	Max Occur	N-MFP3	N-MFP3/A
4	2	String	titleOfIssuer	200		1	m	m
4	3	String	coupon	25		1	o	o
4	4	String	CUSIPMember	9		1	m	m
4	5	String	LEIID	20		1	m	m
4	6	String	ISINId	12		1	o	o
4	7	String	cik	10		1	o	o
4	8	Integer	RSSDID	10		1	o	o
4	9	String	otherUniquelId	20		1	o	o
4	10	String	investmentCategory		INVESTMENT_CATEGORY_TYPE	1	m	m
4	11	String	briefDescription	250		1	m# 1	m#1
4	12	Boolean	fundAcqstnUndrlyngSecurityFlag		"Y" or "N"	1	m# 1	m#1
4	13	NV	repurchaseAgreement			1	m# 1	m#1
5	1	Boolean	repurchaseAgreementOpenFlag		"Y" or "N"	1	m# 1	m#1
5	2	Boolean	repurchaseAgreementClearedFlag		"Y" or "N"	1	m# 1	m#1
5	3	String	nameOfCCP	150		1	m# 1	m#1
5	4	Boolean	repurchaseAgreementTripartyFlag		"Y" or "N"	1	m# 1	m#1
5	5	NV	collateralIssuers			unbounded	m# 1	m#1
6	1	String	nameOfCollateralIssuer	150		1	m# 1	m#1
6	2	String	LEIID	20		1	m# 1	m#1
6	3	String	CUSIPMember	9		1	m# 1	m#1
6	4	NV	maturityDate			1	m# 1	m#1
7	1	String	date	10		1	m# 1	m#1
7	2	NV	dateRange			1	m# 1	m#1
8	1	String	from	10		1	m# 1	m#1
8	2	String	to	10		1	m# 1	m#1
6	5	Decimal	coupon	25		1	m# 1	m#1
6	6	Decimal	yield	25		1	m# 1	m#1
6	7	Decimal	principalAmountToTheNearestCent	14		1	m# 1	m#1
6	8	Decimal	valueOfCollateralToTheNearestCent	14		1	m# 1	m#1
6	9	String	ctgryInvestmentsRprsntsCollateral		COLLATERAL_INVESTMENT_CATEGORY_TYPE	1	m# 1	m#1
6	10	String	otherInstrumentBriefDesc	250		1	m# 1	m#1
4	14	Boolean	securityEligibilityFlag		"Y" or "N"	1	m	m
4	15	NV	assigningNRSRORating			100	o	o
5	1	String	nameOfNRSRO	150		1	o	o
5	2	String	rating	20		1	o	o
4	16	Date	InvestmentMaturityDateWAM		DATE	1	o	o

Level	Order	Data Type	Element/Attribute Name	Max Length	Choice List	Max Occur	N-MFP3	N-MFP3/A
4	17	Date	InvestmentMaturityDateWAL		DATE	1	m# 1	m#1
4	18	Date	finalLegalInvestmentMaturityDate		DATE	1	m	m
4	19	Boolean	securityDemandFeatureFlag		"Y" or "N"	1	m	m
4	20	NV	demandFeature			1	m	m
5	1	String	identityOfDemandFeatureIssuer	150		1	m#	m#
5	2	Decimal	amountProvidedByDemandFeatureIssuer	5		1	m#	m#
5	3	Integer	remainingPeriodDemandFeature	3		1	m#	m#
5	4	Boolean	demandFeatureConditionalFlag		"Y" or "N"	1	m#	m#
5	5	NV	demandFeatureRatingOrNRSRO			100	o	o
6	1	String	nameOfNRSRO	150		1	o	o
6	2	String	rating	20		1	m# 1	m#1
4	21	Boolean	securityGuaranteeFlag		"Y" or "N"	1	m	m
4	22	NV	gurantor			1000	m# 1	M#1
5	1	String	identityOfTheGuarantor	150		1	m#	m#
5	2	Decimal	amountProvidedByGuarantor	5		1	m#	m#
5	3	NV	guarantorRatingOrNRSRO			100	o	o
6	1	String	nameOfNRSRO	150		1	o	o
6	2	String	rating	20		1	m# 1	m#1
4	23	Boolean	securityEnhancementsFlag		"Y" or "N"	1	m	m
4	24	NV	enhancementProvider			1000	m# 1	m#1
5	1	String	identityOfTheEnhancementProvider	150		1	m# 1	m#1
5	2	String	typeOfEnhancement	150		1	m#	m#
5	3	Decimal	amountProvidedByEnhancement	5		1	m#	m#
5	4	NV	enhancementRatingOrNRSRO			100	o	o
6	1	String	nameOfNRSRO	150		1	o	o
6	2	String	rating	20		1	m# 1	m#1
4	25	Decimal	yieldOfTheSecurityAsOfReportingDate	5		1	m	m
4	26	Decimal	includingValueOfAnySponsorSupport	14		1	m	m
4	27	Decimal	excludingValueOfAnySponsorSupport	14		1	m	m
4	28	Decimal	percentageOfMoneyMarketFundNetAssets	5		1	m	m
4	29	Boolean	securityCategorizedAtLevel3Flag		"Y" or "N"	1	m	m
4	30	Boolean	dailyLiquidAssetSecurityFlag		"Y" or "N"	1	o	o
4	31	Boolean	weeklyLiquidAssetSecurityFlag		"Y" or "N"	1	m	m
4	32	Boolean	illiquidSecurityFlag		"Y" or "N"	1	m	m
4	33	String	explanatoryNotes	250		1	o	o

Level	Order	Data Type	Element/Attribute Name	Max Length	Choice List	Max Occur	N-MFP3	N-MFP3/A
3	5	NV	dispositionOfPortfolioSecurities			1	m# 1	m#1
			depositionUSTreasuryDebtAmt			1	m# 1	m#1
4	1	Decimal	govtAgencyCouponPayingDebtAmt	14		1	m# 1	m#1
4	2	Decimal	govtAgencyNonCouponPayingDebtAmt	14		1	m# 1	m#1
4	3	Decimal	nonUSSovereignSupraNationalDebtAmt	14		1	m# 1	m#1
4	4	Decimal	certificateDepositAmt	14		1	m# 1	m#1
4	5	Decimal	nonNegotiableTimeDepositAmt	14		1	m# 1	m#1
4	6	Decimal	variableRateDemandNoteAmt	14		1	m# 1	m#1
4	7	Decimal	otherMunicipalSecurityAmt	14		1	m# 1	m#1
4	8	Decimal	assetBackedCommercialPaperAmt	14		1	m# 1	m#1
4	9	Decimal	otherAssetBackedSecuritiesAmt	14		1	m# 1	m#1
4	10	Decimal	usTreasuryRepurchaseAgreementAmt	14		1	m# 1	m#1
4	11	Decimal	usGovtAgencyRepurchaseAgreementAmt	14		1	m# 1	m#1
4	12	Decimal	otherRepurchaseAgreementAmt	14		1	m# 1	m#1
4	13	Decimal	insuranceCompanyFundAgreementAmt	14		1	m# 1	m#1
4	14	Decimal	investmentCompanyAmt	14		1	m# 1	m#1
4	15	Decimal	financialCompanyCommercialAmt	14		1	m# 1	m#1
4	16	Decimal	nonFinancialCompanyCommercialAmt	14		1	m# 1	m#1
4	17	Decimal	tenderOptionBondAmt	14		1	m# 1	m#1
4	18	Decimal	otherInstrumentAmt	14		1	o o	
4	19	Decimal	otherInstrumentBriefDescription	250		1	m# 1	m#1
3	6	NV	signature			1	m m	
4	1	String	registrant	150		1	m m	
4	2	Date	signatureDate		DATE	1	m m	
4	3	String	signature	150		1	m m	
4	4	String	nameOfSigningOfficer	150		1	m m	
4	5	String	titleOfSigningOfficer	150		1	m m	

4 N-MFP3 SCHEMA DATA VALUE CONSTRAINTS

SUBMISSION_TYPE

These are the valid values for the <SUBMISSION_TYPE> element in the submission file:

VALUE	CODE DESCRIPTION
N-MFP3	Monthly Schedule of Portfolio Holdings of Money Market Funds.
N-MFP3/A	Amendment of a previous N-MFP3 filing.

MARKET_FUND_CATEGORY_TYPE

These are the valid values for the < MARKET_FUND_CATEGORY_TYPE > element in the submission file:

VALUE
Government
Prime
Single State
Other Tax Exempt

INVESTMENT_CATEGORY_TYPE

These are the valid values for the < INVESTMENT_CATEGORY_TYPE > element in the submission file:

VALUE
U.S. Treasury Debt
U.S. Government Agency Debt
U.S. Government Agency Debt (if categorized as coupon-paying notes)
U.S. Government Agency Debt (if categorized as no-coupon discount notes)
Non-U.S. Sovereign, Sub-Sovereign and Supra-National debt
Certificate of Deposit
Non-Negotiable Time Deposit
Variable Rate Demand Note
Other Municipal Security

VALUE
Asset Backed Commercial Paper
Other Asset Backed Securities
U.S. Treasury Repurchase Agreement, if collateralized only by U.S. Treasuries (including Strips) and cash
U.S. Government Agency Repurchase Agreement, collateralized only by U.S. Government Agency securities, U.S. Treasuries, and cash
Other Repurchase Agreement, if any collateral falls outside Treasury, Government Agency and cash
Insurance Company Funding Agreement
Investment Company
Financial Company Commercial Paper
Non-Financial Company Commercial Paper
Tender Option Bond
Other Instrument

COLLATERAL_INVESTMENT_CATEGORY_TYPE

These are the valid values for the <COLLATERAL_INVESTMENT_CATEGORY_TYPE> element in the submission file:

VALUE
Asset-Backed Securities
Agency Collateralized Mortgage Obligation
Agency Debentures and Agency Strips
Agency Mortgage-Backed Securities
Private Label Collateralized Mortgage Obligations
Corporate Debt Securities

VALUE
Equities
Money Market
U.S. Treasuries (including strips)
Cash
Other Instrument

BENEFICIAL_RECORD_OWNER_CATEGORY_TYPE

VALUE
Retail investor
Non-financial corporation
Pension plan
Non-profit
State or municipal government entity (excluding governmental pension plan)
Registered investment company
Private fund
Depository institution or other banking institution
Sovereign wealth fund
Broker-dealer
Insurance company
Other

LIQUIDITY_FEE_TYPE_CATEGORY

VALUE
Mandatory liquidity fee, with the amount of the fee based on good faith estimates of liquidity costs under rule 2a-7(c)(2)(iii)(A)
Mandatory liquidity fee, using the default amount under rule 2a-7(c)(2)(iii)(C)
Discretionary liquidity fee under rule 2a-7(c)(2)(ii)

5 BASIC SUBMISSION CONSTRUCTION

General Formatting of XML Files

The following rules apply to the submission file of an XML-format N-MFP3 submission:

1. The filename must end with an “.xml” extension.
2. The file cannot be compressed in any fashion.
3. We strongly recommend you format with indentation the submission as shown in the provided sample files. This makes the raw XML files easier to view in a text editor.
The submission of ASCII XML files with no line breaks, while legal XML is strongly discouraged. XML filings are required to be posted on public websites. While usually formatted via style sheets, the raw XML is frequently available for inspection and should be readable by a person. A single line XML file is not viewer-friendly and should be avoided.
4. The <?xml version=“1.0”?> declaration line is optional; however, if it is included it must be the first line in the file. Any text entered before this line, even white space, will cause a SUSPENSE error. The version value must be “1.0.” Any other value for version will cause a SUSPENSE error.
5. For an XML element with a data value, keep the begin tag, data value, and end tag on the same line of text. Otherwise, you could get a schema violation error. As an example, for a filer ID value which cannot be longer than 10 characters, this specification is correct:

```
<cik>12121212</cik>
```

6. The specification below will result in a parsing error because the extraneous white space and line feeds will be counted as part of the length of the data value. In other words, the CIK value will be regarded as longer than 10 characters.

```
<cik>
1212121212
</cik>
```

XML Submission File Rules

The following rules apply to the supporting document XML-format:

1. The <?xml version="1.0"?> declaration line is optional; however, if it is included it must be the first line in the file. Any text entered before this line, even white space, will cause an error. The version value must be "1.0." Any other value for version will cause an error.
2. The XML elements cannot have any namespaces.
For e.g.: It has to be <contactName> and not <ns1:contactName>
3. The order of any <notificationEmailAddress> elements does not matter.
4. The submission file must conform to the XML schema files. Any violation of this schema will result in the suspension of the filing.

6 ERROR REPORTING

EDGAR will generate an error for each violation of an XML schema constraint, as well as for each violation of an N-MFP3 filing business rule. The schema files do not enforce all error checks, so it is possible to construct a submission that meets all the schema constraints yet is still SUSPENDED.

This table summarizes the errors that can result from violations of schema constraints and EDGAR business rules. This is not an all-inclusive list.

Table 6-1: Submission Errors and Severity

Error Condition	Severity
Elements not in sequence prescribed in Section 3.4	SUSPENDED
Inclusion of XML-stylesheet reference or any other Processing Instruction	SUSPENDED
Inclusion of an element not prescribed in the schema	SUSPENDED
String value exceeds maximum length constraint	SUSPENDED
Element constrained by a Choice List has an invalid value	SUSPENDED
Mandatory element has no value or an invalid value	SUSPENDED
Special character (&, <, >) not provided as escape sequence	SUSPENDED
Date, Boolean, or Decimal element does not have a value	SUSPENDED
Duplicate Notification Address	WARNING
Invalid Issuer CIK	SUSPENDED
Improperly formatted email address	SUSPENDED
Exceeding a “Max Occur” limit	SUSPENDED
Any XML schema violation not mentioned in previous table row	SUSPENDED
Inclusion of an element that is not applicable for the conditional mandatory condition	SUSPENDED
No values provided for child elements of a parent element satisfying the conditional mandatory condition	SUSPENDED

You may sometimes get multiple error messages reporting the same error. The XML parser EDGAR used to process an N-MFP3 submission generates messages that are rather technical in nature and require an understanding of the XML schema language. Whenever possible, EDGAR generates a more “friendly” error message to give a precise description of the error.

7 EXAMPLE N-MFP3 SUBMISSION FILES

[Table 7-1: Sample Submission/Document Files](#)
[Table 7-1: Sample Submission/Document Files](#) provides a list of sample submission files.

Table 7-1: Sample Submission/Document Files

Submission/Document Type	Sample File
N-MFP3	NMFP3_SampleXML.xml
N-MFP3/A	NMFP3dashA_SampleXML.xml

Appendix A. STATE/COUNTRY CODES

These are the valid designators for the <stateCountry> element in the primary document.

Code	State/Country Name
AL	ALABAMA
AK	ALASKA
AZ	ARIZONA
AR	ARKANSAS
CA	CALIFORNIA
CO	COLORADO
CT	CONNECTICUT
DE	DELAWARE
DC	DISTRICT OF COLUMBIA
FL	FLORIDA
GA	GEORGIA
GU	GUAM
HI	HAWAII
ID	IDAHO
IL	ILLINOIS
IN	INDIANA
IA	IOWA
KS	KANSAS
KY	KENTUCKY
LA	LOUISIANA
ME	MAINE
MD	MARYLAND
MA	MASSACHUSETTS
MI	MICHIGAN
MN	MINNESOTA
MS	MISSISSIPPI
MO	MISSOURI
MT	MONTANA
NE	NEBRASKA
NV	NEVADA
NH	NEW HAMPSHIRE
NJ	NEW JERSEY
NM	NEW MEXICO
NY	NEW YORK
NC	NORTH CAROLINA
ND	NORTH DAKOTA
OH	OHIO
OK	OKLAHOMA
OR	OREGON
PA	PENNSYLVANIA

Code	State/Country Name
RI	RHODE ISLAND
SC	SOUTH CAROLINA
SD	SOUTH DAKOTA
TN	TENNESSEE
TX	TEXAS
UT	UTAH
VT	VERMONT
VA	VIRGINIA
WA	WASHINGTON
WV	WEST VIRGINIA
WI	WISCONSIN
WY	WYOMING
PR	PUERTO RICO
VI	VIRGIN ISLANDS, U.S.
A0	ALBERTA, CANADA
A1	BRITISH COLUMBIA, CANADA
Z4	CANADA (FEDERAL LEVEL)
A2	MANITOBA, CANADA
A3	NEW BRUNSWICK, CANADA
A4	NEWFOUNDLAND, CANADA
A5	NOVA SCOTIA, CANADA
A6	ONTARIO, CANADA
A7	PRINCE EDWARD ISLAND, CANADA
A8	QUEBEC, CANADA
A9	SASKATCHEWAN, CANADA
B0	YUKON, CANADA
B2	AFGHANISTAN
Y6	ALAND ISLANDS
B3	ALBANIA
B4	ALGERIA
B5	AMERICAN SAMOA
B6	ANDORRA
B7	ANGOLA
1A	ANGUILLA
B8	ANTARCTICA
B9	ANTIGUA AND BARBUDA
C1	ARGENTINA
1B	ARMENIA
1C	ARUBA
C3	AUSTRALIA
C4	AUSTRIA
1D	AZERBAIJAN
C5	BAHAMAS
C6	BAHRAIN

Code	State/Country Name
C7	BANGLADESH
C8	BARBADOS
1F	BELARUS
C9	BELGIUM
D1	BELIZE
G6	BENIN
D0	BERMUDA
D2	BHUTAN
D3	BOLIVIA
1E	BOSNIA AND HERZEGOVINA
B1	BOTSWANA
D4	BOUVET ISLAND
D5	BRAZIL
D6	BRITISH INDIAN OCEAN TERRITORY
D9	BRUNEI DARUSSALAM
E0	BULGARIA
X2	BURKINA FASO
E2	BURUNDI
E3	CAMBODIA
E4	CAMEROON
E8	CAPE VERDE
E9	CAYMAN ISLANDS
F0	CENTRAL AFRICAN REPUBLIC
F2	CHAD
F3	CHILE
F4	CHINA
F6	CHRISTMAS ISLAND
F7	COCOS (KEELING) ISLANDS
F8	COLOMBIA
F9	COMOROS
G0	CONGO
Y3	CONGO, THE DEMOCRATIC REPUBLIC OF THE
G1	COOK ISLANDS
G2	COSTA RICA
L7	COTE D'IVOIRE
1M	CROATIA
G3	CUBA
G4	CYPRUS
2N	CZECH REPUBLIC
G7	DENMARK
1G	DJIBOUTI
G9	DOMINICA
G8	DOMINICAN REPUBLIC
H1	ECUADOR

Code	State/Country Name
H2	EGYPT
H3	EL SALVADOR
H4	EQUATORIAL GUINEA
1J	ERITREA
1H	ESTONIA
H5	ETHIOPIA
H7	FALKLAND ISLANDS (MALVINAS)
H6	FAROE ISLANDS
H8	FIJI
H9	FINLAND
I0	FRANCE
I3	FRENCH GUIANA
I4	FRENCH POLYNESIA
2C	FRENCH SOUTHERN TERRITORIES
I5	GABON
I6	GAMBIA
2Q	GEORGIA (COUNTRY)
2M	GERMANY
J0	GHANA
J1	GIBRALTAR
J3	GREECE
J4	GREENLAND
J5	GRENADA
J6	GUADELOUPE
J8	GUATEMALA
Y7	GUERNSEY
J9	GUINEA
S0	GUINEA-BISSAU
K0	GUYANA
K1	HAITI
K4	HEARD ISLAND AND MCDONALD ISLANDS
X4	HOLY SEE (VATICAN CITY STATE)
K2	HONDURAS
K3	HONG KONG
K5	HUNGARY
K6	ICELAND
K7	INDIA
K8	INDONESIA
K9	IRAN, ISLAMIC REPUBLIC OF
L0	IRAQ
L2	IRELAND
Y8	ISLE OF MAN
L3	ISRAEL
L6	ITALY

Code	State/Country Name
L8	JAMAICA
M0	JAPAN
Y9	JERSEY
M2	JORDAN
1P	KAZAKSTAN
M3	KENYA
J2	KIRIBATI
M4	KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF
M5	KOREA, REPUBLIC OF
M6	KUWAIT
1N	KYRGYZSTAN
M7	LAO PEOPLE'S DEMOCRATIC REPUBLIC
1R	LATVIA
M8	LEBANON
M9	LESOTHO
N0	LIBERIA
N1	LIBYAN ARAB JAMAHIRIYA
N2	LIECHTENSTEIN
1Q	LITHUANIA
N4	LUXEMBOURG
N5	MACAU
1U	MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF
N6	MADAGASCAR
N7	MALAWI
N8	MALAYSIA
N9	MALDIVES
O0	MALI
O1	MALTA
1T	MARSHALL ISLANDS
O2	MARTINIQUE
O3	MAURITANIA
O4	MAURITIUS
2P	MAYOTTE
O5	MEXICO
1K	MICRONESIA, FEDERATED STATES OF
1S	MOLDOVA, REPUBLIC OF
O9	MONACO
P0	MONGOLIA
Z5	MONTENEGRO
P1	MONTSERRAT
P2	MOROCCO
P3	MOZAMBIQUE
E1	MYANMAR
T6	NAMIBIA

Code	State/Country Name
P5	NAURU
P6	NEPAL
P7	NETHERLANDS
P8	NETHERLANDS ANTILLES
1W	NEW CALEDONIA
Q2	NEW ZEALAND
Q3	NICARAGUA
Q4	NIGER
Q5	NIGERIA
Q6	NIUE
Q7	NORFOLK ISLAND
1V	NORTHERN MARIANA ISLANDS
Q8	NORWAY
P4	OMAN
R0	PAKISTAN
1Y	PALAU
1X	PALESTINIAN TERRITORY, OCCUPIED
R1	PANAMA
R2	PAPUA NEW GUINEA
R4	PARAGUAY
R5	PERU
R6	PHILIPPINES
R8	PITCAIRN
R9	POLAND
S1	PORTUGAL
S3	QATAR
S4	REUNION
S5	ROMANIA
1Z	RUSSIAN FEDERATION
S6	RWANDA
Z0	SAINT BARTHELEMY
U8	SAINT HELENA
U7	SAINT KITTS AND NEVIS
U9	SAINT LUCIA
Z1	SAINT MARTIN
V0	SAINT PIERRE AND MIQUELON
V1	SAINT VINCENT AND THE GRENADINES
Y0	SAMOA
S8	SAN MARINO
S9	SAO TOME AND PRINCIPE
T0	SAUDI ARABIA
T1	SENEGAL
Z2	SERBIA
T2	SEYCHELLES

Code	State/Country Name
T8	SIERRA LEONE
U0	SINGAPORE
2B	SLOVAKIA
2A	SLOVENIA
D7	SOLOMON ISLANDS
U1	SOMALIA
T3	SOUTH AFRICA
1L	SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS
U3	SPAIN
F1	SRI LANKA
V2	SUDAN
V3	SURINAME
L9	SVALBARD AND JAN MAYEN
V6	SWAZILAND
V7	SWEDEN
V8	SWITZERLAND
V9	SYRIAN ARAB REPUBLIC
F5	TAIWAN
2D	TAJIKISTAN
W0	TANZANIA, UNITED REPUBLIC OF
W1	THAILAND
Z3	TIMOR-LESTE
W2	TOGO
W3	TOKELAU
W4	TONGA
W5	TRINIDAD AND TOBAGO
W6	TUNISIA
W8	TURKEY
2E	TURKMENISTAN
W7	TURKS AND CAICOS ISLANDS
2G	TUVALU
W9	UGANDA
2H	UKRAINE
C0	UNITED ARAB EMIRATES
X0	UNITED KINGDOM
2J	UNITED STATES MINOR OUTLYING ISLANDS
X3	URUGUAY
2K	UZBEKISTAN
2L	VANUATU
X5	VENEZUELA
Q1	VIET NAM
D8	VIRGIN ISLANDS, BRITISH
X8	WALLIS AND FUTUNA
U5	WESTERN SAHARA

Code	State/Country Name
T7	YEMEN
Y4	ZAMBIA
Y5	ZIMBABWE

Appendix B. ACRONYMS

Acronym	Description
ASCII	American Standard Code for Information Interchange
CCC	CIK Confirmation Code
CIK	Central Index Key
EDGAR	Electronic Data Gathering, Analysis, and Retrieval
PDF	Portable Document Format
SEC	Securities and Exchange Commission
XBRL	eXtensible Business Reporting Language
XML	Extensible Markup Language