



EDGAR® Form 1 XML Technical Specification

Version 1.0

September 2026

Contents

1	Introduction	1
1.1	Purpose	1
2	EDGAR Schema Files.....	2
2.1	Schema Table Column Definitions.....	2
3	XML Schemas	3
3.1	Schema Table Column Definitions.....	3
3.2	Data Type Constraints	4
3.3	Applicability of Schema Elements.....	5
3.4	Mapping of Form 1 and Variants Submission Schema to Submission Type	6
3.5	Data Specification for Exhibits Table	16
4	Form 1 Schema Data Value Constraints	19
4.1	SUBMISSION_TYPE.....	19
4.2	APPLICATION_TYPE.....	19
4.3	LIVE_TEST_TYPE	19
4.4	LEGAL_STATUS_OPTION_TYPE.....	20
4.5	SUPPLEMENTAL_MATERIAL_OPTIONS.....	20
4.6	ALTERNATIVE_EXHIBIT_RULE_TYPE.....	20
4.7	BASE_DOCUMENT_TYPE.....	21
5	Basic Submission Construction	22
5.1	General Formatting of XML Files.....	22
5.2	XML Submission File Rules	22
6	Error Reporting	24
7	Example Form 1 and Variants Submission Files.....	25
Appendix A.	State/Country Codes	1
Appendix B.	Acronyms.....	8

List of Tables

Table 1: Form 1 Submission Types.....	1
Table 2: Form 1 Schema Files	2
Table 3: Schema Language	3
Table 4: Column Definitions for the Tables in Section 3-4	3
Table 5: Data Type Constraints	4
Table 6: Applicability of Schema Elements.....	5
Table 7: Mapping of Form 1 and Variants Submission Schema to Submission Type	6
Table 8: Data Specification for Exhibits.....	16
Table 9: Submission Errors and Severity	24
Table 10: Sample Submission/Document Files	25

1 Introduction

1.1 Purpose

This document details the valid structure and content of the Form 1 Electronic Data Gathering, Analysis, and Retrieval (EDGAR) Extensible Markup Language (XML) submission types. The following table lists the submission types for Form 1.

Table 1: Form 1 Submission Types

Submission Type	Description
1	Rule 6a-1(a) Application for registration as a National Securities Exchange or exemption on the basis of limited volume
1AA	Rule 6a-1(b), (c), or (d) corrective amendment to application for registration as a National Securities Exchange or exemption on the basis of limited volume
1AC	Consent to Extension of Time for application for registration as a National Securities Exchange or exemption on the basis of limited volume
1/A	Rule 6a-2(a) Updating Amendment to registration application filed by registered National Securities Exchange or exchange exempted on the basis of limited volume
1/A-A	Rule 6a-2(b) Annual amendment to registration application filed by registered National Securities Exchange or exchange exempted on the basis of limited volume
1/A-T	Rule 6a-2(c) Triennial amendment to registration application filed by registered National Securities Exchange or exchange exempted on the basis of limited volume
1/S-M	Rule 6a-3(a) Supplemental Materials filed by registered National Securities Exchange or exchange exempted on the basis of limited volume
1/S-R	Rule 6a-3(b) Report of securities sold during calendar month filed by registered National Securities Exchange or exchange exempted on the basis of limited volume
1W	Application for withdrawal from registration as a National Securities Exchange or exemption on the basis of limited volume

This specification provides the basis for creating the submission types for Form 1 XML submissions. Filers must use this technical specification to generate a Form 1 XML submission that can be successfully parsed by the EDGAR system.

The Form 1 submission file must conform to the EDGAR Form 1 Submission Taxonomy. This taxonomy is comprised of a collection of XML Schema Definition (.xsd) files that define the structures of EDGAR Form 1 submissions.

The Form 1 submissions can be transmitted to the SEC via the EDGAR Filing Website (www.edgarfiling.sec.gov). To access the EDGAR Filing website, you must have both a

Login.gov account and a Central Index Key (CIK) obtained through the EDGAR Filer Management dashboard. If you do not have a CIK and/or login.gov, please consult the How Do I guides to utilize Filer Management and to obtain access to CIKs on SEC.gov. Select “File Form 1” link under the Online Forms header then “Form 1 Application” open in new tab for Form 1 submissions. Select the “Transmit” link under the Information Exchange header to transmit Filer Constructed Submissions. For Further information about Edgar Filing and EDGAR Online Forms, specifically with respect to the Transmission of Filer-constructed submissions, refer to the “Filer Constructed XML Submission” section of the EDGAR Filer Manual, Volume II (EDGAR Filing).

2 EDGAR Schema Files

Table 2-1: Form 1 Schema Files describes the schema files the EDGAR system uses to validate Form1 and variants submissions. These schemas are considered part of this specification and are distributed with this document.

Table 2: Form 1 Schema Files

XML Schema File	Scope of File
eis_Common.xsd	Defines the submission fields that are common in all EDGAR submissions
eis_Form1_Common.xsd	Defines the common elements for all EDGAR Form 1 and Variants submissions
eis_Form1_Filer.xsd	Defines the elements for a Form 1 and Variants submission.
eis_stateCodes.xsd	Defines valid State and Country Codes according to EDGAR

The schema files define the valid data elements for a Form 1 submission, the hierarchy and sequencing of these elements, data types, valid values, maximum lengths, and number of occurrences, etc.

It is recommended that you download these files and use them for your own validation prior to filing a submission. This will greatly reduce the likelihood of receiving an EDGAR Suspend error. These schema files contain several annotations that describe the nature of the content of some of the elements.

EDGAR performs several validation checks that are not related to the schema files, so it is possible for a submission to meet all the schema constraints and still be SUSPENDED or BLOCKED. For instance, EDGAR verifies that each CIK/CCC pair is valid.

2.1 Schema Table Column Definitions

We assume the filer is familiar with the basics of the XML language, Namespaces, and the XML Schema Definition language. If not, you can find many tutorials and examples on the World Wide Web, such as those provided on www.w3schools.com/. The table below highlights the

schema language features used most heavily in the EDGAR Form 1 and variants submission schema files. These are:

Table 3: Schema Language

Indicator	Purpose
<sequence>	Specifies that child elements must appear in a specific order. This indicator is used with each element hierarchy. Elements must always appear in the order shown in Section 3.4.
<choice>	Specifies that only one of the child elements can be present within the containing element.
<minOccurs>	Specifies the minimum number of times that an element can occur.
<maxOccurs>	Specifies the maximum number of times that an element can occur.

The default value for the <minOccurs> and <maxOccurs> indicator is 1. An optional field will have a <minOccurs> value of zero.

3 XML Schemas

This section summarizes the restrictions and constraints imposed on the content of the Form 1 submission types. These rules are enforced by the schema files and by EDGAR submission processing applications.

The schema files cannot enforce all the rules concerning data content, so it is possible for a submission to satisfy all the schema constraints and still be SUSPENDED or BLOCKED by EDGAR.

3.1 Schema Table Column Definitions

The following table defines the columns in the schema summation table provided in Section 3.4:

Table 4: Column Definitions for the Tables in Section 3-4

Column Name	Description
Level	Depth of element in the XML node hierarchy.
Order	Order in which elements must appear.
Data Type	See Table in Section 3.2 for a detailed description.
Element Name	Name of the XML element. This is case-sensitive.
Max Length	Maximum length for elements. EDGAR database stores up to this number of characters. "Unlimited" means no maximum length constraint for the element value.
Data Value Constraint	The paragraph that describes the data value constraint for the element. The values specified are case sensitive.
Max Occur	Maximum times a set of elements may be repeated. The maximum occurrence is 1, if not specified.

Column Name	Description
Applicability of Element	Indicates applicability of the element. m = Mandatory o = Optional NA = Does not apply. EDGAR uses this element for server-side processing. Do not provide a value for this element.

3.2 Data Type Constraints

Each entry in the “Data Type” column of these tables will be one of these values:

Table 5: Data Type Constraints

Data Type	Constraints
Boolean	Indicate a “true” value with either a “1” or the word “true.” Indicate a “false” value with either a “0” or the word “false.” A Boolean element may not have a null or blank value. This is a schema violation and will cause a SUSPENSE error.
date	Must be of the format MM-DD-YYYY. A date element may not have a null or blank value. This is a schema violation and will cause a SUSPENSE error. Do not include a date element at all if your goal is to not provide an optional date.
integer	Only valid characters are 0-9. Cannot contain commas, a minus sign, a dollar sign, or parentheses. An integer element may not have a null or blank value. This is a schema violation and will cause a SUSPENSE error.
string	Should be no longer than the length shown in the tables in Section 3.4. EDGAR stores values in the <signPersonName>, and <contactEmail> elements exactly as provided. All other values are stored in the database as uppercase. You must use special escape sequences to represent these four characters: For the < character use the escape sequence “&lt;” or “&#60;”. For the > character use the escape sequence “&gt;” or “&#62;”. For the & character use the escape sequence “&amp;” or “&#38;”. For the “ character use the escape sequence “&quot;” or “&#34;”.
NV	These fields cannot have a value. They are parent element nodes that contain other XML elements. These elements need to be present for proper validation.
attr	Attribute property for an XML element.

3.3 Applicability of Schema Elements

Each entry in the submission/document type column in Section 3.4 will have one of these values:

Table 6: Applicability of Schema Elements

Value	Description
m	Mandatory
m#	Conditional Mandatory. The element is mandatory if its parent element is included. The element cannot be included if its parent is not included.
m#1	Conditional Mandatory. The element is mandatory if specific values are provided for other elements.
m#2	This element is required for correct processing of the submission type.
m#20	If < legalStatusApplicant> is not "Sole Proprietorship " then this element becomes mandatory.
m#21	If < alternativeExhibitRuleType> is "Rule 6a-2(d)(1)" then this element becomes mandatory.
m#22	If < alternativeExhibitRuleType> is "Rule 6a-2(d)(3)" then this element becomes mandatory.
o	Optional
o#	Optional in the Schema. The value will be populated by EDGAR. Any value provided will be overwritten and a WARNING generated.
NA	Does not apply to submission type. EDGAR uses this field for server-side processing. Do not provide a value for this element.
blank	Does not apply to submission type.

3.4 Mapping of Form 1 and Variants Submission Schema to Submission Type

Table 7: Mapping of Form 1 and Variants Submission Schema to Submission Type

Level	Order	Data Type	Element/ Attribute Name	Max Length	Choice List	Max Occur	1	1AA	1AC	1W	1/A	1/A-A	1/A-T	1/S-M	1/S-R
1	1	NV	edgarSubmission	—	—	1	m	m	m	m	m	m	m	m	m
2	1	String	schemaVersion	5	—	1	o#	o#	o#	o#	o#	o#	o#	o#	o#
2	2	NV	headerData	—	—	1	m	m	m	m	m	m	m	m	m
3	1	String	submissionType	—	SUBMISSION_TYPE	1	m	m	m	m	m	m	m	m	m
3	2	String	entityName	150	—	1	m	m	m	m	m	m	m	m	m
3	3	String	typeOfApplication	—	APPLICATION_TYPE	1	m#	NA	NA	NA	NA	NA	NA	NA	NA
3	4	String	amendmentNumber	4	—	4	NA	m#	NA	NA	NA	NA	NA	NA	NA
3	5	Date	dateExtensionExpires	—	—	1	NA	NA	m#	NA	NA	NA	NA	NA	NA
3	6	Date	effectiveDate	—	—	1	NA	NA	NA	NA	m#	NA	NA	NA	NA
3	7	String	triennialFilingYear	4	—	4	NA	NA	NA	NA	NA	NA	m#	NA	NA
3	8	NV	filerInfo	—	—	1	m	m	m	m	m	m	m	m	m
4	1	NV	filer	—	—	1	m	m	m	m	m	m	m	m	m
5	1	NV	filerCredentials	—	—	1	m	m	m	m	m	m	m	m	m
6	1	String	cik	10	—	1	m	m	m	m	m	m	m	m	m
6	2	String	ccc	8	—	1	m	m	m	m	m	m	m	m	m
4	2	String	liveTestFlag	—	LIVE_TEST_TYPE	1	m	m	m	m	m	m	m	m	m
4	3	NV	contact	—	—	1	m	m	m	m	m	m	m	m	m
5	1	String	contactName	30	—	1	m	m	m	m	m	m	m	m	m
5	2	String	contactPhoneNumber	20	—	1	m	m	m	m	m	m	m	m	m
5	3	String	contactEmailAddress	80	—	1	m	m	m	m	m	m	m	m	m
4	4	NV	notifications	—	—	1	m	m	m	m	m	m	m	m	m
5	1	String	notificationEmailAddress	80	—	3	o	o	o	o	o	o	o	o	o
4	5	NV	flags	—	—	1	m	m	m	m	m	m	m	m	m
5	1	Boolean	overrideInternetFlag	—	“true” or “false”	1	o	o	o	o	o	o	o	o	o
2	3	NV	formData	—	—	1	m	m	m	m	m	m	m	m	m
3	1	NV	entityContactInformation	—	—	1	m	m	m	m	m	m	m	m	m
4	1	Boolean	previouslyFiled	—	“true” or “false”	—	NA	o	o	o	o	o	o	o	o
4	2	NV	primaryAddress	—	—	—	m	m	m	m	m	m	m	m	m

Level	Order	Data Type	Element/ Attribute Name	Max Length	Choice List	Max Occur	1	1AA	1AC	1W	1/A	1/A-A	1/A-T	1/S-M	1/S-R
5	1	String	street1	40	—	1	m	m	m	m	m	m	m	m	m
5	2	String	street2	40	—	1	o	o	o	o	o	o	o	o	o
5	3	String	city	30	—	1	m	m	m	m	m	m	m	m	m
5	4	String	stateOrCountry	—	STATE_COUNTRY_CODE	1	m	m	m	m	m	m	m	m	m
5	5	String	zipCode	10	—	1	m	m	m	m	m	m	m	m	m
4	3	Boolean	isMailingAddressSame	—	“true” or “false”	—	o	o	o	o	o	o	o	o	o
4	4	NV	mailingAddress	—	—	—	m	m	m	m	m	m	m	m	m
5	1	String	street1	40	—	1	m#	m#	m#	m#	m#	m#	m#	m#	m#
5	2	String	street2	40	—	1	o	o	o	o	o	o	o	o	o
5	3	String	city	30	—	1	m#	m#	m#	m#	m#	m#	m#	m#	m#
5	4	String	stateOrCountry	—	STATE_COUNTRY_CODE	1	m#	m#	m#	m#	m#	m#	m#	m#	m#
5	5	String	zipCode	10	—	1	m#	m#	m#	m#	m#	m#	m#	m#	m#
4	5	String	businessPhoneNumber	20	—	1	m	m	m	m	m	m	m	m	m
4	6	String	facsimile	20	—	1	o	o	o	o	o	o	o	o	o
4	7	String	fiscalYearEnd	4	—	1	m	m	m	m	m	m	m	m	m
4	8	NV	legalStatus	—	—	1	m	m	m	m	m	m	m	m	m
5	1	String	legalStatusApplicant	—	LEGAL_STATUS_OPTION_TYPE	1	m	m	m	m	m	m	m	m	m
5	2	Date	dateExchangeObtained	—	—	1	m#20	m#20	m#20	m#20	m#20	m#20	m#20	m#20	m#20
5	3	String	legalStatusStateOrCountry	—	STATE_COUNTRY_CODE	1	m#20	m#20	m#20	m#20	m#20	m#20	m#20	m#20	m#20
5	4	String	legalStatusOraganizedExchange	150	—	1	m#20	m#20	m#20	m#20	m#20	m#20	m#20	m#20	m#20
5	5	String	otherSpecification	255	—	1	m#1	m#1	m#1	m#1	m#1	m#1	m#1	m#1	m#1
3	2	NV	counselInformation	—	—	1	m	m	m	m	m	m	m	m	m
4	1	String	firmName	150	—	1	m	m	m	m	m	m	m	m	m
4	2	String	counselFirstName	30	—	1	m	m	m	m	m	m	m	m	m
4	3	String	counselLastName	30	—	1	m	m	m	m	m	m	m	m	m
4	4	String	counselTitle	60	—	1	m	m	m	m	m	m	m	m	m
4	5	NV	counselAddress	—	—	1	m	m	m	m	m	m	m	m	m
5	1	String	street1	40	—	1	m	m	m	m	m	m	m	m	m
5	2	String	street2	40	—	1	o	o	o	o	o	o	o	o	o
5	3	String	city	30	—	1	m	m	m	m	m	m	m	m	m
5	4	String	stateOrCountry	—	STATE_COUNTRY_CODE	1	m	m	m	m	m	m	m	m	m
5	5	String	zipCode	10	—	1	m	m	m	m	m	m	m	m	m

Level	Order	Data Type	Element/ Attribute Name	Max Length	Choice List	Max Occur	1	1AA	1AC	1W	1/A	1/A-A	1/A-T	1/S-M	1/S-R
4	6	String	counselEmail	80	—	1	m	m	m	m	m	m	m	m	m
3	3	NV	supplementalMaterials	—	—	1	NA	NA	NA	NA	NA	NA	NA	m	NA
4	1	String	supplementalMaterialOptions	—	SUPPLEMENTAL_MATERIAL_OPTIONS	2	NA	NA	NA	NA	NA	NA	NA	m	NA
4	2	String	webAddress	256	—	3	NA	NA	NA	NA	NA	NA	NA	m#1	NA
3	4	NV	section4	—	—	1	NA	NA	NA	NA	NA	NA	NA	NA	m
4	1	Decimal	nbrSharesStockSold	17	—	1	NA	NA	NA	NA	NA	NA	NA	NA	m
4	2	Decimal	aggrAmtStockSold	17	—	1	NA	NA	NA	NA	NA	NA	NA	NA	m
4	3	Decimal	principalAmtBondsSold	17	—	1	NA	NA	NA	NA	NA	NA	NA	NA	m
4	4	Decimal	principalAmtBondsSold	17	—	1	NA	NA	NA	NA	NA	NA	NA	NA	m
4	5	Decimal	nbrRightsWarrantsSold	17	—	1	NA	NA	NA	NA	NA	NA	NA	NA	m
4	6	Decimal	aggrAmtRightsWarrantsSold	17	—	1	NA	NA	NA	NA	NA	NA	NA	NA	m
4	7	Date	rptSecuritiesSoldDateEnded	—	—	1	NA	NA	NA	NA	NA	NA	NA	NA	m
3	5	NV	exhibitA	—	—	1	m	o	NA	NA	o	NA	m	NA	NA
4	1	NV	alternativeExhibitData	—	—	1	NA	NA	NA	NA	NA	NA	m#	NA	NA
5	1	NV	alternativeExhibitRuleType	—	ALTERNATIVE_EXHIBIT_RULE_TYPE	1	NA	NA	NA	NA	NA	NA	m#	NA	NA
5	2	NV	publicationData	—	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	1	String	publicationName	150	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	2	String	personName	150	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	3	NV	personAddress	—	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	1	String	street1	40	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	2	String	Street2	40	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	3	String	city	30	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	4	String	stateOrCountry	—	STATE_COUNTRY_CODE	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	5	String	zipCode	10	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	4	String	personPhoneNumber	20	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA

Level	Order	Data Type	Element/ Attribute Name	Max Length	Choice List	Max Occur	1	1AA	1AC	1W	1/A	1/A-A	1/A-T	1/S-M	1/S-R
6	5	Decimal	priceOfPublication	17	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	6	Date	dateOfPublication	—	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
5	3	NV	internetWebsite	256	—	10	10	NA	NA	NA	NA	NA	m#2 2	NA	NA
3	6	NV	exhibitB	—	—	1	m	o	NA	NA	o	NA	m	NA	NA
4	1	NV	alternativeExhibitData	—	—	1	NA	NA	NA	NA	NA	NA	m#	NA	NA
5	1	NV	alternativeExhibitRuleType	—	ALTERNATIVE_EXHIBIT_RULE_T YPE	1	NA	NA	NA	NA	NA	NA	m#	NA	NA
5	2	NV	publicationData	—	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	1	String	publicationName	150	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	2	String	personName	150	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	3	NV	personAddress	—	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	1	String	street1	40	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	2	String	Street2	40	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	3	String	city	30	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	4	String	stateOrCountry	—	STATE_COUNTRY_CODE	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	5	String	zipCode	10	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	4	String	personPhoneNumber	20	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	5	Decimal	priceOfPublication	17	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	6	Date	dateOfPublication	—	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
5	3	NV	internetWebsite	256	—	10	NA	NA	NA	NA	NA	NA	m#2 2	NA	NA
3	7	NV	exhibitC	—	—	1	m	o	NA	NA	o	NA	m	NA	NA
4	1	NV	notApplicableExhibitData	—	—	1	m#	NA	NA	NA	NA	NA	m#	NA	NA
5	1	Boolean	exhibitNotApplicable	—	“true” or “false”	1	m#	NA	NA	NA	NA	NA	m#	NA	NA
5	2	String	nonApplicableJustification	5000	—	1	o	NA	NA	NA	NA	NA	o	NA	NA
4	2	NV	alternativeExhibitData	—	—	1	NA	NA	NA	NA	NA	NA	m#	NA	NA
5	1	NV	alternativeExhibitRuleType	—	ALTERNATIVE_EXHIBIT_RULE_T YPE	1	NA	NA	NA	NA	NA	NA	m#	NA	NA

Level	Order	Data Type	Element/ Attribute Name	Max Length	Choice List	Max Occur	1	1AA	1AC	1W	1/A	1/A-A	1/A-T	1/S-M	1/S-R
5	2	NV	publicationData	—	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	1	String	publicationName	150	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	2	String	personName	150	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	3	NV	personAddress	—	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	1	String	street1	40	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	2	String	Street2	40	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	3	String	city	30	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	4	String	stateOrCountry	—	STATE_COUNTRY_CODE	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	5	String	zipCode	10	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	4	String	personPhoneNumber	20	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	5	Decimal	priceOfPublication	17	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	6	Date	dateOfPublication	—	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
5	3	NV	internetWebsite	256	—	10	NA	NA	NA	NA	NA	NA	m#2 2	NA	NA
4	3	NV	exhibitCData	—	—	100	m#	o	NA	NA	o	NA	m#	NA	NA
5	1	NV	organizationData	—	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
6	1	String	organizationName	150	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
6	2	NV	organizationAddress	—	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
7	1	String	street1	40	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
7	2	String	street2	40	—	1	o	o	NA	NA	o	NA	o	NA	NA
7	3	String	city	30	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
7	4	String	stateOrCountry	—	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
7	5	String	zipCode	10	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
5	2	String	formOfOrganization	1000	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
5	3	String	nameOfStateAndStatuteCitation	1000	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
5	4	Date	dateOfIncorporation	—	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
5	5	String	discriptionOfNature	5000	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
5	6	String	discriptionOfBusiness	5000	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
5	7	NV	standingCommitteeData	—	—	150	o	o	NA	NA	o	NA	o	NA	NA

Level	Order	Data Type	Element/ Attribute Name	Max Length	Choice List	Max Occur	1	1AA	1AC	1W	1/A	1/A-A	1/A-T	1/S-M	1/S-R
6	1	String	membersOrPersonName	150	—	1	o	o	NA	NA	o	NA	o	NA	NA
6	2	String	membersOrPersonTitle	150	—	1	o	o	NA	NA	o	NA	o	NA	NA
6	3	String	description	1000	—	1	o	o	NA	NA	o	NA	o	NA	NA
5	8	String	reasonForTermination	5000	—	1	o	o	NA	NA	o	NA	o	NA	NA
3	8	NV	exhibitD	—	—	1	m	o	NA	NA	o	m	NA	NA	NA
4	1	NV	notApplicableExhibitData	—	—	1	m#	NA	NA	NA	NA	m#	NA	NA	NA
5	1	Boolean	exhibitNotApplicable	—	“true” or “false”	1	m#	NA	NA	NA	NA	m#	NA	NA	NA
5	2	String	nonApplicableJustification	5000	—	1	o	NA	NA	NA	NA	o	NA	NA	NA
3	9	NV	exhibitH	—	—	1	m	o	NA	NA	o	NA	NA	NA	NA
4	1	NV	notApplicableExhibitData	—	—	1	m#	NA	NA	NA	NA	NA	NA	NA	NA
5	1	Boolean	exhibitNotApplicable	—	“true” or “false”	1	m#	NA	NA	NA	NA	NA	NA	NA	NA
5	2	String	nonApplicableJustification	5000	—	1	o	NA	NA	NA	NA	NA	NA	NA	NA
4	2	NV	exhibitHData	—	—	1	m#	o	NA	NA	o	NA	NA	NA	NA
5	1	String	criteriaDescription	5000	—	1	m#	o	NA	NA	o	NA	NA	NA	NA
5	2	String	listingFeeSchedule	5000	—	1	m#	o	NA	NA	o	NA	NA	NA	NA
3	10	NV	exhibitI	—	—	1	m	o	NA	NA	o	m	NA	NA	NA
4	1	NV	notApplicableExhibitData	—	—	1	m#	NA	NA	NA	NA	NA	NA	NA	NA
5	1	Boolean	exhibitNotApplicable	—	“true” or “false”	1	m#	NA	NA	NA	NA	NA	NA	NA	NA
5	2	String	nonApplicableJustification	5000	—	1	o	NA	NA	NA	NA	NA	NA	NA	NA
3	11	NV	exhibitJ	—	—	1	m	o	NA	NA	o	NA	m	NA	NA
4	1	NV	alternativeExhibitData	—	—	1	m#	NA	NA	NA	NA	NA	m#	NA	NA
5	1	NV	alternativeExhibitRuleType	—	ALTERNATIVE_EXHIBIT_RULE_TYPE	1	NA	NA	NA	NA	NA	NA	m#	NA	NA
5	2	NV	publicationData	—	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	1	String	publicationName	150	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	2	String	personName	150	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	3	NV	personAddress	—	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	1	String	street1	40	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	2	String	Street2	40	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	3	String	city	30	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA

Level	Order	Data Type	Element/ Attribute Name	Max Length	Choice List	Max Occur	1	1AA	1AC	1W	1/A	1/A-A	1/A-T	1/S-M	1/S-R
7	4	String	stateOrCountry	—	STATE_COUNTRY_CODE	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
7	5	String	zipCode	10	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	4	String	personPhoneNumber	20	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	5	Decimal	priceOfPublication	17	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
6	6	Date	dateOfPublication	—	—	1	NA	NA	NA	NA	NA	NA	m#2 1	NA	NA
5	3	NV	internetWebsite	256	—	10	NA	NA	NA	NA	NA	NA	m#2 2	NA	NA
4	2	NV	exhibitJData	—	—	500	m#	m#	NA	NA	m#	NA	m#	NA	NA
5	1	String	memberName	150	—	1	m#	m#	NA	NA	m#	NA	m#	NA	NA
5	2	String	memberTitle	60	—	1	m#	m#	NA	NA	m#	NA	m#	NA	NA
5	3	Date	positionStartDate	—	—	1	m#	m#	NA	NA	m#	NA	m#	NA	NA
5	4	Date	positionEndDate	—	—	1	o	o	NA	NA	o	NA	o	NA	NA
5	5	String	businessType	150	—	1	m#	m#	NA	NA	m#	NA	m#	NA	NA
3	12	NV	exhibitK	—	—	1	m	o	NA	NA	o	m	NA	NA	NA
4	1	NV	notApplicableExhibitData	—	—	1	m#	NA	NA	NA	NA	m#	NA	NA	NA
5	1	Boolean	exhibitNotApplicable	—	“true” or “false”	1	m#	NA	NA	NA	NA	m#	NA	NA	NA
5	2	String	nonApplicableJustification	5000	—	1	o	NA	NA	NA	NA	o	NA	NA	NA
4	2	NV	alternativeExhibitData	—	—	1	NA	NA	NA	NA	NA	m#	NA	NA	NA
5	1	NV	alternativeExhibitRuleType	—	ALTERNATIVE_EXHIBIT_RULE_T YPE	1	NA	NA	NA	NA	NA	m#	NA	NA	NA
5	2	NV	publicationData	—	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
6	1	String	publicationName	150	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
6	2	String	personName	150	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
6	3	NV	personAddress	—	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
7	1	String	street1	40	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
7	2	String	Street2	40	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
7	3	String	city	30	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
7	4	String	stateOrCountry	—	STATE_COUNTRY_CODE	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
7	5	String	zipCode	10	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA

Level	Order	Data Type	Element/ Attribute Name	Max Length	Choice List	Max Occur	1	1AA	1AC	1W	1/A	1/A-A	1/A-T	1/S-M	1/S-R
6	4	String	personPhoneNumber	20	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
6	5	Decimal	priceOfPublication	17	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
6	6	Date	dateOfPublication	—	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
5	3	NV	internetWebsite	256	—	10	NA	NA	NA	NA	NA	m#2 2	NA	NA	NA
4	3	NV	exhibitKData	—	—	50	m#	m#	NA	NA	m#	m#	NA	NA	NA
5	1	String	fullLegalName	150	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
5	2	String	titleOrStatus	60	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
5	3	Date	titleOrStatusAcquiredDate		—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
5	4	String	approximateOwnershipInterest	60	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
5	5	Boolean	personControlFlag	—	“Y” or “N”	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
3	13	NV	exhibitL	—	—	1	m	o	NA	NA	o	NA	NA	NA	NA
4	1	NV	exhibitLData	—	—	1	m	o	NA	NA	o	NA	NA	NA	NA
5	1	String	terminationProcedureDescription	30000	—	1	m	o	NA	NA	o	NA	NA	NA	NA
3	14	NV	exhibitM	—	—	1	m	o	NA	NA	o	m	NA	NA	NA
4	1	NV	notApplicableExhibitData	—	—	1	m#	NA	NA	NA	NA	NA	NA	NA	NA
5	1	Boolean	exhibitNotApplicable	—	“true” or “false”	1	m#	NA	NA	NA	NA	NA	NA	NA	NA
5	2	String	nonApplicableJustification	5000	—	1	o	NA	NA	NA	NA	NA	NA	NA	NA
4	2	NV	alternativeExhibitData	—	—	1	NA	NA	NA	NA	NA	m#	NA	NA	NA
5	1	NV	alternativeExhibitRuleType	—	ALTERNATIVE_EXHIBIT_RULE_TYPE	1	NA	NA	NA	NA	NA	m#	NA	NA	NA
5	2	NV	publicationData	—	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
6	1	String	publicationName	150	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
6	2	String	personName	150	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
6	3	NV	personAddress	—	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
7	1	String	street1	40	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
7	2	String	Street2	40	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
7	3	String	city	30	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA

Level	Order	Data Type	Element/ Attribute Name	Max Length	Choice List	Max Occur	1	1AA	1AC	1W	1/A	1/A-A	1/A-T	1/S-M	1/S-R
7	4	String	stateOrCountry	—	STATE_COUNTRY_CODE	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
7	5	String	zipCode	10	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
6	4	String	personPhoneNumber	20	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
6	5	Decimal	priceOfPublication	17	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
6	6	Date	dateOfPublication	—	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
5	3	NV	internetWebsite	256	—	10	NA	NA	NA	NA	NA	m#2 2	NA	NA	NA
4	3	NV	exhibitMData	—	—	2000	m#	m#	NA	NA	m#	m#	NA	NA	NA
5	1	String	name	150	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
5	2	Date	dateOfElection	—	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
5	3	NV	principalAddress	—	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
6	1	String	street1	40	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
6	2	String	Street2	40	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
6	3	String	city	30	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
6	4	String	stateOrCountry	—	STATE_COUNTRY_CODE	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
6	5	String	zipCode	10	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
5	4	String	princialPhoneNumber	20	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
5	5	NV	memberRelationshipToEntity	—	—	10	m#	m#	NA	NA	m#	m#	NA	NA	NA
6	1	String	entityName	150	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
6	2	String	memberRelationship	500	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
5	6	String	activitiesByMember	1000	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
5	7	String	classOfMembership	5000	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
3	15	NV	exhibitN	—	—	1	m	o	NA	NA	o	m	NA	NA	NA
4	1	NV	notApplicableExhibitData	—	—	1	m#	NA	NA	NA	NA	NA	NA	NA	NA
5	1	Boolean	exhibitNotApplicable	—	“true” or “false”	1	m#	NA	NA	NA	NA	NA	NA	NA	NA
5	2	String	nonApplicableJustification	5000	—	1	o	NA	NA	NA	NA	NA	NA	NA	NA
4	2	NV	alternativeExhibitData	—	—	1	NA	NA	NA	NA	NA	m#	NA	NA	NA
5	1	NV	alternativeExhibitRuleType	—	ALTERNATIVE_EXHIBIT_RULE_TYPE	1	NA	NA	NA	NA	NA	m#	NA	NA	NA
5	2	NV	publicationData	—	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
6	1	String	publicationName	150	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA

Level	Order	Data Type	Element/ Attribute Name	Max Length	Choice List	Max Occur	1	1AA	1AC	1W	1/A	1/A-A	1/A-T	1/S-M	1/S-R
6	2	String	personName	150	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
6	3	NV	personAddress	—	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
7	1	String	street1	40	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
7	2	String	Street2	150	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
7	3	String	city	30	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
7	4	String	stateOrCountry	—	STATE_COUNTRY_CODE	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
7	5	String	zipCode	10	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
6	4	String	personPhoneNumber	20	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
6	5	Decimal	priceOfPublication	17	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
6	6	Date	dateOfPublication	—	—	1	NA	NA	NA	NA	NA	m#2 1	NA	NA	NA
5	3	NV	internetWebsite	256	—	10	NA	NA	NA	NA	NA	m#2 2	NA	NA	NA
4	3	NV	exhibitNData	—	—	1	m#	o	NA	NA	o	m#	NA	NA	NA
5	1	NV	Item1	—	—	2000	o	o	NA	NA	o	o	NA	NA	NA
7	1	String	listedSecurities	150	—	1	o	o	NA	NA	o	o	NA	NA	NA
7	2	String	nameOfIssuer	150	—	1	o	o	NA	NA	o	o	NA	NA	NA
7	3	String	securityDescription	2000	—	1	o	o	NA	NA	o	o	NA	NA	NA
5	2	NV	Item2	—	—	2000	o	o	NA	NA	o	o	NA	NA	NA
7	1	String	admittedSecurities	150	—	1	o	o	NA	NA	o	o	NA	NA	NA
7	2	String	nameOfIssuer	150	—	1	o	o	NA	NA	o	o	NA	NA	NA
7	3	String	securityDescription	2000	—	1	o	o	NA	NA	o	o	NA	NA	NA
5	3	NV	Item3	—	—	2000	o	o	NA	NA	o	o	NA	NA	NA
6	1	String	unregisteredSecurities	150	—	1	o	o	NA	NA	o	o	NA	NA	NA
6	2	String	nameOfIssuer	150	—	1	o	o	NA	NA	o	o	NA	NA	NA
6	3	String	securityDescription	2000	—	1	o	o	NA	NA	o	o	NA	NA	NA
6	4	String	statutoryExemption	2000	—	1	o	o	NA	NA	o	o	NA	NA	NA
5	4	NV	Item4	—	—	2000	o	o	NA	NA	o	o	NA	NA	NA
6	1	String	otherSecurities	150	—	1	o	o	NA	NA	o	o	NA	NA	NA
6	2	String	nameOfIssuer	150	—	1	o	o	NA	NA	o	o	NA	NA	NA
6	3	String	securityDescription	2000	—	1	o	o	NA	NA	o	o	NA	NA	NA

Level	Order	Data Type	Element/ Attribute Name	Max Length	Choice List	Max Occur	1	1AA	1AC	1W	1/A	1/A-A	1/A-T	1/S-M	1/S-R
3	16	NV	Section6	—	—	1	m	m	m	m	m	m	m	m	m
4	1	String	employeeFirstName	30	—	1	m	m	m	m	m	m	m	m	m
4	2	String	employeeLastName	30	—	1	m	m	m	m	m	m	m	m	m
4	3	String	employeeTitle	60	—	1	m	m	m	m	m	m	m	m	m
4	4	String	employeeEmail	80	—	1	m	m	m	m	m	m	m	m	m
4	5	String	employeePhoneNumber	20	—	1	m	m	m	m	m	m	m	m	m
3	17	NV	Section7	—	—	1	m	m	m	m	m	m	m	m	m
4	1	Boolean	consentServiceAttestation	—	“true” or “false”	1	m	m	m	m	m	m	m	m	m
2	4	NV	documents	—	—	1	m#	m#	m#	m#	m#	m#	m#	m#	m#
3	1	NV	document	—	—	Unlimited	m#	m#	m#	m#	m#1	m#	m#	m#	m#
4	1	String	conformedName	32	—	1	m#1	m#1	m#1	m#1	m#1	m#1	m#1	m#1	m#1
4	2	String	conformedDocumentType	128	BASE_DOCUMENT_TYPE	1	m#1	m#1	m#1	m#1	m#1	m#1	m#1	m#1	m#1
4	3	String	description	255	—	1	o	o	o	o	o	o	o	o	o
4	4	String	contents	—	—	1	m#1	m#1	m#1	m#1	m#1	m#1	m#1	m#1	m#1

3.5 Data Specification for Exhibits Table

Table 8: Data Specification for Exhibits

Level	Order	Data Type	Element/ Attribute Name	Max Length	Choice List	Max Occur	1	1AA	1AC	1W	1/A	1/A-A	1/A-T	1/S-M	1/S-R
1	1	NV	exhibitCDocument	—	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
2	1	NV	exhibitCData	—	—	100	m#	o	NA	NA	o	NA	m#	NA	NA
3	1	NV	organizationData	—	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
4	1	String	organizationName	150	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
4	2	NV	organizationAddress	—	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
4	3	String	street1	40	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
4	4	String	street2	40	—	1	o	o	NA	NA	o	NA	o	NA	NA
4	5	String	city	30	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
4	6	String	stateOrCountry	—	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
4	7	String	zipCode	10	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
3	2	String	formOfOrganization	1000	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
3	3	String	nameOfStateAndStatuteCitation	1000	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
3	4	Date	dateOfIncorporation	—	—	1	m#	o	NA	NA	o	NA	m#	NA	NA

Level	Order	Data Type	Element/ Attribute Name	Maxi Length	Choice List	Max Occur	1	1AA	1AC	1W	1/A	1/A- A	1/A- T	1/S- M	1/S- R
3	5	String	discriptionOfNature	5000	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
3	6	String	discriptionOfBusiness	5000	—	1	m#	o	NA	NA	o	NA	m#	NA	NA
3	7	NV	standingCommitteeData	—	—	150	o	o	NA	NA	o	NA	o	NA	NA
4	1	String	membersOrPersonName	150	—	1	o	o	NA	NA	o	NA	o	NA	NA
4	2	String	membersOrPersonTitle	150	—	1	o	o	NA	NA	o	NA	o	NA	NA
4	3	String	description	1000	—	1	o	o	NA	NA	o	NA	o	NA	NA
3	8	String	reasonForTermination	5000	—	1	o	o	NA	NA	o	NA	o	NA	NA
1	1	NV	exhibitHDocument	—	—	1	m#	o	NA	NA	o	NA	NA	NA	NA
2	1	NV	exhibitHData	—	—	1	m#	o	NA	NA	o	NA	NA	NA	NA
3	1	String	criteriaDescription	5000	—	1	m#	o	NA	NA	o	NA	NA	NA	NA
3	2	String	listingFeeSchedule	5000	—	1	m#	o	NA	NA	o	NA	NA	NA	NA
1	1	NV	exhibitJDocument	—	—	1	m#	o	NA	NA	o	NA	NA	NA	NA
2	1	NV	exhibitJData	—	—	500	m#	m#	NA	NA	m#	NA	m#	NA	NA
3	1	String	memberName	150	—	1	m#	m#	NA	NA	m#	NA	m#	NA	NA
3	2	String	memberTitle	60	—	1	m#	m#	NA	NA	m#	NA	m#	NA	NA
3	3	Date	positionStartDate	—	—	1	m#	m#	NA	NA	m#	NA	m#	NA	NA
3	4	Date	positionEndDate	—	—	1	o	o	NA	NA	o	NA	o	NA	NA
3	5	String	businessType	150	—	1	m#	m#	NA	NA	m#	NA	m#	NA	NA
1	1	NV	exhibitKDocument	—	—	1	m#	o	NA	NA	o	m#	NA	NA	NA
2	1	NV	exhibitKData	—	—	50	m#	m#	NA	NA	m#	m#	NA	NA	NA
3	1	String	fullLegalName	150	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
3	2	String	titleOrStatus	60	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
3	3	Date	titleOrStatusAcquiredDate	—	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
3	4	String	approximateOwnershipInterest	60	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
3	5	Boolean	personControlFlag	—	“Y” or “N”	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
1	1	NV	exhibitLDocument	—	—	1	m	o	NA	NA	o	NA	NA	NA	NA
2	1	NV	exhibitLData	—	—	1	m	o	NA	NA	o	NA	NA	NA	NA
3	1	String	terminationProcedureDescription	30000	—	1	m	o	NA	NA	o	NA	NA	NA	NA
1	1	NV	exhibitMDocument	—	—	1	m#	o	NA	NA	o	m#	NA	NA	NA
2	1	NV	exhibitMData	—	—	2000	m#	m#	NA	NA	m#	m#	NA	NA	NA
3	1	String	name	150	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
3	2	Date	dateOfElection	—	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
3	3	NV	principalAddress	—	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA

Level	Order	Data Type	Element/ Attribute Name	Maxi Length	Choice List	Max Occur	1	1AA	1AC	1W	1/A	1/A- A	1/A- T	1/S- M	1/S- R
4	1	String	street1	40	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
4	2	String	Street2	40	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
4	3	String	city	30	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
4	4	String	stateOrCountry	—	STATE_COUNTRY_CODE	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
4	5	String	zipCode	10	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
3	4	String	princialPhoneNumber	20	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
3	5	NV	memberRelationshipToEntity	—	—	10	m#	m#	NA	NA	m#	m#	NA	NA	NA
4	1	String	entityName	150	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
4	2	String	memberRelationship	500	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
3	6	String	activitiesByMember	1000	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
3	7	String	classOfMembership	5000	—	1	m#	m#	NA	NA	m#	m#	NA	NA	NA
1	1	NV	exhibitNDocument	—	—	1	m#	o	NA	NA	o	m#	NA	NA	NA
2	1	NV	exhibitNData	—	—	1	m#	o	NA	NA	o	m#	NA	NA	NA
3	1	NV	Item1	—	—	2000	o	o	NA	NA	o	o	NA	NA	NA
4	1	String	listedSecurities	150	—	1	o	o	NA	NA	o	o	NA	NA	NA
4	2	String	nameOfIssuer	150	—	1	o	o	NA	NA	o	o	NA	NA	NA
4	3	String	securityDescription	2000	—	1	o	o	NA	NA	o	o	NA	NA	NA
3	2	NV	Item2	—	—	2000	o	o	NA	NA	o	o	NA	NA	NA
4	1	String	admittedSecurities	150	—	1	o	o	NA	NA	o	o	NA	NA	NA
4	2	String	nameOfIssuer	150	—	1	o	o	NA	NA	o	o	NA	NA	NA
4	3	String	securityDescription	2000	—	1	o	o	NA	NA	o	o	NA	NA	NA
3	3	NV	Item3	—	—	2000	o	o	NA	NA	o	o	NA	NA	NA
4	1	String	unregisteredSecurities	150	—	1	o	o	NA	NA	o	o	NA	NA	NA
4	2	String	nameOfIssuer	150	—	1	o	o	NA	NA	o	o	NA	NA	NA
4	3	String	securityDescription	2000	—	1	o	o	NA	NA	o	o	NA	NA	NA
4	4	String	statutoryExemption	2000	—	1	o	o	NA	NA	o	o	NA	NA	NA
3	4	NV	Item4	—	—	2000	o	o	NA	NA	o	o	NA	NA	NA
4	1	String	otherSecurities	150	—	1	o	o	NA	NA	o	o	NA	NA	NA
4	2	String	nameOfIssuer	150	—	1	o	o	NA	NA	o	o	NA	NA	NA
4	3	String	securityDescription	2000	—	1	o	o	NA	NA	o	o	NA	NA	NA

4 Form 1 Schema Data Value Constraints

4.1 SUBMISSION_TYPE

These are the valid values for the Form1 and Variants element in the submission file:

Value	Code Description
1	Rule 6a-1(a) Application for registration as a National Securities Exchange or exemption on the basis of limited volume
1AA	Rule 6a-1(b), (c), or (d) corrective amendment to application for registration as a National Securities Exchange or exemption on the basis of limited volume
1AC	Consent to Extension of Time for application for registration as a National Securities Exchange or exemption on the basis of limited volume
1/A	Rule 6a-2(a) Updating Amendment to registration application filed by registered National Securities Exchange or exchange exempted on the basis of limited volume
1/A-A	Rule 6a-2(b) Annual amendment to registration application filed by registered National Securities Exchange or exchange exempted on the basis of limited volume
1/A-T	Rule 6a-2(c) Triennial amendment to registration application filed by registered National Securities Exchange or exchange exempted on the basis of limited volume
1/S-M	Rule 6a-3(a) Supplemental Materials filed by registered National Securities Exchange or exchange exempted on the basis of limited volume
1/S-R	Rule 6a-3(b) Report of securities sold during calendar month filed by registered National Securities Exchange or exchange exempted on the basis of limited volume
1W	Application for withdrawal from registration as a National Securities Exchange or exemption on the basis of limited volume

4.2 APPLICATION_TYPE

These are the valid values for the <typeOfApplication> element in the submission file:

Value
National Securities Exchange
Exemption from registration based on limited volume

4.3 LIVE_TEST_TYPE

These are the valid values for the <liveTestFlag> element in the submission file:

Value
LIVE
TEST

4.4 LEGAL_STATUS_OPTION_TYPE

These are the valid values for the < legalStatusApplicant > element in the submission file:

Value
Sole Proprietorship
Corporation
Partnership
Limited Liability Company
Other

4.5 SUPPLEMENTAL_MATERIAL_OPTIONS

These are the valid values for the < supplementalMaterialOptions > element in the submission file:

Value
1
2

4.6 ALTERNATIVE_EXHIBIT_RULE_TYPE

These are the valid values for the < alternativeExhibitRuleType > element in the submission file:

Value
Rule 6a-2(d)(1)
Rule 6a-2(d)(2)
Rule 6a-2(d)(3)

4.7 BASE_DOCUMENT_TYPE

These are the valid values for the < conformedDocumentType> element in the submission file:

Value
EX.A.FORM1
EX.B.FORM1
EX.C.DATA.FILE.FORM1
EX.C.DOC.FORM1
EX.D.FORM1
EX.E.FORM1
EX.E.USER.MANUAL
EX.F.FORM1
EX.G.FORM1
EX.H.DATA.FILE.FORM1
EX.H.DOC.FORM1
EX.I.FORM1
EX.J.FORM1
EX.K.FORM1
EX.L.FORM1
EX.M.FORM1
EX.N.FORM1
EX.FORM1.SCH
COVER
GRAPHIC
Suppl. Materials

5 Basic Submission Construction

5.1 General Formatting of XML Files

The following rules apply to the submission file of an XML-format Form 1 submissions:

1. The filename must end with an “.xml” extension.
2. The file cannot be compressed in any fashion.
3. We strongly recommend you format with indentation the submission as shown in the provided sample files. This makes the raw XML files easier to view in a text editor. The submission of ASCII XML files with no line breaks, while legal XML is strongly discouraged. XML filings are required to be posted on public websites. While usually formatted via style sheets, the raw XML is frequently available for inspection and should be readable by a person. A single line XML file is not viewer-friendly and should be avoided.
4. The `<?xml version="1.0"?>` declaration line is optional; however, if it is included it must be the first line in the file. Any text entered before this line, even white space, will cause a SUSPENSE error. The version value must be “1.0.” Any other value for version will cause a SUSPENSE error.
5. For an XML element with a data value, keep the begin tag, data value, and end tag on the same line of text. Otherwise, you could get a schema violation error. As an example, for a filer ID value which cannot be longer than 10 characters, this specification is correct:

```
<cik>1212121212</cik>
```

6. The specification below will result in a parsing error because the extraneous white space and line feeds will be counted as part of the length of the data value. In other words, the CIK value will be regarded as longer than 10 characters.

```
<cik>
1212121212
</cik>
```

5.2 XML Submission File Rules

The following rules apply to the supporting document XML-format:

1. The `<?xml version="1.0"?>` declaration line is optional; however, if it is included it must be the first line in the file. Any text entered before this line, even white space, will cause an error. The version value must be “1.0.” Any other value for version will cause an error.

2. The XML elements cannot have any namespaces.
For e.g.: It has to be <contactName> and not <ns1:contactName>
3. The order of any <notificationEmailAddress> elements does not matter.
4. The submission file must conform to the XML schema files. Any violation of this schema will result in the suspension of the filing.

5.2.1 Enclosing a document

1. Allowable file extensions are .pdf, .txt, .htm and .xml.
2. The names of attached document files must follow the EDGAR file naming conventions:
 - File names cannot exceed 32 characters, including the file extension.
 - Valid characters are lowercase letters, digits 0-9, up to one underscore, up to one hyphen, and up to one period.
 - First character must be a letter.
 - Spaces are not allowed.
 - File name must have a file type extension of .xml.
3. The <description> is optional, but all other elements must be present and must have a value.
4. The <contents> element must contain a MIME encoded document. You can use any standard 64-character set based MIME encoding algorithm to create a MIME document.

The XML for an enclosed supporting document looks like this:

- File names cannot exceed 32 characters, including the file extension.
- Valid characters are lowercase letters, digits 0-9, up to one underscore, up to one hyphen, and up to one period.
- First character must be a letter.
- Spaces are not allowed.
- File name must have a file type extension of .xml.

```
<n1:documents>
  <ns4:document>
    <ns4:conformedName>test1.pdf</ns4:conformedName>
    <ns4:conformedDocumentType>EX.A.FORM1</ns4:conformedDocumentType>
    <ns4:description>a</ns4:description>
    <ns4:contents>yZWYNCjExNg0KJSVFT0YNCg==</ns4:contents>
  </ns4:document>
  <ns4:document>
    <ns4:conformedName>test2.pdf</ns4:conformedName>
    <ns4:conformedDocumentType>EX.B.FORM1</ns4:conformedDocumentType>
```

```

        <ns4:description>b</ns4:description>
        <ns4:contents>HhyZWYNCjExNg0KJSVFT0YNCg==</ns4:contents>
    </ns4:document>
</n1:documents>

```

6 Error Reporting

EDGAR will generate an error for each violation of an XML schema constraint, as well as for each violation of a Form 1 filing business rule. The schema files do not enforce all error checks, so it is possible to construct a submission that meets all the schema constraints yet is still SUSPENDED.

This table summarizes the errors that can result from violations of schema constraints and EDGAR business rules. This is not an all-inclusive list.

Table 9: Submission Errors and Severity

Error Condition	Severity
Elements not in sequence prescribed in Section 3.4	SUSPENDED
Inclusion of XML-stylesheet reference or any other Processing Instruction	SUSPENDED
Inclusion of an element not prescribed in the schema	SUSPENDED
String value exceeds maximum length constraint	SUSPENDED
Element constrained by a Choice List has an invalid value	SUSPENDED
Mandatory element has no value or an invalid value	SUSPENDED
Special character (&, <, >) not provided as escape sequence	SUSPENDED
Date, Boolean, or Decimal element does not have a value	SUSPENDED
Duplicate Notification Address	WARNING
“NA” or blank field has a value	WARNING
Invalid Issuer CIK	SUSPENDED
Improperly formatted email address	SUSPENDED
Exceeding a “Max Occur” limit	SUSPENDED
Any XML schema violation not mentioned in previous table row	SUSPENDED
Inclusion of an element that is not applicable for the conditional mandatory condition.	SUSPENDED
No values provided for child elements of a parent element satisfying the conditional mandatory condition	SUSPENDED

You may sometimes get multiple error messages reporting the same error. The XML parser EDGAR used to process a Form 1 submission generates messages that are rather technical in nature and require an understanding of the XML schema language. Whenever possible, EDGAR generates a more “friendly” error message to give a precise description of the error.

7 Example Form 1 and Variants Submission Files

Table 7-1: Sample Submission/Document Files provides a list of sample submission files.

Table 10: Sample Submission/Document Files

Submission/ Document Type	Sample File
1	1_sample.xml
1/A	1_A_sample.xml
1AA	1AA_sample.xml
1/A-A	1A_A_sample.xml
1/A-T	1A_T_sample.xml
1W	1W_sample.xml

Appendix A. State/Country Codes

These are the valid designators for the <stateOrCountry> element in the primary document.

Code	State/Country Name
AK	Alaska
AL	Alabama
AR	Arkansas
AZ	Arizona
CA	California
CO	Colorado
CT	Connecticut
DC	District of Columbia
DE	Delaware
FL	Florida
GA	Georgia
HI	Hawaii
IA	Iowa
ID	Idaho
IL	Illinois
IN	Indiana
KS	Kansas
KY	Kentucky
LA	Louisiana
MA	Massachusetts
MD	Maryland
ME	Maine
MI	Michigan
MN	Minnesota
MO	Missouri
MS	Mississippi
MT	Montana
NC	North Carolina
ND	North Dakota
NE	Nebraska
NH	New Hampshire
NJ	New Jersey
NM	New Mexico
NV	Nevada
NY	New York
OH	Ohio
OK	Oklahoma

Code	State/Country Name
OR	Oregon
PA	Pennsylvania
RI	Rhode Island
SC	South Carolina
SD	South Dakota
TN	Tennessee
TX	Texas
UT	Utah
VA	Virginia
VT	Vermont
WA	Washington
WI	Wisconsin
WV	West Virginia
WY	Wyoming
X1	United States
A0	Alberta, Canada
A1	British Columbia, Canada
A2	Manitoba, Canada
A3	New Brunswick, Canada
A4	Newfoundland, Canada
A5	Nova Scotia, Canada
A6	Ontario, Canada
A7	Prince Edward Island, Canada
A8	Quebec, Canada
A9	Saskatchewan, Canada
B0	Yukon, Canada
Z4	Canada (Federal Level)
1A	Anguilla
1B	Armenia
1C	Aruba
1D	Azerbaijan
1E	Bosnia and Herzegovina
1F	Belarus
1G	Djibouti
1H	Estonia
1J	Eritrea
1K	Micronesia, Federated States of
1L	South Georgia and the South Sandwich Islands
1M	Croatia
1N	Kyrgyzstan
1P	Kazakstan

Code	State/Country Name
1Q	Lithuania
1R	Latvia
1S	Moldova, Republic of
1T	Marshall Islands
1U	Macedonia, The Former Yugoslav Republic of
1V	Northern Mariana Islands
1W	New Caledonia
1X	Palestinian Territory, Occupied
1Y	Palau
1Z	Russian Federation
2A	Slovenia
2B	Slovakia
2C	French Southern Territories
2D	Tajikistan
2E	Turkmenistan
2G	Tuvalu
2H	Ukraine
2J	United States Minor Outlying Islands
2K	Uzbekistan
2L	Vanuatu
2M	Germany
2N	Czech Republic
2P	Mayotte
2Q	Georgia (Country)
B1	Botswana
B2	Afghanistan
B3	Albania
B4	Algeria
B5	American Samoa
B6	Andorra
B7	Angola
B8	Antarctica
B9	Antigua and Barbuda
C0	United Arab Emirates
C1	Argentina
C3	Australia
C4	Austria
C5	Bahamas
C6	Bahrain
C7	Bangladesh
C8	Barbados

Code	State/Country Name
C9	Belgium
D0	Bermuda
D1	Belize
D2	Bhutan
D3	Bolivia
D4	Bouvet Island
D5	Brazil
D6	British Indian Ocean Territory
D7	Solomon Islands
D8	Virgin Islands, British
D9	Brunei Darussalam
E0	Bulgaria
E1	Myanmar
E2	Burundi
E3	Cambodia
E4	Cameroon
E8	Cape Verde
E9	Cayman Islands
F0	Central African Republic
F1	Sri Lanka
F2	Chad
F3	Chile
F4	China
F5	Taiwan
F6	Christmas Island
F7	Cocos (Keeling) Islands
F8	Colombia
F9	Comoros
G0	Congo
G1	Cook Islands
G2	Costa Rica
G3	Cuba
G4	Cyprus
G6	Benin
G7	Denmark
G8	Dominican Republic
G9	Dominica
GU	Guam
H1	Ecuador
H2	Egypt
H3	El Salvador

Code	State/Country Name
H4	Equatorial Guinea
H5	Ethiopia
H6	Faroe Islands
H7	Falkland Islands (Malvinas)
H8	Fiji
H9	Finland
I0	France
I3	French Guiana
I4	French Polynesia
I5	Gabon
I6	Gambia
J0	Ghana
J1	Gibraltar
J2	Kiribati
J3	Greece
J4	Greenland
J5	Grenada
J6	Guadeloupe
J8	Guatemala
J9	Guinea
K0	Guyana
K1	Haiti
K2	Honduras
K3	Hong Kong
K4	Heard Island and McDonald Islands
K5	Hungary
K6	Iceland
K7	India
K8	Indonesia
K9	Iran, Islamic Republic of
L0	Iraq
L2	Ireland
L3	Israel
L6	Italy
L7	Cote d'Ivoire
L8	Jamaica
L9	Svalbard and Jan Mayen
M0	Japan
M2	Jordan
M3	Kenya
M4	Korea, Democratic People's Republic of

Code	State/Country Name
M5	Korea, Republic of
M6	Kuwait
M7	Lao People's Democratic Republic
M8	Lebanon
M9	Lesotho
N0	Liberia
N1	Libyan Arab Jamahiriya
N2	Liechtenstein
N4	Luxembourg
N5	Macau
N6	Madagascar
N7	Malawi
N8	Malaysia
N9	Maldives
O0	Mali
O1	Malta
O2	Martinique
O3	Mauritania
O4	Mauritius
O5	Mexico
O9	Monaco
P0	Mongolia
P1	Montserrat
P2	Morocco
P3	Mozambique
P4	Oman
P5	Nauru
P6	Nepal
P7	Netherlands
P8	Netherlands Antilles
PR	Puerto Rico
Q1	Viet Nam
Q2	New Zealand
Q3	Nicaragua
Q4	Niger
Q5	Nigeria
Q6	Niue
Q7	Norfolk Island
Q8	Norway
R0	Pakistan
R1	Panama

Code	State/Country Name
R2	Papua New Guinea
R4	Paraguay
R5	Peru
R6	Philippines
R8	Pitcairn
R9	Poland
S0	Guinea-Bissau
S1	Portugal
S3	Qatar
S4	Reunion
S5	Romania
S6	Rwanda
S8	San Marino
S9	Sao Tome and Principe
T0	Saudi Arabia
T1	Senegal
T2	Seychelles
T3	South Africa
T6	Namibia
T7	Yemen
T8	Sierra Leone
U0	Singapore
U1	Somalia
U3	Spain
U5	Western Sahara
U7	Saint Kitts and Nevis
U8	Saint Helena
U9	Saint Lucia
V0	Saint Pierre and Miquelon
V1	Saint Vincent and the Grenadines
V2	Sudan
V3	Suriname

Appendix B. Acronyms

Acronym	Description
ASCII	American Standard Code for Information Interchange
CCC	CIK Confirmation Code
CIK	Central Index Key
EDGAR	Electronic Data Gathering, Analysis, and Retrieval
PDF	Portable Document Format
SEC	Securities and Exchange Commission
XBRL	eXtensible Business Reporting Language
XML	Extensible Markup Language