



Form 25-NSE XML Technical Specification

VERSION 4.4

March 2025

TABLE OF CONTENTS

1	INTRODUCTION.....	1-1
1.1	Purpose.....	1-1
1.2	Summary of Changes.....	1-1
2	EDGAR SCHEMA FILES.....	1-1
2.1	Key Schema Indicators	2-3
3	XML SCHEMAS	3-1
3.1	Schema Table Column Definitions.....	3-1
3.2	Data Type Constraints.....	3-2
3.3	Form 25-NSE Schema Definition.....	3-3
3.4	Data Value Constraints	3-4
3.4.1	Submission Type List	3-4
3.4.2	Document Type List	3-5
3.4.3	State Code List.....	3-5
3.4.4	Test Live List.....	3-5
3.4.5	Primary Document Name List	3-6
3.4.6	Rule Provision List	3-6
4	BASIC SUBMISSION CONSTRUCTION	4-1
4.1	General Formatting of XML Files	4-1
4.2	XML Submission File Rules.....	4-1
4.2.1	Primary Document.....	4-2
4.2.2	Supporting Documents.....	4-2
5	ERROR REPORTING.....	5-1
6	EXAMPLE FORM 25-NSE SUBMISSION FILES	6-1
	APPENDIX A. STATE AND COUNTRY CODES	A-1
	APPENDIX B. MAPPING OF FORM 25-NSE XML ELEMENTS TO PRINTED FORM....	B-1

1 INTRODUCTION

1.1 Purpose

This document details the valid structure and content of the two EDGAR Form 25-NSE submission types. Table 1-1, Form 25-NSE Submission Types, provides a description of the Form 25-NSE submission types.

Table 1-1: Form 25-NSE Submission Types

Submission Type	Description
25-NSE	Notification filed by National Security Exchange to report the removal from listing and registration of matured, redeemed, or retired securities.
25-NSE/A	Amendment of a previous Form 25-NSE.

This specification provides a basis for creating the Form 25-NSE XML filings. The expectation is that software developers, working on behalf of filers, will construct software that will generate a Form 25-NSE XML filing that can be successfully parsed by the EDGAR system.

The Form 25-NSE submission file must conform to the EDGAR Form 25-NSE Submission Taxonomy. This taxonomy is comprised of a collection of XML Schema Definition (.xsd) files that define the structures of EDGAR Form 25-NSE submissions.

For specific information about the data content of the Form 25-NSE submission types, refer to SEC Filing Rule 34-52029.

The 25-NSE XML submissions are transmitted to the SEC via the Transmit XML Submission option from the EDGAR OnlineForms/XML Website (<https://www.onlineforms.edgarfiling.sec.gov>).

To access the EDGAR Filing and EDGAR OnlineForms websites, you must have a Central Index Key (CIK) and a current EDGAR password and CIK confirmation code (CCC).

If you do not have a CIK, password and/or CCC, please consult How Do I Understand and Utilize EDGAR CIKs, Passphrases and Access Codes on SEC.gov.

For further information about EDGAR Filing and EDGAR OnlineForms, specifically with respect to the transmission of filer-constructed submissions, refer to the “Filer-Constructed XML Submission” section of the EDGAR Filer Manual, Volume II (EDGAR Filing). All volumes of the Filer Manual are available on the SEC’s Public Website: <http://www.sec.gov>.

1.2 Summary of Changes

On September 20, 2021, EDGAR Release 21.3 introduced the following changes:

- Text for Country TAIWAN, PROVIDE OF CHINA is changed to TAIWAN in stateCodes.xsd file.
- Code F5 is changed to TAIWAN in APPENDIX A.STATE/COUNTRY CODES.

2 EDGAR SCHEMA FILES

The schema files define the valid data elements for a Form 25-NSE submission, the hierarchy and sequencing of these elements, data types, valid values, maximum lengths, and number of occurrences, etc.

Table 2-1: Form 25-NSE Schema Files

XML schema File	Scope of File
edgarSubmissionCommon.xsd.xml	Defines the submission fields that are common in EDGAR submissions.
stateCodes.xsd.xml	Defines the state code element.
subjectCompany.xsd.xml	Defines the subject company elements.
filedByCompany.xsd.xml	Defines the filed by company elements.
form25NseDocument.xsd.xml	Defines the elements of the Form 25-NSE primary document.
form25NseSubmission.xsd.xml	Defines the elements of the Form 25-NSE submission.

It is recommended that you download these files and use them for your own validation prior to submitting a filing. This will greatly reduce the likelihood of receiving an EDGAR suspense error. These schema files contain several annotations that describe the nature of the content of some of the elements.

EDGAR does perform several validation checks that are not related to the schema files, so it is possible for a submission to meet all the schema constraints and still be SUSPENDED or BLOCKED. For instance, EDGAR verifies that each CIK/CCC pair is valid.

2.1 Key Schema Indicators

We assume the filer is familiar with the basics of the XML language, namespaces, and the XML Schema Definition language. If not, you can find numerous references on the World Wide Web. One recommended site that provides several useful tutorials and examples is <http://www.w3schools.com/>.

Table 2-2, XML Schema Language Features Used in Form 25-NSE, highlights the schema language features used most heavily in the EDGAR Form 25-NSE submission schema files.

Table 2-2: XML Schema Language Features Used in Form 25-NSE

Indicator	Purpose
<sequence>	Specifies that child elements must appear in a specific order. This indicator is used with each element hierarchy. Elements must always appear in the order shown in Section 0.
<key> <keyref>	Specifies that the value of key element must match the value of the <keyRef> element.
<minOccurs>	Specifies the minimum number of times that an element can occur. The default is 1. An optional field will have <minOccurs> value of zero.
<maxOccurs>	Specifies the maximum number of times that an element can occur.

This excerpt from the edgarSubmissionCommon.xsd schema file includes some of these indicators:

```
<xs:complexType name="EDGAR_ADDRESS_TYPE">
  <xs:sequence>
    <xs:element name="street1" type="STREET_TYPE"/>
    <xs:element name="street2" type="STREET_TYPE" minOccurs="0"/>
    <xs:element name="city" type="CITY_TYPE"/>
    <xs:element name="stateOrCountryCode" type="STATE_COUNTRY_CODE"/>
    <xs:element name="stateOrCountry" minOccurs="0">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:maxLength value="50"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="zipCode" type="ZIP_CODE_TYPE" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
```

This is a sample of XML that conforms to the schema definition given above:

```
<registrant>
  ...
  <principalOfficeAddress>
    <street1>123 Maple Avenue</street1>
    <city>Alexandria</city>
    <stateOrCountryCode>VA</stateOrCountryCode>
    <stateOrCountry>VIRGINIA</stateOrCountry>
    <zipCode>22312</zipCode>
  </principalOfficeAddress>
</registrant>
```

3 XML SCHEMAS

This section summarizes the restrictions and constraints imposed on the content of the two Form 25-NSE submission types. These rules are enforced by the schema files and by EDGAR submission processing applications.

The schema files cannot enforce all the rules concerning data content, so it is possible for a submission to satisfy all the schema constraints and still be SUSPENDED or BLOCKED by EDGAR.

3.1 Schema Table Column Definitions

Table 3-3, Form 25-NSE Schema Definitions, provides the schema definition for both Form 25-NSE submission types. Table 3-1, Column Definitions for Table 3-3, describes the table columns in Table 3-3, and Table 3-2, Data Type Definitions, provides information regarding the data types listed in Table 3-3.

Table 3-1: Column Definitions for Table 3-3

Column Name	Description
Level	Depth of element in the XML node hierarchy.
Order	Order in which elements must appear.
Data Type	See Table 3-2 for a detailed description.
Element Name	Name of the XML element. This is case-sensitive
Max Length	Maximum length for string elements. EDGAR database stores up to this number of characters. “Unlimited” means no maximum length constraint for the element value.
Data Value Constraint	The paragraph that describes the data value constraint for the element. The values specified are case sensitive.
Max Occur	Maximum times a set of elements may be repeated. The maximum occurrence is 1, if not specified.
Applicability of Element	Indicates applicability of the element. m = Mandatory o = Optional NA = Does not apply. EDGAR uses this element for server-side processing. Do not provide a value for this element.

3.2 Data Type Constraints

Table 3-2, Data Type Definitions, describes the data types specified in the “Data Type” column of Table 3-3.

Table 3-2: Data Type Definitions

Data Type	Constraints
boolean	Indicate with the word “true” or “false”. A boolean element may not have a null or blank value. This is a schema violation and will cause a SUSPENSE error.
date	Must be of the format YYYY-MM-DD. A date element may not have a null or blank value. This is a schema violation and will cause a SUSPENSE error. Do not include a date element at all if your goal is to not provide an optional date.
string	<p>Should not be longer than the length specified in “Max Length” column of Table 3-3, Form 25-NSE Schema Definitions.</p> <p>You must use special escape sequences to represent these four characters:</p> <p>For the < character use the escape sequence “&lt;” or “&#60;”.</p> <p>For the > character use the escape sequence “&gt;” or “&#62;”.</p> <p>For the & character use the escape sequence “&amp;” or “&#38;”.</p> <p>For the “ character use the escape sequence “&quot;” or “&#34;”.</p>
NV	These elements cannot have a value. They are parent element nodes that contain other XML elements. These elements need to be present for proper validation.

3.3 Form 25-NSE Schema Definition

Table 3-3, Form 25-NSE Schema Definitions, provides the schema definition for the Form 25-NSE submission types.

Table 3-3: Form 25-NSE Schema Definitions

Level	Order	Data Type	Element Name	Max Length	Data Value Constraint	Max Occur	Applicability of Element
1	1	NV	edgarSubmission				m
2	1	string	submissionType	unlimited	Submission Type List		m
2	2	string	testOrLive	4	Test Live List		m
2	3	boolean	returnCopy				o
2	4	boolean	confirmingCopy				o
2	5		contactData				m
3	1		contactName				m
3	2		contactPhoneNumber				m
3	3		contactEmailAddress				o
2	6	NV	notificationAddresses				o
3	1	string	notificationEmailAddress	80		30	m
2	7	NV	amendment				m
3	1	boolean	isAmendment				m
3	2	string	previousAccessionNumber	20			m
2	8	string	formVersion	Unlimited			o
2	9	NV	primaryDocument				m
3	1	string	documentName	unlimited	Primary Document Name List		m
3	2	string	documentType	unlimited	Submission Type List		m
3	3	string	documentDescription	255			o
3	4	NV	documentBlock				m
4	1	NV	notificationOfRemoval				
4	1	string	schemaVersion	5			NA
4	2	NV	exchange				m
5	1	string	cik	10			m
5	2	string	ccc	8			o
5	3	string	entityName	150			m

Level	Order	Data Type	Element Name	Max Length	Data Value Constraint	Max Occur	Applicability of Element
4	3	NV	issuer				m
5	1	string	cik	10			m
5	2	string	entityName	150			m
5	3	string	fileNumber	25			m
5	4	NV	address				m
6	1	string	street1	40			m
6	2	string	street2	40			o
6	3	string	city	30			m
6	4	string	stateOrCountryCode	unlimited	State Code List		m
6	5	String	stateOrCountry	50			o
6	6	string	zipCode	10			o
5	5	string	telephoneNumber	20			m
4	5	string	descriptionClassSecurity	unlimited			m
4	6	string	ruleProvision	unlimited	Rule Provision List		m
4	7	NV	SignatureData				m
5	1	string	signatureName	255			m
5	2	string	signatureTitle	60			m
5	3	date	signatureDate				m
2	10	NV	edgarDocument			610	o
3	1	string	documentName	32			m
3	2	string	documentType	20			m
3	3	string	documentDescription	255			o
3	4	string	documentMimeBlock	unlimited			m

3.4 Data Value Constraints

This section describes the data value constraints for applicable elements in Table 3-3, Form 25-NSE Schema Definitions.

3.4.1 Submission Type List

Table 3-4, Submission and Primary Document Type List Values, lists the valid values for the <submissionType> and <documentType> of the <primaryDocument> (<primaryDocument.documentType>) elements. The schema enforces that the value of <submissionType> and <primaryDocument.documentType> must have the same value.

Table 3-4: Submission and Primary Document Type List Values

Value for Submission Type and Primary Document Type
25-NSE
25-NSE/A

3.4.2 Document Type List

Table 3-5, Supporting Document Type List Values, lists the valid values for the <documentType> of the <edgarDocument> (<edgarDocument.documentType>) element.

Table 3-5: Supporting Document Type List Values

Value for Supporting Documents
CORRESP
COVER
EX-99.25
GRAPHIC

You can append optional text to these document type values. This optional text must begin with a period. The overall length of the document type value cannot exceed 20 characters. Some examples of a valid document types are:

- COVER.document
- EX-99.25.a

3.4.3 State Code List

EDGAR recognizes 309 two-character designators for the <stateOrCountryCode> element. These are provided in Appendix A, State and Country Codes. These codes are a combination of values for the 50 U.S. states, the Canadian Provinces, and other countries and territories.

3.4.4 Test Live List

Table 3-6, Test or Live List Values, lists the valid values for the <testOrLive> element.

Table 3-6: Test or Live List Values

Value
LIVE
TEST

3.4.5 Primary Document Name List

Table 3-7, Primary Document Name List Values, lists the valid values for the <documentName> of the <primaryDocument> (<primaryDocument.documentName> element).

Table 3-7: Primary Document Name List Values

Value
LIVE
TEST

3.4.6 Rule Provision List

Table 3-8, Rule Provision ID List Values, lists the valid values for the <ruleProvision> element.

Table 3-8: Rule Provision ID List Values

Value
17 CFR 240.12d2-2(a)(1)
17 CFR 240.12d2-2(a)(2)
17 CFR 240.12d2-2(a)(3)
17 CFR 240.12d2-2(a)(4)
17 CFR 240.12d2-2(b)

4 BASIC SUBMISSION CONSTRUCTION

4.1 General Formatting of XML Files

The following rules apply to the submission file of an XML-format 25-NSE submission:

1. The filename must end with an “.xml” extension.
2. The file cannot be compressed in any fashion.
3. We strongly recommend you format the submission as shown in the provided sample files. This makes the raw XML files easier to view in a text editor. The submission of ASCII XML files with no line breaks, while legal XML, is strongly discouraged. XML filings are required to be posted on public websites. While usually formatted via style sheets, the raw XML is frequently available for inspection and should be readable by a person. A single line XML file is not viewer-friendly and should be avoided.
4. The `<?xml version=“1.0”?>` declaration line is optional; however, if it is included it must be the first line in the file. Any text entered before this line, even white space, will cause a SUSPENSE error. The version value must be “1.0.” Any other value for version will cause a SUSPENSE error.
5. For an XML element with a data value, keep the begin tag, data value, and end tag on the same line of text. Otherwise, you could get a schema violation error. As an example, for a filer ID value which cannot be longer than 10 characters, this specification is correct:

```
<cik>1212121212</cik>
```

6. The specification below will result in a parsing error because the extraneous white space and line feeds will be counted as part of the length of the data value. In other words, the CIK value will be regarded as longer than 10 characters.

```
<cik>
1212121212
</cik>
```

4.2 XML Submission File Rules

The following rules are specific to the submission file:

1. The order of any `<notificationEmailAddress>` element in the `<notificationAddresses>` element block does not matter. EDGAR will generate a WARNING for any duplicate values in the `<notificationEmailAddress>` element.
2. The submission file must conform to the `form25NseSubmission.xsd` XML schema file. Any violation of this schema will result in the suspension of the filing.

4.2.1 Primary Document

The primary document is specified by the `<primaryDocument>` element block. The following rules apply to this `<primaryDocument>` element block:

1. The submission file must contain a single “primary” XML document, i.e., one `<primaryDocument>` element block.
2. The value for the `<documentName>` element must be “primary_doc.xml”, as specified in Table 3-7, Primary Document Name List Values.
3. The value for the `<documentType>` element must match the value for the `<submissionType>` element.

4.2.1.1 Primary Document Block Elements

This section provides additional information regarding the `<documentBlock>` of the `<primaryDocument>` (`<primaryDocument.documentBlock>`) element.

1. EDGAR will insert the `<?xml version=“1.0”?>` declaration into the “document of record”. You do not need to include this declaration as part of the `<primaryDocument.documentBlock>` element.
2. The `<schemaVersion>` element should not be included. If you do provide a value for this element, EDGAR will generate a WARNING and discard the value. Additionally, if the value you provide does not match the current version of the schema file being used by EDGAR, then EDGAR will generate a second WARNING. EDGAR will insert the correct value for this element into the “document of record” that gets disseminated.
3. The `<exchange>` element block specifies the Exchange CIK at the `<cik>` element, the exchange CIK confirmation code at the `<ccc>`, and the name of the Exchange at the `<entityName>` element. The CIK (`<cik>` element) does not have to be conformed with leading zeros. The CCC (`<ccc>` element) will be removed by EDGAR from the “document of record” that is disseminated. The name of the exchange (`<entityName>`) will be removed by EDGAR, if provided, and reinserted with the EDGAR system of record value.
4. The `<issuer>` element block specifies the Issuer CIK at the `<cik>` element, the issuer name at the `<entityName>`, the Issuer file number being delisted at the `<fileNumber>` element, the Issuer address at the `<address>` element, and the Issuer telephone number at the `<telephoneNumber>` element. The Issuer file number must be the “001-” file number that was assigned to the Issuer’s 8-A registration filing. The CIK (`<cik>` element) does not have to be conformed with leading zeros. The Issuer name (`<entityName>`), Issuer address (`<address>`), and Issuer telephone number (`<telephoneNumber>`) will be removed by EDGAR, if provided, and reinserted with values from the EDGAR system of record.
5. The `<ruleProvision>` element indicates the appropriate 17 CFR 240.12d2-2 rule provision relied upon to strike the class of securities from listing and registration. The schema requires

either (a)1, (a)2, (a)3, (a)4, or (b) be selected. The values of the <ruleProvision> element are indicated in Table 3-8. The following illustrates that rule provision (a)3 is applicable:

```
<ruleProvision>17 CFR 240.12d2-2 (a) (3)</ruleProvision>
```

4.2.2 Supporting Documents

The <edgarDocument> element block specifies supporting documents. The following rules apply to this <edgarDocument> element block:

1. The submission file may also contain additional supporting documents. The additional support documents are specified using the <edgarDocument> element block. The order of the <edgarDocument> specifications does not matter, e.g., COVER documents may appear before the EX-99.25 document, and vice versa.
2. At least one EX-99.25 document must be enclosed for submission type 25-NSE. Supporting documents are optional for submission type 25-NSE/A and may be included if applicable.
3. Allowable file extensions are .txt, .htm, .jpg, and .gif.
 - i. **Note:** The two Form 25-NSE submission types do not allow the inclusion of PDF documents. EDGAR will discard any attached PDF documents and issue a WARNING to that effect.
4. The allowable document types are shown in the Table 3-5.
5. You may enclose no more than 610 documents. The document count limits by type are provided in Table 4-1 Supporting Document Maximum Allowed.
 - a. The names of attached document files must follow the EDGAR file naming convention:
 - b. File names cannot exceed 32 characters, including the file extension.
 - c. Valid characters are lowercase letters, digits 0-9, up to one underscore, up to one hyphen, and up to one period.
 - d. First character must be a letter.
 - e. Spaces are not allowed.
 - f. File name must have a file type extension.
 - g. File extension of the primary document must be .xml.
 - h. File extension of all other documents must be .txt, .htm, .jpg, or .gif.
6. The <documentDescription> is optional, but all other elements must be present and must have a value.
7. The <documentMimeBlock> element must contain a MIME encoded document. You can use any standard 64-character set based MIME encoding algorithm to create a MIME document.

8. The XML for an enclosed supporting document looks like this:

```
<edgarDocument>  
  <documentName>cover01.txt</documentName>  
  <documentType>COVER</documentType>  
  <documentDescription>Cover Document</documentDescription>  
  <documentMimeBlock>  
    PT09PT09PT09PT09PT09PT09PT09PT09PT09PT09PSAgIGNvdmVyIGxldH  
    RLciAgID09PT09PT09PT09PT09PT09PT09PT09PT09PT09PT0NCgOKVGhp  
    cyBpcyBhIHByaXZhdGUgY292ZXIgbGV0dGvyIHRoYXQgZG91cyBub3QgY2  
    9udGFpbjBhbngkgcmVkbGluc2Q0KdGFncy4gVGhpcyBpcyBzdHJpY3RseSBh  
    IHRlc3QuDQo=NCj09PT09PT09PT09PT09PT09PT09PT09PT09PT09PT09PT  
    09PT09PT09PT09PT09PT09PT09PT09PT09PT09PT09PT09PT09PT09PT09  
    PT09DQo=  
  </documentMimeBlock>  
</edgarDocument>
```


5 ERROR REPORTING

EDGAR will generate an error for each violation of an XML schema constraint, as well as for each violation of a Form 25-NSE filing business rule. The schema files do not enforce all error checks, so it is possible to construct a submission that meets all the schema constraints yet is still SUSPENDED.

Table 5-1: EDGAR Processing Errors and Severity

Error Condition	Severity
Elements not in sequence prescribed in Table 3-3.	SUSPENSE
Inclusion of XML-styleSheet reference or any other Processing Instruction	SUSPENSE
Inclusion of an element not prescribed in the schema	SUSPENSE
String value exceeds maximum length constraint	SUSPENSE
Element constrained by a Choice List has an invalid value	SUSPENSE
Mandatory element has no value or an invalid value	SUSPENSE
Special character (&, <, >) not provided as escape sequence	SUSPENSE
Date or Boolean element does not have a value	SUSPENSE
Duplicate notification email address (duplicate values for element <notificationEmailAddress>)	WARNING
“NA” element has a value	WARNING
Invalid Exchange CIK	SUSPENSE
Invalid Issuer CIK	SUSPENSE
Invalid CIK/CCC combination	SUSPENSE
Improperly formatted email address	SUSPENSE
Inclusion of a PDF document	WARNING
Exceeding a “Max Occur” limit from Table 3-3 (e.g., value for element <notificationEmailAddress> contains more than 80 characters)	SUSPENSE
Invalid content in an enclosed ASCII document. Refer to the EDGAR Filer Manual for details.	SUSPENSE or WARNING
Invalid content in an enclosed HTML document. Refer to the EDGAR Filer Manual for details.	SUSPENSE or WARNING
Enclosed graphic document that is not referenced by an HTML document	SUSPENSE
Any XML schema violation not mentioned in previous table row	SUSPENSE
The Exchange CIK (value for element <exchange.filerId>) is not denoted as a National Exchange CIK in EDGAR.	SUSPENSE
The Issuer CIK (value for element <issuer.filerId>) is denoted as a National Exchange CIK in EDGAR.	SUSPENSE
The form 25-NSE submission requires at least one EX-99.25 document. This 25-NSE submission does not include a valid document specification	SUSPENSE

You may sometimes receive multiple error messages reporting the same error. The XML parser EDGAR uses to process an XML submission generates messages that are rather technical in nature and require an understanding of the XML schema language. Whenever possible, EDGAR also generates a more “friendly” error message to give a precise description of the error.

6 EXAMPLE FORM 25-NSE SUBMISSION FILES

Table 6-1, Form 25-NSE Example Submission Files, provides a list of example of Form 25-NSE submission files.

Table 6-1: Form 25-NSE Example Submission Files

Submission Type	Description	Submission File
25-NSE	Submission with EX-99.25 document.	25-nse_1.xml
25-NSE/A	Amendment submission with no other enclosed documents.	25-nsea.xml
25-NSE	Submission with EX-99.25 and other enclosed documents.	25-nse_2.xml

The submission files contain MIME versions of the supporting document. These MIME data blocks were copied from a 64-character set MIME version of the document and pasted into the submission file.

APPENDIX A. STATE AND COUNTRY CODES

Table A-1, State or Country Code Value List, lists the valid values for the <stateOrCountryCode> element. These codes are a combination of values for the 50 U.S. states, the Canadian Provinces, and other countries and territories.

Table A-1: State or Country Code Value List

Code	State or Country Name
AL	ALABAMA
AK	ALASKA
AZ	ARIZONA
AR	ARKANSAS
CA	CALIFORNIA
CO	COLORADO
CT	CONNECTICUT
DE	DELAWARE
DC	DISTRICT OF COLUMBIA
FL	FLORIDA
GA	GEORGIA
HI	HAWAII
ID	IDAHO
IL	ILLINOIS
IN	INDIANA
IA	IOWA
KS	KANSAS
KY	KENTUCKY
LA	LOUISIANA
ME	MAINE
MD	MARYLAND
MA	MASSACHUSETTS
MI	MICHIGAN
MN	MINNESOTA
MS	MISSISSIPPI
MO	MISSOURI
MT	MONTANA
NE	NEBRASKA
NV	NEVADA
NH	NEW HAMPSHIRE
NJ	NEW JERSEY
NM	NEW MEXICO
NY	NEW YORK
NC	NORTH CAROLINA
ND	NORTH DAKOTA
OH	OHIO
OK	OKLAHOMA
OR	OREGON
PA	PENNSYLVANIA

Code	State or Country Name
RI	RHODE ISLAND
SC	SOUTH CAROLINA
SD	SOUTH DAKOTA
TN	TENNESSEE
TX	TEXAS
X1	UNITED STATES
UT	UTAH
VT	VERMONT
VA	VIRGINIA
WA	WASHINGTON
WV	WEST VIRGINIA
WI	WISCONSIN
WY	WYOMING
A0	ALBERTA, CANADA
A1	BRITISH COLUMBIA, CANADA
Z4	CANADA (FEDERAL LEVEL)
A2	MANITOBA, CANADA
A3	NEW BRUNSWICK, CANADA
A4	NEWFOUNDLAND, CANADA
A5	NOVA SCOTIA, CANADA
A6	ONTARIO, CANADA
A7	PRINCE EDWARD ISLAND, CANADA
A8	QUEBEC, CANADA
A9	SASKATCHEWAN, CANADA
B0	YUKON, CANADA
B2	AFGHANISTAN
Y6	ALAND ISLANDS
B3	ALBANIA
B4	ALGERIA
B5	AMERICAN SAMOA
B6	ANDORRA
B7	ANGOLA
1A	ANGUILLA
B8	ANTARCTICA
B9	ANTIGUA AND BARBUDA
C1	ARGENTINA
1B	ARMENIA
1C	ARUBA
C3	AUSTRALIA
C4	AUSTRIA
1D	AZERBAIJAN
C5	BAHAMAS
C6	BAHRAIN
C7	BANGLADESH
C8	BARBADOS

Code	State or Country Name
1F	BELARUS
C9	BELGIUM
D1	BELIZE
G6	BENIN
D0	BERMUDA
D2	BHUTAN
D3	BOLIVIA
1E	BOSNIA AND HERZEGOVINA
B1	BOTSWANA
D4	BOUVET ISLAND
D5	BRAZIL
D6	BRITISH INDIAN OCEAN TERRITORY
D9	BRUNEI DARUSSALAM
E0	BULGARIA
X2	BURKINA FASO
E2	BURUNDI
E3	CAMBODIA
E4	CAMEROON
E8	CAPE VERDE
E9	CAYMAN ISLANDS
F0	CENTRAL AFRICAN REPUBLIC
F2	CHAD
F3	CHILE
F4	CHINA
F6	CHRISTMAS ISLAND
F7	COCOS (KEELING) ISLANDS
F8	COLOMBIA
F9	COMOROS
G0	CONGO
Y3	CONGO, THE DEMOCRATIC REPUBLIC OF THE
G1	COOK ISLANDS
G2	COSTA RICA
L7	COTE D'IVOIRE
1M	CROATIA
G3	CUBA
G4	CYPRUS
2N	CZECH REPUBLIC
G7	DENMARK
1G	DJIBOUTI
G9	DOMINICA
G8	DOMINICAN REPUBLIC
H1	ECUADOR
H2	EGYPT
H3	EL SALVADOR
H4	EQUATORIAL GUINEA

Code	State or Country Name
1J	ERITREA
1H	ESTONIA
H5	ETHIOPIA
H7	FALKLAND ISLANDS (MALVINAS)
H6	FAROE ISLANDS
H8	FIJI
H9	FINLAND
I0	FRANCE
I3	FRENCH GUIANA
I4	FRENCH POLYNESIA
2C	FRENCH SOUTHERN TERRITORIES
I5	GABON
I6	GAMBIA
2Q	GEORGIA (COUNTRY)
2M	GERMANY
J0	GHANA
J1	GIBRALTAR
J3	GREECE
J4	GREENLAND
J5	GRENADA
J6	GUADELOUPE
GU	GUAM
J8	GUATEMALA
Y7	GUERNSEY
J9	GUINEA
S0	GUINEA-BISSAU
K0	GUYANA
K1	HAITI
K4	HEARD ISLAND AND MCDONALD ISLANDS
X4	HOLY SEE (VATICAN CITY STATE)
K2	HONDURAS
K3	HONG KONG
K5	HUNGARY
K6	ICELAND
K7	INDIA
K8	INDONESIA
K9	IRAN, ISLAMIC REPUBLIC OF
L0	IRAQ
L2	IRELAND
Y8	ISLE OF MAN
L3	ISRAEL
L6	ITALY
L8	JAMAICA
M0	JAPAN
Y9	JERSEY

Code	State or Country Name
M2	JORDAN
1P	KAZAKSTAN
M3	KENYA
J2	KIRIBATI
M4	KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF
M5	KOREA, REPUBLIC OF
M6	KUWAIT
1N	KYRGYZSTAN
M7	LAO PEOPLE'S DEMOCRATIC REPUBLIC
1R	LATVIA
M8	LEBANON
M9	LESOTHO
N0	LIBERIA
N1	LIBYAN ARAB JAMAHIRIYA
N2	LIECHTENSTEIN
1Q	LITHUANIA
N4	LUXEMBOURG
N5	MACAU
1U	MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF
N6	MADAGASCAR
N7	MALAWI
N8	MALAYSIA
N9	MALDIVES
O0	MALI
O1	MALTA
1T	MARSHALL ISLANDS
O2	MARTINIQUE
O3	MAURITANIA
O4	MAURITIUS
2P	MAYOTTE
O5	MEXICO
1K	MICRONESIA, FEDERATED STATES OF
1S	MOLDOVA, REPUBLIC OF
O9	MONACO
P0	MONGOLIA
Z5	MONTENEGRO
P1	MONTSERRAT
P2	MOROCCO
P3	MOZAMBIQUE
E1	MYANMAR
T6	NAMIBIA
P5	NAURU
P6	NEPAL
P7	NETHERLANDS
P8	NETHERLANDS ANTILLES

Code	State or Country Name
1W	NEW CALEDONIA
Q2	NEW ZEALAND
Q3	NICARAGUA
Q4	NIGER
Q5	NIGERIA
Q6	NIUE
Q7	NORFOLK ISLAND
1V	NORTHERN MARIANA ISLANDS
Q8	NORWAY
P4	OMAN
R0	PAKISTAN
1Y	PALAU
1X	PALESTINIAN TERRITORY, OCCUPIED
R1	PANAMA
R2	PAPUA NEW GUINEA
R4	PARAGUAY
R5	PERU
R6	PHILIPPINES
R8	PITCAIRN
R9	POLAND
S1	PORTUGAL
PR	PUERTO RICO
S3	QATAR
S4	REUNION
S5	ROMANIA
1Z	RUSSIAN FEDERATION
S6	RWANDA
Z0	SAINT BARTHELEMY
U8	SAINT HELENA
U7	SAINT KITTS AND NEVIS
U9	SAINT LUCIA
Z1	SAINT MARTIN
V0	SAINT PIERRE AND MIQUELON
V1	SAINT VINCENT AND THE GRENADINES
Y0	SAMOA
S8	SAN MARINO
S9	SAO TOME AND PRINCIPE
T0	SAUDI ARABIA
T1	SENEGAL
Z2	SERBIA
T2	SEYCHELLES
T8	SIERRA LEONE
U0	SINGAPORE
2B	SLOVAKIA
2A	SLOVENIA

Code	State or Country Name
D7	SOLOMON ISLANDS
U1	SOMALIA
T3	SOUTH AFRICA
1L	SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS
U3	SPAIN
F1	SRI LANKA
V2	SUDAN
V3	SURINAME
L9	SVALBARD AND JAN MAYEN
V6	SWAZILAND
V7	SWEDEN
V8	SWITZERLAND
V9	SYRIAN ARAB REPUBLIC
F5	TAIWAN
2D	TAJIKISTAN
W0	TANZANIA, UNITED REPUBLIC OF
W1	THAILAND
Z3	TIMOR-LESTE
W2	TOGO
W3	TOKELAU
W4	TONGA
W5	TRINIDAD AND TOBAGO
W6	TUNISIA
W8	TURKEY
2E	TURKMENISTAN
W7	TURKS AND CAICOS ISLANDS
2G	TUVALU
W9	UGANDA
2H	UKRAINE
C0	UNITED ARAB EMIRATES
X0	UNITED KINGDOM
2J	UNITED STATES MINOR OUTLYING ISLANDS
X3	URUGUAY
2K	UZBEKISTAN
2L	VANUATU
X5	VENEZUELA
Q1	VIET NAM
D8	VIRGIN ISLANDS, BRITISH
VI	VIRGIN ISLANDS, U.S.
X8	WALLIS AND FUTUNA
U5	WESTERN SAHARA
T7	YEMEN
Y4	ZAMBIA
Y5	ZIMBABWE
XX	UNKNOWN

APPENDIX B. MAPPING OF FORM 25-NSE XML ELEMENTS TO PRINTED FORM

Table B-1, Mapping for Form 25-NSE XML Elements to Printed Form, maps the XML elements that have a displayable value to their corresponding fields on a printed Form 25. Not all elements map to the printed form, but the schema definition as provided in Table 3-3 is repeated here for completeness.

Table B-1: Mapping for Form 25-NSE XML Elements to Printed Form

Element Name	Printed Form 25
edgarSubmission	
submissionType	
testOrLive	
returnCopy	
confirmingCopy	
contactData	
contactName	
contactPhoneNumber	
contactEmailAddress	
amendment	
isAmendment	
previousAccessionNumber	
notificationAddresses	
notificationEmailAddress	
formVersion	
primaryDocument	
documentName	
documentType	
documentDescription	
documentBlock	
notificationOfRemoval	
schemaVersion	
exchange	
cik	
ccc	
entityName	... name of Exchange where security is listed and/or registered (second portion of first line), Pursuant to the requirements of the Securities Exchange Act of 1934,
issuer	
cik	
entityName	Exact name of Issuer as specified in its charter ... (first portion of first line)
fileNumber	Commission File Number
address	
street1	Address, including zip code, and telephone number, including area code, of Issuer's principal executive offices
street2	Address, including zip code, and telephone number, including area code, of Issuer's principal executive offices
City	Address, including zip code, and telephone number, including area code, of Issuer's principal executive offices
stateOrCountryCode	Address, including zip code, and telephone number, including area code, of Issuer's principal executive offices
stateOrCountry	Address, including zip code, and telephone number, including area code, of Issuer's principal executive offices

Element Name	Printed Form 25
zipCode	Address, including zip code, and telephone number, including area code, of Issuer's principal executive offices
telephoneNumber	Address, including zip code, and telephone number, including area code, of Issuer's principal executive offices
descriptionClassSecurity	Description of class of securities
ruleProvision	Place an X in the box to designate the rule provision relied upon to strike the class of securities from listing and registration Pursuant to 17 CFR 240.12d2-2(b), the Exchange has complied with its rules to strike the class of securities from listing and/or withdraw registration on the Exchange
signatureData	
signatureName	By Name
signatureTitle	By Title
signatureDate	Date
edgarDocument	
documentName	
documentType	
documentDescription	
documentMimeBlock	