Certificate of Translation Accuracy

Hyeseung Son, a certified Korean-English conference interpreter and translator, hereby certifies that, to the best of her knowledge and belief, the attached document translated from Korean into English is a true, accurate, and complete translation of the following document:

Exhibit A of Hanju Kim Testimony_Documents presented by Defense

Executed this 23rd day of February 2024

Signed:

Hyeseung Son, translator Email: hyeseungson@gmail.com 101-1306, 66-31 Hyoryeong-ro 33-gil, Seocho-gu, Seoul South Korea

I have used all available measures to ensure the accuracy of each translation but shall not be held liable for damages due to error or negligence in translation.

DEFENDANTS'
EXHIBIT
D1215
23-cv-01346 (JSR)

D1215, Page 1 of 3

COMMON INTEREST PRIVILEGED

From: jihoonkim[notifications@github.com]

Sent: 2019-12-12T13:50:11Z

To: chai-finance/api-server[api-server@noreply.github.com]

Cc: Subscribed[subscribed@noreply.github.com]

Subject: Re: [chai-finance/api-server] ** [12/12/2019] Columbus-3 patch (#544)

@devilcode approved this pull request.

Checked – there would be almost no impact on the Chai service as you said.

Great job on responding to Col-3 at Chai in such a short time!**

Also, could you make an Asana task related to this task and upload it on the backend board? I intend to manage all tasks to be released through quests! Once you make it and send it over to the backend board, I will pick it up from there.

In src/lib/payment/confirm.ts:

> @@ - 103,10+106,9 @@ async function processConfirm(payment: PaymentEntity, merchant: MerchantEntity):

```
});
```

- // tempura transaction
- if (payment.billingAmount > 0) {
- await lp.claimDON(payment.user.id, merchant.id, payment.billingAmount);

-}

- + // tempura payment
- + await lp.claimDON(payment.user.id, 'm:\${merchant.id}', payment.billingAmount); // payment approval (user > merchant)
- + await lp.ClaimDON ('lp', 'm:\${merchant.id}', payment.discountAmount); // promotion approval (lp > merchant)

I guess you added 'm:' in front of the merchant uuid in order to prevent the user uuid and the merchant uuid from overlapping just in case!

But it might be a good idea to put it as a function in the lp if it could be used in many places.

In src/user/registration.ts:

D1215, Page 2 of 3

```
> @@ - 251,8 + 251,9 @@ export async function register (data: RegisterInterface):

Promise<ActiveUser I Us

}
);
```

- // make 0 KRW transaction to create wallet
- await lp.claimDON(userEntity.id, '6ccbeea2-ac0f-42e0-b7ab-eebc4f7e9bd7', 0);
- + // tempura creation (charge 1 KRW, withdraw 1 KRW)
- + await lp.claimDON('lp', userEntity.id, 1); // charge (lp>user)

I wonder if 'lp' should also be in the lp module as a constant along with the function for formatting merchant uuid.

You are receiving this because you are subscribed to this thread.

Reply to this email directly, view it on GitHub, or unsubscribe.

D1215, Page 3 of 3